The Toxicity of the Fogs Formed by Dropping Pydraul F-9, Aroclor 1248 and Tricresyl Phosphate, Upon the Surface of a Heated Inconel (Project 49)

by
Treon, Cleveland, Shaffer, Cappel, Gahegan, Wagner

March 11, 1953

MONS 061757



MONS 061758

CONFIDENTIAL

Table of Contents

	Page
Scope	1
Conclusions	1
Materials	5
Experimental Methods	7
Equipment	7
Volatilization of the Materials Without Decomposition	7
Generation of a Fog From a Heated Inconel Surface	9
Sampling and Analysis of Contaminated Air	11
Experimental Results	19
Exposure to Undecomposed Vapors	19
Exposure to Products Arising From Pydraul F-9, Aroclor 1248, or Trieresyl Phosphate When in Contact with Inconel at 1250° or 1050° F.	21
Mortality	21
Signs and Pathology of Intoxication	23
The Concentrations of Identified Decomposition Products Formed at the Higher and Lower Temperatures	25
Discussion	28
Supplementary Statement - The Application of Pydraul F-9, Aroclor 1248 and Trieresyl Phosphate Upon the Skin of Rabbits	31
Experimental Methods	31
Experimental Results	32

Sequence of Tables

1. The Mortality, Length of Survival, and Changes in Weight of Animals Exposed to the Vapor of Pydraul F-9 in Air.

2. The Mortality, Length of Survival, and Changes in Weight of Animals Exposed to the Vapor of Arcolor 1248 in Air.

3. The Mortality, Length of Survival, and Changes in Weight of Animals Exposed to the Vapor of Trieresyl Phosphate in Air.

4. Consentrations of Various Decomposition Products in Air of Chamber in the Several Experiments.

5. The Mortality, Length of Survival, and Changes in Weight of Animals Exposed to Aerosols Formed by Dropping Pydraul F-9 Into an Inconel Tube Heated to a Temperature of 1250° F. (677° C.).

6. The Mortality, Length of Survival, and Changes in Weight of Animals Exposed to Aerosols Formed by Dropping Pydraul F-9 Into an Inconel Tube Heated to a Temperature of 1050° F. (566° C.).

7. The Mortality, Length of Survival, and Changes in Weight of Animals Exposed to Aerosols Formed by Dropping Arcolor 1248 Into an Inconel Tube Heated to a Temperature of 1250° F. (677° C.).

8. The Mortality, Length of Survival, and Changes in Weight of Animals Exposed to Aerosols Formed by Dropping Arcolor 1248 Into an Inconel Tube Heated to a Temperature of 1050° F. (566° C.).

9. The Mortality, Length of Survival, and Changes in Weight of Animals Exposed to Aerosols Formed by Dropping Trieresyl Phosphate Into an Inconel Tube Heated to a Temperature of 1250° F. (677° C.).

10. The Mortality, Length of Survival, and Changes in Weight of Animals Exposed to Aerosols Formed by Dropping Trieresyl Phosphate Into an Inconel Tube Heated to a Temperature of 1050° F. (566° C.).

11. Summary of Mortality Among Groups of Animals Subjected to Aerosols Formed by Dropping Pydraul F-9, Aroclor 1248 or Trieresyl Phosphate Into a Heated Inconel Tube.

12. Incidence of Mortality in Relation to Material and Species Regardless of the Temperature of the Inconel.

13. Incidence of Mortality in Relation to Material, Species, and Temperature of Inconel.

14. The Toxicity of Pydraul F-9 When Maintained Continuously for Twenty-four Hours in Contact With the Skin of Rabbits by the Sleeve Method of Draize, Woodard and Calvery.

15. The Toxicity of Aroclor 1248 When Maintained Continuously for Twenty-four Hours in Contact With the Skin of Rabbits by the Sleeve Method of Draize, Woodard and Calvery.

16. The Toxicity of Trieresyl Phosphate When Maintained Continuously for Twenty-four Hours in Contact With the Skin of Rabbits by the Sleeve Method of Draize, Woodard and Calvery.

17. The Toxicity of Gargoyle DTE When Maintained Continuously for Twenty-four Hours in Contact With the Skin of Rabbits by the Sleeve Method of Draize, Woodard and Calvery.

18. Summarized Data on the Immediate Toxicity of Pydraul F-9, Aroclor 1248, Trieresyl Phosphate and Gargoyle DTE When Maintained Upon the Skin of Rabbits According to the Sleeve Method of Draize, Woodard and Calvery.

Sequence of Figures

1. Heated Well From Which Pydraul F-9 Was Evaporated Into Air Streams.
2. Towers From Which Liquids are Volatilized.
3. Equipment for the Generation of the Decomposition Products of Hydraulic Fluids at High Temperatures.
4. Absorption Train for Collection of Carbon Monoxide From Air.
5. Standardization Curve for the Determination of Pydraul.
6. Standardization Curve for the Determination of Aroclor 1248.
7. Standardization Curve for the Determination of Tricresyl Phosphate.
8. Standardization Curve for the Determination of Sodium Chloride.
9. Standardization Curve for the Determination of Meta-Cresol.
10. Standardization Curve for the Determination of Para-Cresol.