

308
40

ETHYL GASOLINE CORPORATION

CHRYSLER BUILDING
405 LEXINGTON AVENUE

NEW YORK June 9, 1941

INTER-OFFICE
CORRESPONDENCE

Dr. Willard Machle

Dear Bill:

Attached hereto is a recent memorandum from Joe Costello in which I thought you might have some interest.

If these conditions prevail in all of our divisions, I think we must be doing a pretty good job.

Very truly yours,



MR
Enc.

KE 0022720

ETHYL GASOLINE CORPORATION

NEW YORK DIVISION

CHRYSLER BUILDING

405 LEXINGTON AVENUE

NEW YORK June 4, 1941

RICHARD C. MURPHY

DIVISION MANAGER

ROY L. GOLTZ

ASSISTANT DIVISION MANAGER

INTER-OFFICE
CORRESPONDENCE

MEMO TO MR. H. W. KALEY

During the recent discussion which we had with Doctor Kehoe on the subject of cleaning small tanks, you raised a question about the number of tank cleanings which our men observed to be inadequately done. At that time I said I felt we had now reached the point where our education on cleaning leaded gasoline tanks in the industry was bearing fruit and it was a rare occasion when we found tank cleaning crews not following our safety precautions.

I have since checked back through our tank cleaning reports for the period from January 1st to May 1st, 1941 and I am listing below the number of infractions noted on these reports.

	<u>No. Cleaned</u>	<u>No. Infractions</u>
United States	100	6
Canada	23	1
Jobbers	1	1
Total	124	8

You will note of a total of 124 tanks cleaned in this division, only eight showed any infractions whatever and most of these were of a very minor nature. They included such items as lack of sufficient spare clothing; criticism of the way the men worked while in the tank; comment on insufficient cooperation from the foremen and items of that nature. In no case were men sent in a tank without adequate protective equipment.


J. A. Costello

JAC:W

KE 0022721

N22651.01