

Alexander & Alexander, Inc.
1100 Raymond Boulevard
Newark, New Jersey 07102
Telephone 201 622-8318

Sept 5, 1972
**Alexander
& Alexander**

July 6, 1972

*See
7/12*

Mr. R. A. Rennicks
Director of Industrial Hygiene
Continental Insurance Company
80 Maiden Lane
New York, N.Y. 10038

RECEIVED

JUL 7 1972

Dear Bob:

R. A. RENNICKS

**SUBJECT: Studebaker-Worthington, Inc.
Wagner Electric Division
St. Louis, Missouri**

On June 20th, 1972 you sent a report to Mike Mullarkey, Manager of Employee Benefits at Wagner Electric in St. Louis.

Subsequent to this, or maybe in conjunction with this Mr. Mullarkey became aware of certain safety standards for exposure to asbestos dust which requires certain action on his part.

Are you aware of this particular document? (copy of which is attached)

In your opinion do you feel that medical exams are required if the asbestos grinding area is under five fibers? In your opinion also will caution signs be required in the area if the asbestos fiber content is under five? More importantly what do you think about labeling cartons containing asbestos lining when the carton is completely enclosed?

In regards to provisions which require that the employer monitor each place of employment where asbestos fibers are released which I understand has to be done every six (6) months, is this something we look to your department for or is this something we look to the loss control department for, or better yet can we advise the insured on how to purchase the machine so that he can do it himself? Thank you very much.

Sincerely,

Bob

Vice President

RJFranke/prb

Attached
Telex 13-0006