

Test Results

Industrial Hygiene

Sample Date Range

1/1/81

12/31/81

Concentration Range

Action Level

100%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 04 POWER & SERVICES									
LOC: 074 INCINERATOR AREA - GENERAL									
4/13/81	32328		P		none	C-8	0.0012	PPM	0.0%
4/15/81	32329		P		none	C-8	0.0008	PPM	0.0%
4/15/81	52165		Z			C-8	0.0005	PPM	0.0%
4/20/81	52166		Z			C-8	0.0011	PPM	0.0%
4/20/81	52167		Z			C-8	0.0002	PPM	0.0%
BTO: 07 TECHNICAL									
LOC: 411 BLDG. 163 - LAB GENERAL AREA									
4/10/81	47508		Z			C-8	<0.0001	PPM	0.0%
BTO: 07 TECHNICAL									
LOC: 435 BLDG 212-CHECK VISUAL CONTAMINATION CUBES									
2/25/81	60866		Z			C-8	0.0003	PPM	0.0%
BTO: 07 TECHNICAL									
LOC: 436 BLDG 212-FEP-MELT INDEXER-ON BENCH									
2/25/81	52683		Z			C-8	0.0015	PPM	0.0%
2/25/81	52684		Z			C-8	0.0015	PPM	0.0%
BTO: 07 TECHNICAL									
LOC: 438 BLDG 212 GENERAL									
2/25/81	48761		Z			C-8	0.0003	PPM	0.0%
BTO: 08 TEFLON@									
LOC: 023 TRAINING FACILITY (OLD PROD C.C.)									
3/3/81	54817		Z			C-8	0.0004	PPM	0.0%
3/3/81	54818		Z			C-8	0.0005	PPM	0.0%
3/16/81	54819		Z			C-8	0.0002	PPM	0.0%
3/17/81	54820		Z			C-8	0.0006	PPM	0.0%
3/18/81	54821		Z			C-8	0.0002	PPM	0.0%
3/18/81	54822		Z			C-8	<0.0001	PPM	0.0%
3/19/81	54823		Z			C-8	0.0003	PPM	0.0%
3/19/81	54824		Z			C-8	0.0004	PPM	0.0%

Tuesday, January 16, 2001 12:51:38 PM

Page 1 of 23

ALP004076

EID113211

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/27/81	54825		Z			C-8	<0.0001	PPM	0.0%
BTO: 08 TEFLON@									
LOC: 701 FINE POWDER DRYER-EAST SIDE #2									
8/5/81	62677		Z			C-8	0.0091	PPM	0.0%
8/5/81	62678		Z			C-8	0.0005	PPM	0.0%
BTO: 08 TEFLON@									
LOC: 702 FINE POWDER DRYER CONTROL ROOM (ALSO SEE TTF031									
6/9/81	57147		Z			C-8	0.0004	PPM	0.0%
6/13/81	57148		Z			C-8	0.0004	PPM	0.0%
7/21/81	57149		Z			C-8	0.0002	PPM	0.0%
7/23/81	57150		Z			C-8	0.0003	PPM	0.0%
BTO: 08 TEFLON@									
LOC: 703 FINE POWDER PACKOUT ROOM									
6/16/81	49596		Z			C-8	<0.0001	PPM	0.0%
BTO: 08 TEFLON@									
LOC: 705 DISPERSION PACK OUT AREA									
6/16/81	60381		Z			C-8	0.0002	PPM	0.0%
BTO: 08 TEFLON@									
LOC: 706 FINE POWDER DRYER #3									
6/5/81	48588		Z			C-8	0.0081	PPM	0.0%
6/5/81	48589		Z			C-8	0.0043	PPM	0.0%
6/9/81	48590		Z			C-8	0.0015	PPM	0.0%
6/9/81	48591		Z			C-8	0.0016	PPM	0.0%
6/13/81	48592		Z			C-8	0.0015	PPM	0.0%
BTO: 08 TEFLON@									
LOC: 707 FINE POWDER DRYER #2									
6/3/81	60143		Z			C-8	0.0946	PPM	0.0%
6/3/81	60144		Z			C-8	0.0061	PPM	0.0%
6/13/81	60145		Z			C-8	0.0014	PPM	0.0%
7/21/81	60146		Z			C-8	0.0358	PPM	0.0%
7/21/81	60147		Z			C-8	0.0056	PPM	0.0%
7/22/81	60148		Z			C-8	0.0445	PPM	0.0%
7/22/81	60149		Z			C-8	0.0058	PPM	0.0%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 710 FP&D AUTOCLAVE CONTROL ROOM									
1/8/81	62597		Z			C-8	<0.0001	PPM	0.0%
3/5/81	62598		Z			C-8	0.0004	PPM	0.0%
6/13/81	62599		Z			C-8	0.0009	PPM	0.0%
7/23/81	62600		Z			C-8	0.0002	PPM	0.0%
BTO: 08 TEFLON@									
LOC: 713 FINE POWDER OFFICE AREA-GENERAL									
4/28/81	62626		Z			C-8	0.0004	PPM	0.0%
4/28/81	62627		Z			C-8	0.0005	PPM	0.0%
4/28/81	62628		Z			C-8	0.0002	PPM	0.0%
BTO: 08 TEFLON@									
LOC: 714 C-8 STORAGE ROOM									
3/3/81	62646		Z			C-8	0.0004	PPM	0.0%
3/17/81	62647		Z			C-8	<0.0001	PPM	0.0%
BTO: 08 TEFLON@									
LOC: 716 FINE POWDER C-8 PUMP AREA									
1/5/81	62641		Z			C-8	<0.0001	PPM	0.0%
BTO: 08 TEFLON@									
LOC: 717 ROOF AREA-GENERAL									
3/27/81	62604		Z			C-8	0.0015	PPM	0.0%
6/16/81	62605		Z			C-8	0.0022	PPM	0.0%
6/16/81	62606		Z			C-8	0.0013	PPM	0.0%
6/17/81	62607		Z			C-8	0.0009	PPM	0.0%
6/17/81	62608		Z			C-8	0.0022	PPM	0.0%
6/18/81	62609		Z			C-8	0.0002	PPM	0.0%
6/18/81	62610		Z			C-8	0.0006	PPM	0.0%
7/9/81	62611		Z			C-8	0.0001	PPM	0.0%
7/9/81	62612		Z			C-8	<0.0001	PPM	0.0%
7/9/81	62613		Z			C-8	<0.0001	PPM	0.0%
BTO: 08 TEFLON@									
LOC: 718 FINE POWDER DRYER AREA									
6/4/81	62771		Z			C-8	0.0019	PPM	0.0%
6/4/81	62772		Z			C-8	0.0029	PPM	0.0%
6/13/81	62773		Z			C-8	0.0018	PPM	0.0%

Tuesday, January 16, 2001 12:51:38 PM

Page 3 of 23

AJP004078

EID113213

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/27/81	62774		Z			C-8	0.0079	PPM	0.0%
7/27/81	62775		Z			C-8	0.0091	PPM	0.0%
7/28/81	62776		Z			C-8	0.003	PPM	0.0%
7/29/81	62777		Z			C-8	0.0028	PPM	0.0%
7/29/81	62778		Z			C-8	0.0027	PPM	0.0%
7/29/81	62779		Z			C-8	0.0024	PPM	0.0%
7/29/81	62780		Z			C-8	0.0029	PPM	0.0%
7/29/81	62781		Z			C-8	0.0025	PPM	0.0%
7/29/81	62782		Z			C-8	0.004	PPM	0.0%

BTO: 08 TEFLON@

LOC: 728 WAX ROOM - B-162 - 1ST FLOOR

3/5/81	60112		Z			C-8	0.0012	PPM	0.0%
3/5/81	60113		Z			C-8	0.001	PPM	0.0%

BTO: 08 TEFLON@

LOC: 729 HOLDUP TANK ROOM - B162

3/27/81	60110		Z			C-8	0.0002	PPM	0.0%
3/27/81	60111		Z			C-8	<0.0001	PPM	0.0%

BTO: 08 TEFLON@

LOC: 737 CARR BLDG - GENRAL AREAS

4/8/81	61581		Z			C-8	<0.0001	PPM	0.0%
4/8/81	61582		Z			C-8	0.0002	PPM	0.0%
4/8/81	61583		Z			C-8	<0.0001	PPM	0.0%
4/14/81	61584		Z			C-8	0.0002	PPM	0.0%
4/14/81	61585		Z			C-8	0.001	PPM	0.0%
4/15/81	61586		Z			C-8	<0.0001	PPM	0.0%

BTO: 08 TEFLON@

LOC: 747 B-162 WEST WAREHOUSE

4/29/81	49551		Z			C-8	0.0002	PPM	0.0%
4/29/81	49552		Z			C-8	0.001	PPM	0.0%

BTO: 08 TEFLON@

LOC: 748 B-162 EAST WAREHOUSE

7/20/81	57616		Z			C-8	0.003	PPM	0.0%
7/20/81	57617		Z			C-8	0.0009	PPM	0.0%
7/20/81	57618		Z			C-8	0.0006	PPM	0.0%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
BTO: 08 TEFLON@									
LOC: 802 P/S - FINE POWDER DRYER OPERATOR (08PI)									
6/13/81	33489		P		none	C-8	0.001	PPM	0.0%
BTO: 17 RESEARCH									
LOC: 065 PPD SEMIWORKS									
4/8/81	57356		Z			C-8	<0.0001	PPM	0.0%
BTO: 17 RESEARCH									
LOC: 100 P/S - EPM WAREHOUSE - FORK TRUCK OPERATION									
4/30/81	60221		Z			C-8	0.0001	PPM	0.0%
BTO: 17 RESEARCH									
LOC: 105 P/S FP EXTRUDER OPERATOR (NOTE EXT) (17LG)									
4/8/81	32225		P		none	C-8	<0.0001	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 003 #1 OVEN COOLING TOWER									
2/5/81	54696		Z			C-8	0.0001	PPM	0.0%
2/11/81	54697		Z			C-8	<0.0001	PPM	0.0%
3/17/81	54698		Z			C-8	0.0002	PPM	0.0%
5/23/81	54699		Z			C-8	<0.0001	PPM	0.0%
8/10/81	54700		Z			C-8	0.0001	PPM	0.0%
8/11/81	54701		Z			C-8	<0.0001	PPM	0.0%
8/12/81	54702		Z			C-8	<0.0001	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 004 #2 OVEN COOLING TOWER									
2/5/81	61788		Z			C-8	0.0002	PPM	0.0%
2/11/81	61789		Z			C-8	0.0001	PPM	0.0%
3/17/81	61790		Z			C-8	0.0002	PPM	0.0%
8/10/81	61791		Z			C-8	0.0001	PPM	0.0%
8/11/81	61792		Z			C-8	0.0001	PPM	0.0%
8/12/81	61793		Z			C-8	<0.0001	PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS									
LOC: 183 FEP SHUTDOWN SAMPLES									
5/12/81	61936		Z			C-8	<0.0001	PPM	0.0%
5/12/81	61937		Z			C-8	<0.0001	PPM	0.0%
5/12/81	61938		Z			C-8	<0.0001	PPM	0.0%
5/12/81	61939		Z			C-8	<0.0001	PPM	0.0%

Tuesday, January 16, 2001 12:51:38 PM

Page 5 of 23

ALP004080

EID113215

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
5/12/81	61940		Z			C-8	<0.0001	PPM	0.0%
5/12/81	61941		Z			C-8	<0.0001	PPM	0.0%
5/12/81	61942		Z			C-8	<0.0001	PPM	0.0%
5/13/81	61943		Z			C-8	<0.0001	PPM	0.0%
5/13/81	61944		Z			C-8	<0.0001	PPM	0.0%
5/13/81	61945		Z			C-8	<0.0001	PPM	0.0%
5/13/81	61946		Z			C-8	0.0001	PPM	0.0%
5/14/81	61947		Z			C-8	<0.0001	PPM	0.0%
5/14/81	61948		Z			C-8	<0.0001	PPM	0.0%
5/14/81	61949		Z			C-8	<0.0001	PPM	0.0%
5/14/81	61950		Z			C-8	<0.0001	PPM	0.0%
5/14/81	61951		Z			C-8	<0.0001	PPM	0.0%
5/15/81	61952		Z			C-8	<0.0001	PPM	0.0%
5/15/81	61953		Z			C-8	<0.0001	PPM	0.0%
5/15/81	61954		Z			C-8	<0.0001	PPM	0.0%
5/15/81	61955		Z			C-8	<0.0001	PPM	0.0%
5/15/81	61956		Z			C-8	<0.0001	PPM	0.0%
5/18/81	61957		Z			C-8	<0.0001	PPM	0.0%
5/18/81	61958		Z			C-8	<0.0001	PPM	0.0%
5/18/81	61959		Z			C-8	<0.0001	PPM	0.0%
5/18/81	61960		Z			C-8	<0.0001	PPM	0.0%
5/18/81	61961		Z			C-8	<0.0001	PPM	0.0%
5/19/81	61962		Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 184 CLEAN-UP FOR SHUTDOWN

5/9/81	61900		Z			C-8	0.0002	PPM	0.0%
5/9/81	61901		Z			C-8	0.0003	PPM	0.0%
5/9/81	61902		Z			C-8	0.0006	PPM	0.0%
5/10/81	61903		Z			C-8	0.0004	PPM	0.0%
5/10/81	61904		Z			C-8	0.0004	PPM	0.0%
5/18/81	61905		Z			C-8	<0.0001	PPM	0.0%
5/18/81	61906		Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 187 CONTRACTOR CLEANING AREAS

2/22/81	61816		Z			C-8	0.0004	PPM	0.0%
3/12/81	61817		Z			C-8	0.0031	PPM	0.0%
3/12/81	61818		Z			C-8	0.0007	PPM	0.0%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/12/81	61819		Z			C-8	0.0007	PPM	0.0%
3/12/81	61820		Z			C-8	0.001	PPM	0.0%
3/12/81	61821		Z			C-8	0.0006	PPM	0.0%
3/26/81	61822		Z			C-8	0.0003	PPM	0.0%
3/27/81	61823		Z			C-8	0.0005	PPM	0.0%
3/30/81	61824		Z			C-8	0.0032	PPM	0.0%
4/3/81	61825		Z			C-8	0.0034	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 188 B-163 45 FT ROOF

2/19/81	61757		Z			C-8	0.0003	PPM	0.0%
---------	-------	--	---	--	--	-----	--------	-----	------

BTO: 18 TEFLON@ COPOLYMERS

LOC: 189 B-163 MID ROOF H&V INLET

2/6/81	61784		Z			C-8	0.0003	PPM	0.0%
2/6/81	61785		Z			C-8	0.0002	PPM	0.0%
3/25/81	61786		Z			C-8	<0.0001	PPM	0.0%
5/21/81	61787		Z			C-8	0.0007	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 202 FEP-POLYKETTLE #1 LOWER CELL

5/9/81	49136		Z			C-8	0.0004	PPM	0.0%
--------	-------	--	---	--	--	-----	--------	-----	------

BTO: 18 TEFLON@ COPOLYMERS

LOC: 206 FEP-DISP AREA-CHANGING NH4OH DRUM

4/7/81	58840		Z			C-8	0.0019	PPM	0.0%
4/7/81	58841		Z			C-8	0.0006	PPM	0.0%
4/8/81	58842		Z			C-8	0.0002	PPM	0.0%
4/8/81	58843		Z			C-8	0.0004	PPM	0.0%
4/9/81	58844		Z			C-8	0.0009	PPM	0.0%
4/9/81	58845		Z			C-8	<0.0001	PPM	0.0%
4/10/81	58846		Z			C-8	<0.0001	PPM	0.0%
4/13/81	58847		Z			C-8	0.0004	PPM	0.0%
4/14/81	58848		Z			C-8	0.0004	PPM	0.0%
4/15/81	58849		Z			C-8	0.0004	PPM	0.0%
4/22/81	58850		Z			C-8	0.0012	PPM	0.0%
4/30/81	58851		Z			C-8	0.0006	PPM	0.0%
5/4/81	58852		Z			C-8	0.0006	PPM	0.0%
5/5/81	58853		Z			C-8	0.0018	PPM	0.0%
5/5/81	58854		Z			C-8	0.0005	PPM	0.0%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
5/6/81	58855		Z			C-8	0.0004	PPM	0.0%
5/7/81	58856		Z			C-8	0.0004	PPM	0.0%
5/13/81	58857		Z			C-8	<0.0001	PPM	0.0%
5/15/81	58858		Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 207 FEP-POLY KETTLE OPERATORS DESK

2/4/81	49123		Z			C-8	0.0002	PPM	0.0%
--------	-------	--	---	--	--	-----	--------	-----	------

BTO: 18 TEFLON@ COPOLYMERS

LOC: 208 FEP-BLENDER PIT

2/3/81	47632		Z			C-8	0.0004	PPM	0.0%
2/3/81	47633		Z			C-8	0.0005	PPM	0.0%
2/4/81	47634		Z			C-8	0.0006	PPM	0.0%
2/4/81	47635		Z			C-8	0.0006	PPM	0.0%
2/13/81	47636		Z			C-8	0.0005	PPM	0.0%
3/19/81	47637		Z			C-8	0.0013	PPM	0.0%
3/30/81	47638		Z			C-8	0.001	PPM	0.0%
4/23/81	47639		Z			C-8	0.0014	PPM	0.0%
4/24/81	47640		Z			C-8	0.0011	PPM	0.0%
5/1/81	47641		Z			C-8	0.0006	PPM	0.0%
6/15/81	47642		Z			C-8	0.0004	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 210 #1 COAGULATOR-2ND FLOOR

1/13/81	58790		Z			C-8	<0.0001	PPM	0.0%
2/10/81	58791		Z			C-8	0.0005	PPM	0.0%
2/13/81	58792		Z			C-8	<0.0001	PPM	0.0%
3/9/81	58793		Z			C-8	0.0001	PPM	0.0%
3/13/81	58794		Z			C-8	0.0023	PPM	0.0%
3/16/81	58795		Z			C-8	0.0011	PPM	0.0%
4/20/81	58796		Z			C-8	0.0017	PPM	0.0%
4/21/81	58797		Z			C-8	0.0002	PPM	0.0%
5/6/81	58798		Z			C-8	0.0005	PPM	0.0%
5/7/81	58799		Z			C-8	0.0005	PPM	0.0%
5/8/81	58800		Z			C-8	0.0001	PPM	0.0%
5/21/81	58801		Z			C-8	0.0007	PPM	0.0%
6/4/81	58802		Z			C-8	0.0004	PPM	0.0%
6/5/81	58803		Z			C-8	0.0003	PPM	0.0%
6/8/81	58804		Z			C-8	0.0001	PPM	0.0%

Tuesday, January 16, 2001 12:51:38 PM

Page 8 of 23

AJP004083

EID113218

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
6/9/81	58805		Z			C-8	0.0002	PPM	0.0%
6/10/81	58806		Z			C-8	0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 212 #1 COAGULATOR-1ST FLOOR PLATFORM

2/3/81	53369		Z			C-8	0.0003	PPM	0.0%
3/13/81	53370		Z			C-8	0.001	PPM	0.0%
3/16/81	53371		Z			C-8	0.0006	PPM	0.0%
4/27/81	53372		Z			C-8	0.0007	PPM	0.0%
4/28/81	53373		Z			C-8	0.0005	PPM	0.0%
4/29/81	53374		Z			C-8	0.0007	PPM	0.0%
5/21/81	53375		Z			C-8	<0.0001	PPM	0.0%
6/4/81	53376		Z			C-8	0.0004	PPM	0.0%
6/5/81	53377		Z			C-8	0.0002	PPM	0.0%
6/8/81	53378		Z			C-8	0.0001	PPM	0.0%
6/8/81	53379		Z			C-8	0.0001	PPM	0.0%
6/9/81	53380		Z			C-8	0.0002	PPM	0.0%
6/10/81	53381		Z			C-8	0.0003	PPM	0.0%
6/11/81	53382		Z			C-8	0.0003	PPM	0.0%
6/11/81	53383		Z			C-8	0.0002	PPM	0.0%
6/12/81	53384		Z			C-8	0.0003	PPM	0.0%
6/12/81	53385		Z			C-8	0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 214 FEP-#1 TORUS DISK DRYER (CLEAN) ROOM

2/3/81	50219		Z			C-8	0.0039	PPM	0.0%
2/3/81	50220		Z			C-8	0.0039	PPM	0.0%
2/9/81	50221		Z			C-8	0.0009	PPM	0.0%
2/10/81	50222		Z			C-8	0.0053	PPM	0.0%
2/10/81	50223		Z			C-8	0.0023	PPM	0.0%
2/13/81	50224		Z			C-8	0.0023	PPM	0.0%
2/17/81	50225		Z			C-8	0.0031	PPM	0.0%
2/21/81	50226		Z			C-8	0.0038	PPM	0.0%
3/10/81	50227		Z			C-8	0.0007	PPM	0.0%
3/11/81	50228		Z			C-8	0.0022	PPM	0.0%
3/24/81	50229		Z			C-8	0.001	PPM	0.0%
3/25/81	50230		Z			C-8	0.0021	PPM	0.0%
3/26/81	50231		Z			C-8	0.0004	PPM	0.0%
3/30/81	50232		Z			C-8	0.0014	PPM	0.0%

Sample Dt	Sample #	Duration Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/2/81	50233	Z			C-8	0.0092	PPM	0.0%
4/6/81	50234	Z			C-8	0.0092	PPM	0.0%
4/9/81	50235	Z			C-8	0.0025	PPM	0.0%
4/10/81	50236	Z			C-8	0.011	PPM	0.0%
4/13/81	50237	Z			C-8	0.0012	PPM	0.0%
4/15/81	50238	Z			C-8	0.0048	PPM	0.0%
4/20/81	50239	Z			C-8	0.0258	PPM	0.0%
4/21/81	50240	Z			C-8	0.0073	PPM	0.0%
4/22/81	50241	Z			C-8	0.1162	PPM	0.0%
4/23/81	50242	Z			C-8	0.0531	PPM	0.0%
4/24/81	50243	Z			C-8	0.0077	PPM	0.0%
5/22/81	50244	Z			C-8	0.0004	PPM	0.0%
5/23/81	50245	Z			C-8	0.0012	PPM	0.0%
6/4/81	50246	Z			C-8	0.0008	PPM	0.0%
6/5/81	50247	Z			C-8	0.0007	PPM	0.0%
6/8/81	50248	Z			C-8	0.001	PPM	0.0%
6/9/81	50249	Z			C-8	0.001	PPM	0.0%
6/10/81	50250	Z			C-8	0.0011	PPM	0.0%
6/11/81	50251	Z			C-8	0.001	PPM	0.0%
6/12/81	50252	Z			C-8	0.0016	PPM	0.0%
6/15/81	50253	Z			C-8	0.0012	PPM	0.0%
6/16/81	50254	Z			C-8	0.0016	PPM	0.0%
6/16/81	50255	Z			C-8	0.0014	PPM	0.0%
6/17/81	50256	Z			C-8	0.0018	PPM	0.0%
6/18/81	50257	Z			C-8	0.0013	PPM	0.0%
6/19/81	50258	Z			C-8	0.0011	PPM	0.0%
6/22/81	50259	Z			C-8	0.0004	PPM	0.0%
6/23/81	50260	Z			C-8	0.0008	PPM	0.0%
6/24/81	50261	Z			C-8	0.0016	PPM	0.0%
6/25/81	50262	Z			C-8	0.0024	PPM	0.0%
6/28/81	50263	Z			C-8	0.0113	PPM	0.0%
6/29/81	50264	Z			C-8	0.0003	PPM	0.0%
6/30/81	50265	Z			C-8	0.0024	PPM	0.0%
7/1/81	50266	Z			C-8	0.0015	PPM	0.0%
7/7/81	50267	Z			C-8	0.0025	PPM	0.0%
7/8/81	50268	Z			C-8	0.002	PPM	0.0%
7/9/81	50269	Z			C-8	0.0031	PPM	0.0%
7/10/81	50270	Z			C-8	0.0023	PPM	0.0%
7/13/81	50271	Z			C-8	0.0012	PPM	0.0%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/14/81	50272		Z			C-8	0.0011	PPM	0.0%
7/15/81	50273		Z			C-8	0.0017	PPM	0.0%
7/16/81	50274		Z			C-8	0.0016	PPM	0.0%
7/17/81	50275		Z			C-8	0.0018	PPM	0.0%
7/20/81	50276		Z			C-8	0.0014	PPM	0.0%
7/21/81	50277		Z			C-8	0.0016	PPM	0.0%
7/22/81	50278		Z			C-8	0.0015	PPM	0.0%
7/23/81	50279		Z			C-8	0.0013	PPM	0.0%
7/24/81	50280		Z			C-8	0.0035	PPM	0.0%
7/27/81	50281		Z			C-8	0.0012	PPM	0.0%
7/28/81	50282		Z			C-8	0.0006	PPM	0.0%
7/29/81	50283		Z			C-8	0.0006	PPM	0.0%
7/30/81	50284		Z			C-8	0.001	PPM	0.0%
7/31/81	50285		Z			C-8	0.002	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 215 FEP-POLYKETTLE CONTROL ROOM

2/4/81	53240		Z			C-8	0.0002	PPM	0.0%
3/23/81	53241		Z			C-8	<0.0001	PPM	0.0%
3/24/81	53242		Z			C-8	0.0017	PPM	0.0%
3/28/81	53243		Z			C-8	<0.0001	PPM	0.0%
5/22/81	53244		Z			C-8	0.0002	PPM	0.0%
8/4/81	53245		Z			C-8	<0.0001	PPM	0.0%
8/5/81	53246		Z			C-8	<0.0001	PPM	0.0%
8/6/81	53247		Z			C-8	0.0002	PPM	0.0%
8/7/81	53248		Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 216 P/S - WET FIN OP (18PA) ALSO SEE TCP149

1/20/81	32288		P		none	C-8	0.0002	PPM	0.0%
2/9/81	32289		P		none	C-8	0.0002	PPM	0.0%
2/20/81	32290		P		none	C-8	0.0002	PPM	0.0%
3/6/81	32291		P		none	C-8	0.0002	PPM	0.0%
3/13/81	32292		P		none	C-8	0.0016	PPM	0.0%
3/16/81	32293		P		none	C-8	0.0007	PPM	0.0%
3/24/81	32294		P		none	C-8	0.0002	PPM	0.0%
3/27/81	32295		P		none	C-8	0.0003	PPM	0.0%
4/1/81	32296		P		none	C-8	<0.0001	PPM	0.0%
4/2/81	32297		P		none	C-8	<0.0001	PPM	0.0%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
4/6/81	52160		Z			C-8	0.0003	PPM	0.0%
4/9/81	32298		P		none	C-8	<0.0001	PPM	0.0%
4/13/81	32299		P		none	C-8	0.0004	PPM	0.0%
4/16/81	32300		P		none	C-8	0.0002	PPM	0.0%
4/20/81	52161		Z			C-8	0.001	PPM	0.0%
4/22/81	32301		P		none	C-8	0.0016	PPM	0.0%
4/23/81	32302		P		none	C-8	0.0007	PPM	0.0%
4/24/81	32303		P		none	C-8	0.0002	PPM	0.0%
4/27/81	32304		P		none	C-8	0.0005	PPM	0.0%
5/4/81	32305		P		none	C-8	0.0004	PPM	0.0%
5/7/81	32306		P		none	C-8	0.0005	PPM	0.0%
5/22/81	32307		P		none	C-8	0.0001	PPM	0.0%
6/10/81	32308		P		none	C-8	0.0002	PPM	0.0%
6/11/81	32309		P		none	C-8	0.0003	PPM	0.0%
6/15/81	32310		P		none	C-8	0.0004	PPM	0.0%
6/16/81	32311		P		none	C-8	0.0002	PPM	0.0%
6/22/81	32312		P		none	C-8	0.0002	PPM	0.0%
6/23/81	32313		P		none	C-8	<0.0001	PPM	0.0%
6/24/81	32314		P		none	C-8	0.0001	PPM	0.0%
6/25/81	32315		P		none	C-8	0.0004	PPM	0.0%
6/26/81	32316		P		none	C-8	0.001	PPM	0.0%
6/29/81	32317		P		none	C-8	0.0001	PPM	0.0%
7/1/81	32318		P		none	C-8	<0.0001	PPM	0.0%
7/9/81	32319		P		none	C-8	0.0003	PPM	0.0%
7/10/81	32320		P		none	C-8	<0.0001	PPM	0.0%
7/13/81	32321		P		none	C-8	<0.0001	PPM	0.0%
7/14/81	32322		P		none	C-8	<0.0001	PPM	0.0%
7/15/81	32323		P		none	C-8	0.0002	PPM	0.0%
7/16/81	32324		P		none	C-8	<0.0001	PPM	0.0%
7/17/81	52162		Z			C-8	0.0004	PPM	0.0%
7/20/81	32325		P		none	C-8	<0.0001	PPM	0.0%
7/27/81	32326		P		none	C-8	0.0002	PPM	0.0%
7/29/81	32327		P		none	C-8	<0.0001	PPM	0.0%
7/29/81	52163		Z			C-8	<0.0001	PPM	0.0%
7/30/81	52164		Z			C-8	0.0002	PPM	0.0%

BYD: 18 TEFLON@ COPOLYMERS
 LOC: 220 #2 COAGULATOR-1ST FLOOR PLATFORM
 1/13/81 53288 Z

C-8 <0.0001 PPM 0.0%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/2/81	53289		Z			C-8	0.002	PPM	0.0%
2/3/81	53290		Z			C-8	0.0008	PPM	0.0%
2/3/81	53291		Z			C-8	0.0003	PPM	0.0%
2/3/81	53292		Z			C-8	0.0005	PPM	0.0%
2/10/81	53293		Z			C-8	0.0011	PPM	0.0%
2/10/81	53294		Z			C-8	0.0005	PPM	0.0%
2/13/81	53295		Z			C-8	0.0004	PPM	0.0%
2/13/81	53296		Z			C-8	<0.0001	PPM	0.0%
2/22/81	53297		Z			C-8	0.0006	PPM	0.0%
3/10/81	53298		Z			C-8	0.0002	PPM	0.0%
3/11/81	53299		Z			C-8	0.0003	PPM	0.0%
3/13/81	53300		Z			C-8	0.0011	PPM	0.0%
3/16/81	53301		Z			C-8	0.0011	PPM	0.0%
3/17/81	53302		Z			C-8	0.0002	PPM	0.0%
4/27/81	53303		Z			C-8	0.0006	PPM	0.0%
4/29/81	53304		Z			C-8	0.0011	PPM	0.0%
4/30/81	53305		Z			C-8	0.0007	PPM	0.0%
6/15/81	53306		Z			C-8	0.0008	PPM	0.0%
6/16/81	53307		Z			C-8	0.0005	PPM	0.0%
6/17/81	53308		Z			C-8	0.0012	PPM	0.0%
6/17/81	53309		Z			C-8	0.0003	PPM	0.0%
6/18/81	53310		Z			C-8	0.0003	PPM	0.0%
6/19/81	53311		Z			C-8	0.0002	PPM	0.0%
6/22/81	53312		Z			C-8	<0.0001	PPM	0.0%
6/22/81	53313		Z			C-8	<0.0001	PPM	0.0%
6/23/81	53314		Z			C-8	<0.0001	PPM	0.0%
6/24/81	53315		Z			C-8	0.0003	PPM	0.0%
6/25/81	53316		Z			C-8	0.0002	PPM	0.0%
6/25/81	53317		Z			C-8	0.0001	PPM	0.0%
6/26/81	53318		Z			C-8	0.0001	PPM	0.0%
6/29/81	53319		Z			C-8	<0.0001	PPM	0.0%
6/29/81	53320		Z			C-8	<0.0001	PPM	0.0%
6/30/81	53321		Z			C-8	<0.0001	PPM	0.0%
6/30/81	53322		Z			C-8	<0.0001	PPM	0.0%
7/1/81	53323		Z			C-8	0.0002	PPM	0.0%
7/1/81	53324		Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS
LOC: 221 P/S - FEP PROCESS PK OPERATOR (18PA)

Tuesday, January 16, 2001 12:51:38 PM

Page 13 of 23

AJP004088

EID113223

Sample Dt	Sample #	Duration Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
1/16/81	32810	P		none	C-8	<0.0001	PPM	0.0%
1/20/81	32811	P		none	C-8	0.0007	PPM	0.0%
4/28/81	32812	P		none	C-8	0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 224 FEP DISPERSION BLENDING AREA

2/4/81	50095	Z			C-8	0.0003	PPM	0.0%
3/20/81	50096	Z			C-8	0.001	PPM	0.0%
3/24/81	50097	Z			C-8	0.0003	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 226 TRAY CONVEYER-OVEN FEED

2/5/81	61794	Z			C-8	0.0005	PPM	0.0%
3/17/81	61795	Z			C-8	0.0004	PPM	0.0%
5/1/81	61796	Z			C-8	0.0001	PPM	0.0%
5/5/81	61797	Z			C-8	<0.0001	PPM	0.0%
5/6/81	61798	Z			C-8	0.0005	PPM	0.0%
7/6/81	61799	Z			C-8	<0.0001	PPM	0.0%
7/8/81	61800	Z			C-8	0.0002	PPM	0.0%
7/9/81	61801	Z			C-8	0.0008	PPM	0.0%
7/10/81	61802	Z			C-8	0.0002	PPM	0.0%
7/13/81	61803	Z			C-8	0.0002	PPM	0.0%
7/14/81	61804	Z			C-8	<0.0001	PPM	0.0%
7/15/81	61805	Z			C-8	<0.0001	PPM	0.0%
7/16/81	61806	Z			C-8	0.0001	PPM	0.0%
7/21/81	61807	Z			C-8	0.0006	PPM	0.0%
7/22/81	61808	Z			C-8	<0.0001	PPM	0.0%
7/23/81	61809	Z			C-8	0.0002	PPM	0.0%
7/24/81	61810	Z			C-8	0.0007	PPM	0.0%
7/27/81	61811	Z			C-8	0.0002	PPM	0.0%
7/29/81	61812	Z			C-8	0.0003	PPM	0.0%
7/30/81	61813	Z			C-8	0.0002	PPM	0.0%
8/5/81	61814	Z			C-8	0.0007	PPM	0.0%
8/7/81	61815	Z			C-8	0.0004	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 227 FEP FLAKE HOPPER

2/2/81	60903	Z			C-8	0.0007	PPM	0.0%
2/22/81	60904	Z			C-8	0.0004	PPM	0.0%
3/9/81	60905	Z			C-8	0.0006	PPM	0.0%

Tuesday, January 16, 2001 12:51:38 PM

Page 14 of 23

AJP004089

EID113224

Sample Dt	Sample #	Duration Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
5/21/81	60906	Z			C-8	0.0002	PPM	0.0%
5/22/81	60907	Z			C-8	0.0001	PPM	0.0%
5/23/81	60908	Z			C-8	0.0002	PPM	0.0%
6/4/81	60909	Z			C-8	0.0002	PPM	0.0%
6/5/81	60910	Z			C-8	<0.0001	PPM	0.0%
6/8/81	60911	Z			C-8	0.0002	PPM	0.0%
6/8/81	60912	Z			C-8	0.0002	PPM	0.0%
6/9/81	60913	Z			C-8	0.0002	PPM	0.0%
6/10/81	60914	Z			C-8	0.0003	PPM	0.0%
6/11/81	60915	Z			C-8	0.0006	PPM	0.0%
6/12/81	60916	Z			C-8	0.0004	PPM	0.0%
6/15/81	60917	Z			C-8	0.0003	PPM	0.0%
6/16/81	60918	Z			C-8	0.0001	PPM	0.0%
6/16/81	60919	Z			C-8	0.0004	PPM	0.0%
6/18/81	60920	Z			C-8	0.0009	PPM	0.0%
6/22/81	60921	Z			C-8	0.0001	PPM	0.0%
6/23/81	60922	Z			C-8	<0.0001	PPM	0.0%
6/24/81	60923	Z			C-8	<0.0001	PPM	0.0%
6/25/81	60924	Z			C-8	0.0006	PPM	0.0%
6/26/81	60925	Z			C-8	0.0001	PPM	0.0%
6/29/81	60926	Z			C-8	<0.0001	PPM	0.0%
6/30/81	60927	Z			C-8	<0.0001	PPM	0.0%
7/1/81	60928	Z			C-8	0.0002	PPM	0.0%
7/8/81	60929	Z			C-8	0.0003	PPM	0.0%
7/9/81	60930	Z			C-8	0.0002	PPM	0.0%
7/9/81	60931	Z			C-8	0.0005	PPM	0.0%
7/13/81	60932	Z			C-8	0.0006	PPM	0.0%
7/14/81	60933	Z			C-8	0.0007	PPM	0.0%
7/15/81	60934	Z			C-8	0.005	PPM	0.0%
7/16/81	60935	Z			C-8	0.001	PPM	0.0%
7/17/81	60936	Z			C-8	0.0006	PPM	0.0%
7/20/81	60937	Z			C-8	0.0009	PPM	0.0%
7/21/81	60938	Z			C-8	0.0003	PPM	0.0%
7/23/81	60939	Z			C-8	0.0004	PPM	0.0%
7/24/81	60940	Z			C-8	0.0011	PPM	0.0%
7/27/81	60941	Z			C-8	0.0003	PPM	0.0%
7/29/81	60942	Z			C-8	0.0003	PPM	0.0%
7/29/81	60943	Z			C-8	0.0004	PPM	0.0%
7/31/81	60944	Z			C-8	0.0004	PPM	0.0%

Sample Dt	Sample #	Duration Type	Employee Name	Pers	Chemical	Conc Unit	Percent
BTO: 18 TEFLON@ COPOLYMERS							
LOC: 228 FEP, TRAY OUT CLEANUP							
2/5/81	60899	Z			C-8	0.0003 PPM	0.0%
2/5/81	60900	Z			C-8	0.0005 PPM	0.0%
2/11/81	60901	Z			C-8	0.0007 PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS							
LOC: 229 P/S - FEP OVEN OPERATOR (18PB)							
8/12/81	32653	P		none	C-8	<0.0001 PPM	0.0%
BTO: 18 TEFLON@ COPOLYMERS							
LOC: 230 FEP-TRAYOUT							
2/5/81	58614	Z			C-8	0.0003 PPM	0.0%
2/11/81	58615	Z			C-8	0.0007 PPM	0.0%
2/11/81	58616	Z			C-8	0.0009 PPM	0.0%
3/17/81	58617	Z			C-8	0.0006 PPM	0.0%
3/19/81	58618	Z			C-8	0.0019 PPM	0.0%
3/26/81	58619	Z			C-8	0.0009 PPM	0.0%
4/23/81	58620	Z			C-8	0.0063 PPM	0.0%
4/24/81	58621	Z			C-8	0.0009 PPM	0.0%
5/1/81	58622	Z			C-8	0.0035 PPM	0.0%
5/4/81	58623	Z			C-8	0.0005 PPM	0.0%
5/23/81	58624	Z			C-8	0.0001 PPM	0.0%
5/28/81	58625	Z			C-8	0.0002 PPM	0.0%
7/6/81	58626	Z			C-8	0.0003 PPM	0.0%
7/8/81	58627	Z			C-8	0.0003 PPM	0.0%
7/9/81	58628	Z			C-8	0.0007 PPM	0.0%
7/10/81	58629	Z			C-8	0.0003 PPM	0.0%
7/13/81	58630	Z			C-8	0.0006 PPM	0.0%
7/14/81	58631	Z			C-8	0.0003 PPM	0.0%
7/15/81	58632	Z			C-8	0.0001 PPM	0.0%
7/16/81	58633	Z			C-8	0.0004 PPM	0.0%
7/20/81	58634	Z			C-8	0.0009 PPM	0.0%
7/21/81	58635	Z			C-8	0.0007 PPM	0.0%
7/22/81	58636	Z			C-8	0.0009 PPM	0.0%
7/23/81	58637	Z			C-8	0.0005 PPM	0.0%
7/24/81	58638	Z			C-8	0.0007 PPM	0.0%
7/27/81	58639	Z			C-8	0.0004 PPM	0.0%
7/29/81	58640	Z			C-8	0.0001 PPM	0.0%
7/29/81	58641	Z			C-8	0.0003 PPM	0.0%

Tuesday, January 16, 2001 12:51:38 PM

Page 16 of 23

AJP004091

EID113226

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
7/30/81	58642		Z			C-8	0.0003	PPM	0.0%
7/31/81	58643		Z			C-8	0.0004	PPM	0.0%
8/5/81	58644		Z			C-8	0.0013	PPM	0.0%
8/7/81	58645		Z			C-8	0.0012	PPM	0.0%
8/10/81	58646		Z			C-8	0.0005	PPM	0.0%
8/11/81	58647		Z			C-8	0.0007	PPM	0.0%
8/12/81	58648		Z			C-8	0.0006	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 231 FEP-OVEN CR (VACATED 9/97)

8/4/81	60518		Z			C-8	<0.0001	PPM	0.0%
8/6/81	60519		Z			C-8	0.0003	PPM	0.0%
8/7/81	60520		Z			C-8	<0.0001	PPM	0.0%
8/10/81	60521		Z			C-8	<0.0001	PPM	0.0%
8/11/81	60522		Z			C-8	<0.0001	PPM	0.0%
8/12/81	60523		Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 242 FEP OVEN #2-GENERAL AREA

2/5/81	56365		Z			C-8	0.0002	PPM	0.0%
2/11/81	56366		Z			C-8	0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 243 FEP OVEN #1-GENERAL AREA

2/5/81	61383		Z			C-8	0.0001	PPM	0.0%
2/11/81	61384		Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 244 FEP SLAB STRIPPER

2/5/81	60016		Z			C-8	0.0003	PPM	0.0%
2/11/81	60017		Z			C-8	0.0001	PPM	0.0%
3/24/81	60018		Z			C-8	<0.0001	PPM	0.0%
5/23/81	60019		Z			C-8	<0.0001	PPM	0.0%
8/10/81	60020		Z			C-8	<0.0001	PPM	0.0%
8/11/81	60021		Z			C-8	<0.0001	PPM	0.0%
8/12/81	60022		Z			C-8	0.0003	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 246 FEP-OUTSIDE TORUS DISK DRYER (CLEAN) ROOM

2/2/81	61852		Z			C-8	0.0009	PPM	0.0%
--------	-------	--	---	--	--	-----	--------	-----	------

Tuesday, January 16, 2001 12:51:38 PM

Page 17 of 23

AJPD04092

EID113227

Sample Dt	Sample #	Duration Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/10/81	61853	Z			C-8	0.0053	PPM	0.0%
2/13/81	61854	Z			C-8	0.0023	PPM	0.0%
2/17/81	61855	Z			C-8	0.0031	PPM	0.0%
2/21/81	61856	Z			C-8	0.0038	PPM	0.0%
3/9/81	61857	Z			C-8	0.0026	PPM	0.0%
3/11/81	61858	Z			C-8	0.0006	PPM	0.0%
4/6/81	61859	Z			C-8	0.0013	PPM	0.0%
5/22/81	61860	Z			C-8	0.0007	PPM	0.0%
5/23/81	61861	Z			C-8	0.0004	PPM	0.0%
6/4/81	61862	Z			C-8	0.0006	PPM	0.0%
6/5/81	61863	Z			C-8	0.0003	PPM	0.0%
6/8/81	61864	Z			C-8	0.0016	PPM	0.0%
6/9/81	61865	Z			C-8	0.0008	PPM	0.0%
6/10/81	61866	Z			C-8	0.0009	PPM	0.0%
6/11/81	61867	Z			C-8	0.0011	PPM	0.0%
6/12/81	61868	Z			C-8	0.0019	PPM	0.0%
6/15/81	61869	Z			C-8	0.002	PPM	0.0%
6/16/81	61870	Z			C-8	0.0014	PPM	0.0%
6/17/81	61871	Z			C-8	0.0005	PPM	0.0%
6/18/81	61872	Z			C-8	0.0006	PPM	0.0%
6/19/81	61873	Z			C-8	0.0002	PPM	0.0%
6/23/81	61874	Z			C-8	0.0008	PPM	0.0%
6/24/81	61875	Z			C-8	0.0011	PPM	0.0%
6/25/81	61876	Z			C-8	0.0012	PPM	0.0%
6/26/81	61877	Z			C-8	0.0006	PPM	0.0%
6/29/81	61878	Z			C-8	0.0002	PPM	0.0%
6/30/81	61879	Z			C-8	0.0013	PPM	0.0%
7/1/81	61880	Z			C-8	0.0003	PPM	0.0%
7/7/81	61881	Z			C-8	0.0028	PPM	0.0%
7/8/81	61882	Z			C-8	0.0026	PPM	0.0%
7/9/81	61883	Z			C-8	0.0015	PPM	0.0%
7/10/81	61884	Z			C-8	0.0019	PPM	0.0%
7/13/81	61885	Z			C-8	0.0011	PPM	0.0%
7/14/81	61886	Z			C-8	0.0013	PPM	0.0%
7/15/81	61887	Z			C-8	0.0009	PPM	0.0%
7/16/81	61888	Z			C-8	0.0015	PPM	0.0%
7/17/81	61889	Z			C-8	0.0013	PPM	0.0%
7/20/81	61890	Z			C-8	0.0011	PPM	0.0%
7/21/81	61891	Z			C-8	0.0007	PPM	0.0%

Sample Dt	Sample #	Duration Type	Employee Name	Pers	Chemical	Conc Unit	Percent
7/22/81	61892	Z			C-8	0.0006 PPM	0.0%
7/23/81	61893	Z			C-8	0.0014 PPM	0.0%
7/24/81	61894	Z			C-8	0.0029 PPM	0.0%
7/27/81	61895	Z			C-8	0.0034 PPM	0.0%
7/29/81	61896	Z			C-8	0.0004 PPM	0.0%
7/29/81	61897	Z			C-8	0.0004 PPM	0.0%
7/30/81	61898	Z			C-8	0.0011 PPM	0.0%
7/31/81	61899	Z			C-8	0.0018 PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 247 FEP-#2 COAGULATOR - 2ND FLOOR

2/2/81	61828	Z			C-8	0.002 PPM	0.0%
2/10/81	61829	Z			C-8	0.0011 PPM	0.0%
2/13/81	61830	Z			C-8	0.0004 PPM	0.0%
3/9/81	61831	Z			C-8	0.0002 PPM	0.0%
3/10/81	61832	Z			C-8	0.0004 PPM	0.0%
3/11/81	61833	Z			C-8	0.0004 PPM	0.0%
3/13/81	61834	Z			C-8	0.0012 PPM	0.0%
3/16/81	61835	Z			C-8	0.0011 PPM	0.0%
4/20/81	61836	Z			C-8	0.0005 PPM	0.0%
4/21/81	61837	Z			C-8	0.0002 PPM	0.0%
6/15/81	61838	Z			C-8	0.0005 PPM	0.0%
6/16/81	61839	Z			C-8	0.0003 PPM	0.0%
6/18/81	61840	Z			C-8	0.0005 PPM	0.0%
6/19/81	61841	Z			C-8	0.0001 PPM	0.0%
6/22/81	61842	Z			C-8	<0.0001 PPM	0.0%
6/23/81	61843	Z			C-8	<0.0001 PPM	0.0%
6/24/81	61844	Z			C-8	0.0008 PPM	0.0%
6/24/81	61845	Z			C-8	0.0003 PPM	0.0%
6/25/81	61846	Z			C-8	0.0004 PPM	0.0%
6/26/81	61847	Z			C-8	0.0002 PPM	0.0%
6/26/81	61848	Z			C-8	<0.0001 PPM	0.0%
6/29/81	61849	Z			C-8	0.0001 PPM	0.0%
6/30/81	61850	Z			C-8	<0.0001 PPM	0.0%
7/1/81	61851	Z			C-8	0.0001 PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 248 FEP - #1 BLENDER

2/3/81	61920	Z			C-8	0.0004 PPM	0.0%
--------	-------	---	--	--	-----	------------	------

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
3/19/81	61921		Z			C-8	0.0007	PPM	0.0%
3/23/81	61922		Z			C-8	0.0005	PPM	0.0%
4/30/81	61923		Z			C-8	0.0009	PPM	0.0%
5/1/81	61924		Z			C-8	<0.0001	PPM	0.0%
5/4/81	61925		Z			C-8	0.001	PPM	0.0%
5/5/81	61926		Z			C-8	0.0012	PPM	0.0%
5/22/81	61927		Z			C-8	0.0001	PPM	0.0%
6/4/81	61928		Z			C-8	0.0004	PPM	0.0%
6/5/81	61929		Z			C-8	0.0002	PPM	0.0%
6/8/81	61930		Z			C-8	0.0003	PPM	0.0%
6/8/81	61931		Z			C-8	0.0003	PPM	0.0%
6/9/81	61932		Z			C-8	0.0002	PPM	0.0%
6/10/81	61933		Z			C-8	0.0002	PPM	0.0%
6/11/81	61934		Z			C-8	0.0005	PPM	0.0%
6/12/81	61935		Z			C-8	0.0004	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 249 FEP -#2 BLENDER

2/3/81	61907		Z			C-8	0.0005	PPM	0.0%
3/19/81	61908		Z			C-8	0.001	PPM	0.0%
3/23/81	61909		Z			C-8	0.0003	PPM	0.0%
3/30/81	61910		Z			C-8	0.0006	PPM	0.0%
4/30/81	61911		Z			C-8	0.0007	PPM	0.0%
5/4/81	61912		Z			C-8	0.0011	PPM	0.0%
5/5/81	61913		Z			C-8	0.0024	PPM	0.0%
5/8/81	61914		Z			C-8	0.0004	PPM	0.0%
6/15/81	61915		Z			C-8	0.0004	PPM	0.0%
6/16/81	61916		Z			C-8	0.0003	PPM	0.0%
6/17/81	61917		Z			C-8	0.0007	PPM	0.0%
6/18/81	61918		Z			C-8	0.0004	PPM	0.0%
6/19/81	61919		Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 250 B-163 2ND FLOOR LUNCHROOM

2/4/81	61776		Z			C-8	0.0003	PPM	0.0%
3/20/81	61777		Z			C-8	0.0004	PPM	0.0%
5/22/81	61778		Z			C-8	0.0002	PPM	0.0%
8/4/81	61779		Z			C-8	<0.0001	PPM	0.0%
8/5/81	61780		Z			C-8	0.0002	PPM	0.0%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/5/81	61781		Z			C-8	0.0002	PPM	0.0%
8/6/81	61782		Z			C-8	<0.0001	PPM	0.0%
8/7/81	61783		Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 252 2ND FLOOR HALL B-163

2/6/81	61758		Z			C-8	0.0007	PPM	0.0%
2/13/81	61759		Z			C-8	0.0003	PPM	0.0%
2/17/81	61760		Z			C-8	0.0002	PPM	0.0%
3/9/81	61761		Z			C-8	0.0004	PPM	0.0%
4/27/81	61762		Z			C-8	0.0005	PPM	0.0%
4/28/81	61763		Z			C-8	<0.0001	PPM	0.0%
4/29/81	61764		Z			C-8	0.0002	PPM	0.0%
4/30/81	61765		Z			C-8	0.0003	PPM	0.0%
5/8/81	61766		Z			C-8	<0.0001	PPM	0.0%
5/21/81	61767		Z			C-8	<0.0001	PPM	0.0%
8/4/81	61768		Z			C-8	<0.0001	PPM	0.0%
8/5/81	61769		Z			C-8	0.0002	PPM	0.0%
8/6/81	61770		Z			C-8	0.0012	PPM	0.0%
8/7/81	61771		Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 253 B-163 S-W WALL 1ST FLOOR - VEND/MACHS

2/6/81	61772		Z			C-8	0.0004	PPM	0.0%
3/25/81	61773		Z			C-8	<0.0001	PPM	0.0%
5/23/81	61774		Z			C-8	<0.0001	PPM	0.0%
8/6/81	61775		Z			C-8	0.0005	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 255 P/S - FEP EXTRUDER OPERATOR (18PB)

3/6/81	31124		P		none	C-8	0.0004	PPM	0.0%
--------	-------	--	---	--	------	-----	--------	-----	------

BTO: 18 TEFLON@ COPOLYMERS

LOC: 268 FEP-EXTRUDER OPERATOR DESK (CR GONE 9/97)

2/4/81	55154		Z			C-8	0.0003	PPM	0.0%
3/23/81	55155		Z			C-8	0.0002	PPM	0.0%
5/23/81	55156		Z			C-8	<0.0001	PPM	0.0%
5/27/81	55157		Z			C-8	<0.0001	PPM	0.0%
8/4/81	55158		Z			C-8	<0.0001	PPM	0.0%
8/5/81	55159		Z			C-8	0.0004	PPM	0.0%

Sample Dt	Sample #	Duration	Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
8/6/81	55160		Z			C-8	0.0002	PPM	0.0%
8/7/81	55161		Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 272 FEP-PACKOUT ROOM-CONVEYER

2/11/81	60398		Z			C-8	0.0009	PPM	0.0%
---------	-------	--	---	--	--	-----	--------	-----	------

BTO: 18 TEFLON@ COPOLYMERS

LOC: 273 FEP-PACKOUT ROOM-SW CORNER

3/25/81	53353		Z			C-8	0.0005	PPM	0.0%
4/30/81	53354		Z			C-8	<0.0001	PPM	0.0%
5/1/81	53355		Z			C-8	0.0004	PPM	0.0%
5/4/81	53356		Z			C-8	0.0005	PPM	0.0%
5/5/81	53357		Z			C-8	0.0006	PPM	0.0%
5/21/81	53358		Z			C-8	<0.0001	PPM	0.0%
5/28/81	53359		Z			C-8	0.0002	PPM	0.0%
7/8/81	53360		Z			C-8	<0.0001	PPM	0.0%
7/8/81	53361		Z			C-8	<0.0001	PPM	0.0%
7/10/81	53362		Z			C-8	0.0001	PPM	0.0%
7/13/81	53363		Z			C-8	<0.0001	PPM	0.0%
7/14/81	53364		Z			C-8	<0.0001	PPM	0.0%
7/15/81	53365		Z			C-8	<0.0001	PPM	0.0%
7/22/81	53366		Z			C-8	<0.0001	PPM	0.0%
7/29/81	53367		Z			C-8	<0.0001	PPM	0.0%
7/30/81	53368		Z			C-8	0.0002	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 274 FEP-PACKOUT ROOM-ON DISCHARGE CHUTE

2/6/81	54695		Z			C-8	0.0002	PPM	0.0%
--------	-------	--	---	--	--	-----	--------	-----	------

BTO: 18 TEFLON@ COPOLYMERS

LOC: 281 FEP-2ND LEVEL ROOF-H&V FOR FINISHING AREA

2/6/81	47664		Z			C-8	0.0003	PPM	0.0%
2/6/81	47665		Z			C-8	0.0002	PPM	0.0%
3/26/81	47666		Z			C-8	<0.0001	PPM	0.0%
5/21/81	47667		Z			C-8	0.0006	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 283 BLDG 163 GENERAL

2/13/81	57462		Z			C-8	0.0003	PPM	0.0%
---------	-------	--	---	--	--	-----	--------	-----	------

Sample Dt	Sample #	Duration Type	Employee Name	Pers	Chemical	Conc	Unit	Percent
2/17/81	57463	Z			C-8	0.0002	PPM	0.0%
2/17/81	57464	Z			C-8	0.0002	PPM	0.0%
2/17/81	57465	Z			C-8	<0.0001	PPM	0.0%
2/19/81	57466	Z			C-8	0.0003	PPM	0.0%
4/21/81	57467	Z			C-8	<0.0001	PPM	0.0%
5/11/81	57468	Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 285 DRY FLAKE PACKOUT

4/7/81	61826	Z			C-8	0.0001	PPM	0.0%
4/8/81	61827	Z			C-8	<0.0001	PPM	0.0%

BTO: 18 TEFLON@ COPOLYMERS

LOC: 600 BLDG 168 - GENERAL

4/2/81	52618	Z			C-8	<0.0001	PPM	0.0%
--------	-------	---	--	--	-----	---------	-----	------

ALP004098