

MAR 10 1975
MCA

MANUFACTURING CHEMISTS ASSOCIATION

1825 CONNECTICUT AVENUE, N.W. WASHINGTON, D.C. 20009 (202) 483-6126

March 7, 1975

TO: Technical Task Group on Vinyl Chloride Research

SUBJECT: Reports on [REDACTED] Research

Members:

Attached are the following reports:

1. Progress report of February 26, 1975 on "Supplementary Epidemiological Study of Vinyl Chloride Workers I" from Tabershaw/Cooper Associates, Inc.

2. Manuscript of presentation on "Hepatic Angiosarcoma in Man and Rodents Following Prolonged Exposure to Vinyl Chloride" given at the meeting of the American Association of Liver Diseases in Chicago on October 29, 1974. As noted in Dr. Gordon's cover memo to me, February 25, 1975, he plans to submit essentially the same material at the meeting of the Society of Pharmacological and Experimental Pathologists on March 5, 1975 in New Orleans.

Enclosed is also Dr. Torkelson's letter of January 27 to the writer regarding the recommendation of the Research Coordinators (who have already received copies of this letter) not to sacrifice the control rats and mice at Industrial BIO-TEST Laboratories at this time.

In addition, you may be interested in the availability of the latest revision dated January 27, 1975 of the National Cancer Institute's Guidelines for Carcinogen Bioassay in Small Rodents (65 pages). Copies may be obtained by writing Dr. James M. Sontag, Manager, Bioassay Operations Segment, Carcinogenesis, DCCP, NCI, Landow Building, Room A-306, Bethesda, Maryland 20014.


Three papers on vinyl chloride are scheduled for presentation March 25, 1975 at a Conference on Occupational

RSV 0001270

TTGVCR
March 7, 1975
page 2

Carcinogenesis in the Roosevelt Hotel in New York City. Copies of the New York Academy of Sciences' brochure cover and application form, as well as the pages relating to vinyl chloride monomer are attached.

Sincerely,

A handwritten signature in cursive script, appearing to read "Milton Freifeld".

Milton Freifeld, Project Manager

MF/etv

Enclosures