



MOUNT SINAI SCHOOL OF MEDICINE
of The City University of New York
FIFTH AVENUE AND 100TH STREET · NEW YORK, N.Y. 10029



Department of Community Medicine

July 23, 1970

Dr. Merle Dandy
Medical Director, Industrial Medicine
United States Steel Corporation
825 William Penn Avenue
Pittsburgh, Pennsylvania 15230

Dear Merle:

I've been curious about the increased lung cancer mortality among your coke oven workmen, as demonstrated by Lloyd. The question of benzpyrene has, in our opinion, been inadequately established, especially in view of our failure to find, at least so far, an increased lung cancer rate among our roofing workers exposed to rather high concentrations of benzpyrene in the air about their work.

I have a possible alternate explanation which could be looked at. In general, coking ovens are associated with a good deal of insulation. Insulation = asbestos. Very often, too, the men on the job either do their own repairs or are in the vicinity of repair work if done by other trades. Sometimes the clean-up is less than meticulous with much asbestos allowed to remain as waste.

A hypothesis equally tenable, then, might be that the increased lung cancer is due to asbestos inhalation. Of course, all of this depends upon the actual insulation conditions, of which I know very little. What are the facts?

With warm regards.

Sincerely yours,

Irving J. Selikoff, M.D.
Professor

* Much more readily controlled.
I've also spoken to Bill Lloyd, and mentioned
this suggestion of mine to him.

USEI000115