



UNION CARBIDE CORPORATION
METALS DIVISION

P. O. BOX K, KING CITY, CALIFORNIA 93930

PLAINTIFF'S EXHIBIT

UC-4770

February 17, 1983

Mr. Raul Santibanez - RG-244 Bagger Operator - For Union Carbide Corporation -
Metals Division - King City, California - Employee No. 415 - C.S.D. 9-16-80 -
Social Security No. 532-48-7540

Subject: CAL/OSHA Asbestos Regulations, Title 8
Section 5208, Subparagraph (K), Employee
Notification (New Section adopted 11/1/77)

Dear Mr. Santibanez:

In accordance with CAL/OSHA Asbestos Regulations, Title 8, Section 5208, Subparagraph (K), Employee Notification, notice is hereby given that your exposure of asbestos fibers was in excess of 2.0 limits on February 14, 1983. Six (6) between 45 to 89 minutes, personal air samples were taken. The average asbestos fiber count for the six (6) samples was 2.95 fibers longer than 5 micrometers, (TWA) per cubic centimeter of air. During the time of exposure you were using an approved respirator. MESA-NIOSH-No. TC 21C-170

Corrective action shall be taken immediately.

- (B) Exhaust ventilation systems are in good working order. Exhaust ventilation systems are checked each shift. (on-going)
- (C) Asbestos spills shall be vacuum cleaned properly. (on-going)
- (D) Air-filtering respirators are in use and worn in accordance with provisions of Section 5144. (on-going)
- (E) Change room and special clothing will continue to be provided to each employee. Employees will be required to vacuum clean their coveralls as it is needed. (on-going)
- (F) Laundering of asbestos-contained clothing will continue in accordance with Section 5208. (on-going)

Very truly yours,

UNION CARBIDE CORPORATION

R. J. Kronkhyte
R. J. Kronkhyte
Safety Engineer
for
Union Carbide Corporation

cc: W. S. Everett
R. O. Marsten
J. L. Myers
E. A. Piersall
H. B. Rhodes

J. C. Settlemoir
F. J. Shortleeve
W. C. Thurber
B. E. Usrey
P. R. Whitlock

/ljg