bcc C. Paton/J. J. Roder
1070 H. R. Ford
1070 C. L. Clay

October 12, 1971

Mr. B. A. Hettel
Armstrong Cork Co.
P. O. Box 4288
Macon, Georgia 31208

Dear Mr. Hettel:

Attached is the specification information you requested on Therminol FR heat transfer fluids.

We have not supplied the Therminol FR-2 fluid to customers since December, 1970. Therminol FR-1 is the replacement product for FR-2, so the data attached is for FR-1.

Therminol FR fluids contain polychlorinated biphenyls (PCBs) of various types.

As you are undoubtedly aware, the PCB concentration in our environment has increasingly come under the scrutiny of various governmental agencies and scientific laboratories. In some studies, certain PCBs have been found to be persistent, an environmental contaminant and, possibly, injurious to certain forms of bird, aquatic and animal life. Accordingly, it is very important that PCBs be kept out of the food chain.

We would like to take this opportunity to remind your firm of the extreme care that must be taken by all users of PCB-containing products to prevent any entry into the environment through spills, leakage, use, disposal, vaporization or otherwise. Some specific applications where the use of the Therminol FR series should definitely be avoided are in heat transfer systems involving food or food-related products, animal feeds, pharmaceutical products, packaging materials involving any of those items, and buildings where any of those items are manufactured or stored.

Conversion to a non-PCB containing fluid such as Therminol 55 or 66 can be effected if you like. See attached data on these products for your perusal.

DSW 018001

STLCOPCB4004546

Should you have any questions on a conversion to Therminol 55 or 66, please contact Mr. Carl Clay in Atlanta or Jim Roder or me in St. Louis.

Mr. Clay's address is:

Monsanto Company
320 Interstate N. Parkway
Suite 500
Atlanta, Georgia
(404) 432-7111

Very truly yours,

D. E. Roush
Product Specialist
Heat Transfer Fluids

cs

Attachments

DSW 018002

STLCOPCB4004547