



E. I. DU PONT DE NEMOURS & COMPANY
INCORPORATED
WILMINGTON, DELAWARE

PETROCHEMICALS DEPARTMENT

CC: OH COORDINATORS
J. C. OLGUIN

PLAINTIFF'S
EXHIBIT
DUP-2503

October 3, 1983

TO: E. J. KVARTEK
SAVANNAH RIVER

FROM: S. S. MILETI *SSM*

BONDED ASBESTOS HANDLING/LABELING REQUIREMENTS

You raised questions about handling/labeling of bonded asbestos products such as gaskets. As discussed with Ed Kahal, the OSHA Standard 29CFR 1910.1001 (g)(2) exempts bonded asbestos products, however our recommendations to all sites are:

- 0 Each gasket need not be labelled; however:
- 0 All employees who handle bonded asbestos products must be made aware that they contain asbestos which may release friable fibers upon handling, storage, gasket trimming, scraping, removal, disposal, etc.
- 0 Hazard awareness/training as appropriate should be given to all such employees, who specify, order, receive or handle asbestos products in storage, use, maintenance, transportation and disposal including contract disposal/metal reclamation operations.
- 0 Protective equipment including respirators and coveralls must be employed whenever tasks are performed which have the potential to deteriorate the bonding and release friable asbestos fibers, such as gasket trimming or scraping gaskets for removal.

BETTER THINGS FOR BETTER LIVING

DUP 0821232

DU 011648