



OWENS-CORNING FIBERGLAS CORPORATION 9933 LAWLER AVENUE, SKOKIE, ILLINOIS 60076, (312) 675-8540

July 25, 1972

Mr. Robert Koth
Asbestos Products Inc.
2366 Rose Place
St. Paul, Minnesota 55113

Subject: O.S.H.A. Standards for Asbestos Dust

Dear Bob:

Re your letter of 7/21/72 concerning subject, the following are the answers as we see them now:

1. Which products in your product line, if any, contain asbestos and the amount of asbestos in them?

Our only product line containing asbestos is our Kaylo (calcium silicate) line. Our Kaylo contains less than 5% asbestos.

2. Under what conditions when using this product will the user be in compliance and under what condition will the user not comply? If the product does not comply, what methods do you recommend for compliance?

See attachments.

3. What research have you done in monitoring and what systems did you use?

See attachments.

4. What future plans do you have for products containing asbestos or what substitutes can you recommend?


Owens-Corning Fiberglas has developed an asbestos free Kaylo (calcium silicate) product line which will be on the market no later than January 1, 1973. We are at the present time currently test marketing the product and will begin phasing it into our Berlin Plant by October 1, 1972.

POWER &
PROCESS
SALES

NATIONAL ACCOUNTS

8600085

RECEIVED
JUL 26 1972



Mr. Robert Koth
Page 2

July 25, 1972

I hope this will answer the questions you have proposed and should further info be needed, please contact me.

Very truly yours,



Robert F. Vevoda
Manager, Midwestern Area
National Accounts

RFV:bc

cc: Mr. G. Christian - OCF, Chicago
Mr. A. Asselin - OCF, Minneapolis

8600086