

**TRADE
PRICE SHEET****SUNBEAM**
WARM-AIR FURNACES**PRICE BOOK GF-1**

February 20, 1940

SUNBEAM FURNACES	PAGES
HAND FIRED.....	4-5
OIL FIRED.....	6
STOKER FIRED.....	7
GAS FIRED.....	8
SUNBEAM BLOWER-FILTER UNITS.....	9
ARCOFLAME OIL BURNERS.....	10-11
AGP GAS WATER HEATERS.....	12
TEMPERATURE CONTROL EQUIPMENT— HAND FIRED.....	9
AUXILIARY WATER HEATER COILS.....	9
TERMS OF SALE.....	2
FREIGHT TERMS.....	3
LIST OF SALES OFFICES.....	2

WHEN CONVENIENT TERMS ARE DESIRED IN
MODERNIZING HOMES AND BUILDINGS APPLY TO
OUR NEAREST SALES OFFICE FOR THE HEATING
AND PLUMBING FINANCE CORPORATION PLAN.

AMERICAN Standard
RADIATOR & Sanitary
CORPORATION
NEW YORK, N. Y. PITTSBURGH, PA.

SUNBEAM

WARM-AIR FURNACES

All prices herein quoted supersede all prior quotations and are subject to change without notice.

Special Stocking Terms: Invoices covering stock orders for six or more furnaces, shipped at one time on or prior to June 30th, 1940, will mature for payment June 30th, 1940, under our regular terms.

General Terms, Guarantee, etc.

Taxes: To the prices and terms quoted add any Manufacturers' or Sales Tax payable on the transaction under any effective statute.

Transportation Claims: The responsibility of this Company ceases upon delivery of goods in good order to transportation companies. As all goods are shipped at buyer's risk, they should be examined carefully before he signs delivery receipts. If carrier tenders delivery of goods in bad order, buyer should insist on carrier's agent making notation of condition on delivery receipt thus enabling buyer to secure prompt payment of transportation claims which may be filed by him for value of the damaged material.

Orders: All orders are accepted subject to labor stoppages, accidents, or other causes beyond our control.

Guarantee: Our goods are guaranteed only to the extent of furnishing by freight new parts for any found defective in manufacture. No claim for labor in replacing broken or defective parts or consequential damage will be allowed. All replacement parts for material claimed defective will be invoiced in the usual manner, such invoice being subject to adjustment after alleged defective material has been returned to the Plant for inspection. No materials are to be returned without written permission.

Claims: No claims under the above guarantee, or for variances from or shortages in orders will be allowed, unless presented within sixty (60) days after receipt of goods.

Returned Goods: Good material of standard manufacture must not be returned for credit without first securing written permission, and when so returned will be subject to a deduction of 10 percent (10%) for rehandling, and all transportation charges, including freight and cartage, will be paid by shipper.

Materials made on special order are not subject to return.

Sales Offices and Showrooms:

ATLANTA, GA.	101 Marietta St., N. W.
BALTIMORE, MD.	1512 Mercantile Trust Bldg.
BOSTON, MASS.	240 Mt. Vernon Street, Dorchester, Mass.
Portland, Me.	416 Commercial Street
Providence, R. I.	241 Allens Avenue
BUFFALO, N. Y.	1807 Elmwood Avenue
CHICAGO, ILL.	816 So. Michigan Avenue
Milwaukee, Wis.	1801 West St. Paul Avenue
CINCINNATI, OHIO	808 Times Star Building
DALLAS, TEXAS	1512 Santa Fe Building
DETROIT, MICH.	3019 Joseph Campau Avenue
KANSAS CITY, MO.	1023 Grand Avenue
Denver, Colo.	2340 Blake Street
LONG ISLAND	32-04 Northern Blvd., Long Island City, N. Y.
Brooklyn, N. Y.	1160 Flushing Avenue
LOS ANGELES, CALIF.	3251 Wilshire Boulevard
MINNESOTA	692 North Prior Ave., St. Paul, Minn.
NEWARK, N. J.	528 Ferry Street
NEW YORK, N. Y.	50 West 40th Street
New Rochelle, N. Y.	2nd Avenue and Beechwood Street
Radburn, N. J.	Radburn, N. J.
PHILADELPHIA, PA.	2212 Walnut Street
PITTSBURGH, PA.	530 Duquesne Way
Cleveland, Ohio	1294 East 55th Street
RICHMOND, VA.	Old Hermitage Road
ST. LOUIS, MO.	4201 Duncan Avenue
SAN FRANCISCO, CALIF.	4th and Townsend Streets
SEATTLE, WASH.	1226 Fourth Avenue
SPRINGFIELD, MASS.	1200 Main Street
New Haven, Conn.	17 South Front Street
WASHINGTON, D. C.	Connecticut Ave. and "3" St., N. W.

FREIGHT TERMS

FURNACES ALL TYPES, BLOWER-FILTER UNITS, (HUMIDIFIER HEATER COILS AND FURNACE CONTROLS WHEN IN FURNACES), will be shipped in accordance with following

CARLOAD SHIPMENTS FROM FACTORY

Points of Destination East of the Eastern boundaries of North Dakota, Nebraska, and Kansas, and North of the Southern boundaries of Missouri, Virginia, including all towns on such boundary lines.
1, Ohio, with full freight allowed.

Points of Destination beyond these boundaries.

1, Ohio, with full freight allowed to these boundaries.

LESS THAN CARLOAD SHIPMENTS FROM FACTORY

Points of Destination in All States

1, Ohio, with actual carload rate of freight only not to exceed 50% allowed.

allowance will be made on shipments of repair parts.

LESS THAN CARLOAD SHIPMENTS FROM WAREHOUSES

Points of Destination in All States

warehouses with no freight allowed.

HUMIDIFIERS, WATER HEATER COILS AND FURNACE CONTROLS, WHEN SHIPPED SEPARATELY

1, Ohio, or F.O.B. warehouses with no freight allowance.

TRUCK AND TRUCK DELIVERY TERMS: At our option, truck delivery to job site in lieu of freight delivery to railroad point of destination. At customer's request delivery to job will be made where service is available, and customer will be responsible for excess cartage, where truck rate exceeds rail rate.

FLAME OIL BURNERS AND BURNER CONTROLS

Burners and Controls will be shipped in accordance with following freight

1, Buffalo, N. Y., or F.O.B. warehouses with no freight allowances.

2, An added charge for freight, as indicated, will be made on shipments from warehouses:

3, 1: \$1.00 per Burner, SAN FRANCISCO and SEATTLE: \$1.50 per Burner, per Burner.

4, allowance will be made on shipments of Arcoflame Oil Burner Repairs when shipped from its or Warehouses.

GAS WATER HEATERS

5, manufacture, Buffalo, N. Y., with actual freight not to exceed \$1.00 per unit allowed; or F.O.B. Warehouses with actual freight not to exceed \$1.00 per unit, allowed, based on Buffalo, N. Y., as shipping point

Sunbeam Hand Fired Furnaces

Cast Iron

1000 Series Cast Iron Pipe Furnace

Catalog Pages S1-5

Furnace Number	Diam. Fire Pot	*Rating Square Inches	Furnace Only		Casing and Hood		Furnace Complete With Casing	
			Net Trade Prices	Approx. Shipping Weight	Net Trade Prices	Approx. Shipping Weight	Net Trade Prices	Approx. Shipping Weight
1018CD	18"	336	\$43.75	716	\$5.75	54	\$49.50	770
1040CD	20"	405	52.50	881	7.00	73	59.50	954
1044CD	22"	492	65.00	1008	8.50	79	73.50	1087
1048CD	24"	578	75.25	1149	9.25	84	84.50	1233
1052CD	26"	689	93.00	1440	10.50	99	103.50	1539
1056CD	28"	794	109.25	1568	13.75	118	123.00	1686
†30C	30"	907	120.25	1964	17.00	154	137.25	2118

†The 30C Furnace has two-piece radiator bolt-on fronts and is equipped with triangular grate bars only.

1000 Series Cast Iron Pipeless Furnace

Catalog Pages S4-6

Furnace Number	Diam. Fire Pot	Btu. Capacity	Net Trade Prices Complete	Approximate Shipping Weight
1018BD	18"	61027	\$67.50	909 lbs.
1040BD	20"	74025	78.50	1156 lbs.
1044BD	22"	89933	94.50	1290 lbs.
1048BD	24"	105441	109.50	1462 lbs.
1052BD	26"	125819	124.50	1776 lbs.

*Ratings are in accordance with the Standard Code Rating Formula of National Warm Air Heating and Air Conditioning Association.

NOTE: Deduct 5% from above FURNACE PRICES ONLY for omission of grate assembly and ashpit door.

When hood only is ordered, price is 33¼% of complete casing price. When casing sides only are ordered, price is 66¾% of complete casing price.

See page 9 for Temperature Control Equipment, Humidifying Equipment and Water Heater Colls.

Sunbeam Hand Fired Furnaces Steel

500 Series Steel Pipe Furnace

Catalog Pages S13-16

Furnace Number	Diam. Drum	*Rating Square Inches		Furnace Only		Casing and Hood		Furnace Complete With Casing	
		Soft Coal	Hard Coal or Coke	Net Trade Prices	Approx. Shipping Weight	Net Trade Prices	Approx. Shipping Weight	Net Trade Prices	Approx. Shipping Weight
520	20"	400	320	\$47.75	798	\$7.00	76	\$54.75	874
522	22"	468	374	58.00	853	8.50	86	66.50	939
524	24"	545	436	68.25	897	9.25	88	77.50	985
527	27"	697	558	84.75	1015	10.25	96	95.00	1111

8000 Series Steel Pipe Furnace

Catalog Pages 87-12

Furnace Number	Diam. Drum	*Rating Square Inches		Furnace Only		Casing and Hood		Furnace Complete With Casing	
		Soft Coal	Hard Coal or Coke	Net Trade Prices	Approx. Shipping Weight	Net Trade Prices	Approx. Shipping Weight	Net Trade Prices	Approx. Shipping Weight
8022	22"	532	426	\$68.75	1053	\$8.75	80	\$77.50	1133
8024	24"	608	486	80.00	1108	9.50	87	89.50	1195
8027	27"	764	611	103.50	1272	11.00	98	114.50	1370
8030	30"	903	722	115.75	1402	13.75	116	129.50	1518
8034	34"	1160	928	131.75	1530	15.75	126	147.50	1656
8034J	34"	1224	979	144.50	1661	18.00	166	162.50	1827

Smoke Tees for 8000 Series Steel Furnaces:

9" (for 8022, 8024) \$2.00.

10" (for 8027, 8030, 8034) \$2.25.

*Ratings are in accordance with the Standard Code Rating Formula of National Warm Air Heating and Air Conditioning Association.

NOTE: Deduct 5% from above FURNACE PRICES ONLY for omission of grate assembly and ash-pit door.

When hood only is ordered, price is 33 1/3% of complete casing price. When casing sides only are ordered, price is 66 2/3% of complete casing price.

See page 9 for Temperature Control Equipment, Humidifying Equipment and Water Heater Coils.

Sunbeam Oil Fired Furnaces

500 Series Steel Pipe Furnace

Catalog Pages S13-16

Furnace Number	Diam. Drum	*Rating Square Inches OIL	Furnace Only		Casing and Hood		Furnace Complete With Casing	
			Net Trade Prices	Approx. Shipping Weight	Net Trade Prices	Approx. Shipping Weight	Net Trade Prices	Approx. Shipping Weight
520-G or R	20"	459	\$47.75	552	\$7.00	76	\$54.75	628
522-G or R	22"	537	58.00	581	8.50	86	66.50	667
524-G or R	24"	627	68.25	608	9.25	88	77.50	696
527-G or R	27"	800	84.75	694	10.25	96	95.00	790

8000 Series Steel Pipe Furnace

Catalog Pages S7-12

Furnace Number	Diam. Drum	*Rating Square Inches OIL	Furnace Only		Casing and Hood		Furnace Complete With Casing	
			Net Trade Prices	Approx. Shipping Weight	Net Trade Prices	Approx. Shipping Weight	Net Trade Prices	Approx. Shipping Weight
8022-G or R	22"	611	\$68.75	782	\$8.75	80	\$77.50	862
8024-G or R	24"	698	80.00	831	9.50	87	89.50	918
8027-G or R	27"	878	103.50	948	11.00	98	114.50	1046
8030-G or R	30"	1037	115.75	1040	13.75	116	129.50	1156
8034-G or R	34"	1332	131.75	1090	15.75	126	147.50	1216

Smoke Tees for 8000 Series Steel Furnaces:

9" (for 8022, 8024) \$2.00.

10" (for 8027, 8030, 8034) \$2.25.

IMPORTANT: When ordering specify whether for use with Gun (G) or Rotary (R) Type Burner.

For Gun Type Burners furnaces will be equipped with mineral wool insulation and supporting and retaining plates for insulation. For Rotary Type Burners furnaces will be equipped with cast iron hearth rings and brackets, hearth plate, fire box liners and mineral wool insulation. Grates, Fire Brick and Ashpit Doors are not furnished. Special Feed and Ashpit Doors are supplied with the 8000 Series only.

*NOTE: Sufficient room is not available on the circumference of a standard hood if the total rating is used by a number of small pipe take-offs. For such a condition 12" pipe take-offs with "Y" connections may be used.

When hood only is ordered, price is 33 1/4 % of complete casing price. When casing sides only are ordered, price is 66 1/2 % of complete casing price.

See page 9 for Humidifying Equipment and Water Heater Coils. See pages 10-11 for Arcoflame Oil Burner.

Sunbeam Stoker Fired Furnaces

500-S Series Steel Pipe Furnace

Catalog Pages S13-16

Diam. Drum	*Rating Square Inches STOKER	Furnace Only		Casing and Hood		Furnace Complete With Casing	
		Net Trade Prices	Approx. Shipping Weight	Net Trade Prices	Approx. Shipping Weight	Net Trade Prices	Approx. Shipping Weight
24"	601	\$68.25	771	\$9.25	88	\$77.50	859
27"	769	84.75	882	10.25	96	95.00	978

8000-S Series Steel Pipe Furnace

Catalog Pages S7-12

Diam. Drum	*Rating Square Inches STOKER	Furnace Only		Casing and Hood		Furnace Complete With Casing	
		Net Trade Prices	Approx. Shipping Weight	Net Trade Prices	Approx. Shipping Weight	Net Trade Prices	Approx. Shipping Weight
24"	670	\$80.00	996	\$9.50	87	\$89.50	1083
27"	842	103.50	1142	11.00	98	114.50	1240
30"	996	115.75	1257	13.75	116	129.50	1373
34"	1279	131.75	1347	15.75	126	147.50	1473
34"	1350	144.50	1478	18.00	166	162.50	1644

Smoke Tees for 8000 Series Steel Furnaces:

1.00.

10" (for 8027, 8030, 8034) \$2.25.

When ordering specify whether stoker is to be installed in rear, right or left hand

on rear or left or right hand side, furnace is equipped with three steel chutes, fire supports. Metal plates and gaskets are provided to seal chutes not used.

to be installed in front or below base of furnace, the above models cannot be used models as shown on Page 5 should be ordered less grate assembly and ashpit door.

ent room is not available on the circumference of a standard hood if the total a number of small pipe take-offs. For such a condition 12" pipe take-offs with "Y" be used.

y is ordered, price is 33 1/4 % of complete casing price. When casing sides only are 4 1/4 % of complete casing price.

humidifying Equipment and Water Heater Coils.

Sunbeam Gas Fired Furnaces

SG Series—Steel Heating Element

Number	Btu. Input Per Hour A. G. A.	Btu. Capacity At Registers	*Approx. Sq. In. Pipe Capacity	Net Trade Price With Standard Equipment	Approx. Shipping Weight, Lbs.
SG-65	65,000	41,400	300	\$69.00	260
SG-80	80,000	51,000	370	74.00	275
SG-105	105,000	66,900	485	82.00	320
SG-120	120,000	76,500	554	91.00	350
SG-140	140,000	89,250	647	108.00	445

Standard Equipment

Square Enamel Jacket.	No. V-16-A Solenoid Gas Valve (V-155A Gas Valve with SG-120 and SG-140 when supplied for manufactured gas).
Steel Heating Element.	No. T-11-A Plain Thermostat.
Gas Pressure Regulator.	No. 550 Baso Thermostatic Pilot.
Main Shut-off Valve.	Draft Diverter.

For omission of No. T-11-A Plain Thermostat deduct \$6.00 from above Net Trade Prices.

Optional Equipment

THERMOSTATS:	Net Trade Prices
No. T-109-A Da-Nite Acratherm	\$12.75
No. T-105-A Chronotherm	27.38
No. T-111-A Minute Meter Chronotherm	19.50
OTHER EQUIPMENT:	
Automatic Drip Humidifier	\$ 9.50
No. LA-119-A Limit Switch (Airstat)	4.50

Instructions for Ordering

Be sure to specify the following gas characteristics:

1. The kind of gas to be burned—Natural, Manufactured or Mixed.
2. Btu content.
3. The specific gravity.

*Square inch rating is based on one-half of heat being required by the first floor and one-half by the second floor. For other conditions, select the unit size by converting the square inch requirements of the installation into Btu by the following method: Multiply square inch requirements of first floor by 111; multiply square inch requirements of second floor by 167; add the totals. This grand total will represent the total Btu required at the registers for the installation. Refer to "Btu capacity column" of "Btu Ratings" Table and select unit size which has this capacity. Example: Sq. In. required for first floor $320 \times 111 \text{ Btu} = 35,520 \text{ Btu}$. Sq. In. required for second floor $230 \times 167 \text{ Btu} = 38,410 \text{ Btu}$. $35,520 + 38,410 = 73,930 \text{ Btu}$ required at register. Reference to "Btu capacity column" shows that the No. SG-120 has the capacity at warm air registers necessary for the installation.

Sunbeam Blower-Filter Units

Catalog Pages 823-29

Diameter of Wheel	Motor Horsepower	Net Trade Prices		Approx. Shipping Weight	
		With Cabinet and Filters	Less Cabinet and Filters	With Cabinet and Filters	Less Cabinet and Filters
9 1/4"	1/4	\$44.00	\$31.00	216	126
12"	1/4	60.75	39.75	280	157
15"	1/4	93.75	71.75	408	226
18"	1/2	121.25	93.75	510	246
21"	3/4	165.50	132.50	660	403

ment includes motor 1725 r.p.m., blower, pulleys, belt and integral angle iron base motor.
blower switch—single pole can be furnished at additional net charge of \$5.25.

Temperature Control Equipment

(For All Hand Fired Furnaces)

Catalog Page 821

	Stock No.	Net Trade Prices
Combination A-1x		
stat.....	T-45-A	\$24.75
or—including transformer, chain, S hooks	M-87-A	
(Airstat).....	LA-119-A	
Temperature Control—Combination M-x		
gulator—A self-containing draft and check	M-504-A	\$6.00
instrument for gravity warm air furnaces.		
n the side of furnace just below top casing		
omatically closes drafts when bonnet tem-		
ses too high and opens drafts when bonnet		
re drops too low.....		

Humidifying Equipment

	Stock No.	Net Trade Price
Combination W		
rip Humidifier.....	W	\$9.50

*Auxiliary Water Heater Coils

Catalog Page 821

Coil	For Furnaces	Approx. Shipping Wt.	Net Trade Prices
Straight	†No. 1018	6 1/2 lbs.	\$.95
Straight	†No. 1040, 1044	7 lbs.	1.00
Straight	†No. 1048, 1052, 8034, 8034J, 30C	7 1/2 lbs.	1.00
Straight	No. 1056	8 1/2 lbs.	1.20
ed	No. 8024, 522, 524	7 1/2 lbs.	2.50
ed	No. 8027, 8030, 527	7 lbs.	2.70
ed	No. 8022, 520	6 1/2 lbs.	2.45

be sure to specify the size of coil and the furnace to which it is to be connected.
o. 1" x 26" Straight Coil for No. 1048 Furnace.
ile are used on both pipe and pipeless furnaces.

SUNBEAM
AIRCRAFT EQUIPMENT

ARCOFLAME OIL BURNERS

FOR FARM AIR INSTALLATIONS
FOR USE ON 110 VOLT, 60 CYCLE CURRENT
MAXIMUM CAPACITY 100 GALLONS OIL
PER HOUR

\$99

FOR FARM AIR INSTALLATIONS
FOR USE ON 110 VOLT, 60 CYCLE CURRENT
MAXIMUM CAPACITY 100 GALLONS OIL
PER HOUR

\$109

IMPORTANT NOTICE

NET TRADE PRICES FOR ARCOFLAME BURNERS AND STANDARD BURNER CONTROL SETS AS SHOWN ABOVE AND AS SHOWN ON PAGE II INCLUDE, IN ADDITION TO THE NOZZLE AND CONTROLS AS LISTED, A NO. 20001 ARCOFLAME STACK CONTROL. ARCOFLAME STACK CONTROL IS PACKED WITH ARCOFLAME BURNER.

ARCOFLAME BURNERS WILL BE SOLD ONLY WHEN ORDERED IN COMBINATION WITH ONE OF THE ARCOFLAME STANDARD BURNER CONTROL SETS AS SHOWN ON PAGE II. ADDITIONAL ARCOFLAME CONTROLS MAY BE PURCHASED SEPARATELY AT NET TRADE PRICES SHOWN ON PAGE II.

WHERE DESIRED, 24 HOUR DAY-NIGHT THERMOSTAT AND 24 HOUR TIME SWITCH AS A COMBINATION CAN BE SUBSTITUTED FOR 24 HOUR THERMOSTAT IN ANY ARCOFLAME STANDARD BURNER CONTROL SET SHOWN ON PAGE II FOR THEIR SUBSTITUTION ADD 100 TO NET TRADE PRICE OF STANDARD BURNER CONTROL SET SELECTED.

WHEN ARCOFLAME BURNER IS ORDERED WITH NOZZLE SIZE OF 1/2 AND 100 GALLONS PER HOUR SPECIAL TURBULATOR ATTACHMENT IS SUBSIDISED AT NO ADDITIONAL CHARGE.

MODELS 3 & 4 ARCOFLAME BURNERS FOR CURRENT CHARACTERISTICS OTHER THAN 110 VOLT 60 CYCLES ARE AVAILABLE ON SPECIAL ORDER. PRICES ON APPLICATION. MODEL 1 ARCOFLAME BURNER ARE NOT AVAILABLE FOR DIRECT CURRENT APPLICATION.

ARCOFLAME OIL BURNERS ARE APPROVED BY THE NATIONAL BOARD OF FIRE UNDERWRITERS.

ARCOFLAME OIL BURNERS

For Warm Air Installations

COMPLETE WITH

ARD ARCOFLAME BURNER CONTROL SETS AND NOZZLE*

(Arcoflame Burner Control Set Must Be Purchased With Each Arcoflame Burner)

Arcoflame Burner Standard Control Set Number	Arcoflame Standard Control Sets		Net Trade Price Of Burners Complete With Control Sets	
	Stock No.	Instrument	Model C	Model L
ICE—Arcoflame Control Set For Burners Without Blower	211-CH	Thermostat	\$99	\$109
ICE—Arcoflame Control Set For Burners With Blower Control	211-CH 212X01	Thermostat Combination Fan and Limit Control	102	112

* When substitution of 211-CDN and 456 combination is made for 211-CH such con-
dition designated by suffix "A" after control set number. If desired add \$18.50 to above
price. When 211-CH is substituted for 211-CH "A" add \$18.50 to above price.
ORDERING ARCOFLAME OIL BURNER BE SURE TO SPECIFY NOZZLE SIZE DESIRED.

ARCOFLAME CONTROLS

For Warm Air Installations

Net Trade Prices—When Ordered Separately

DESCRIPTION	Net Trade Price Standard Controls 100 Days 110 Vol
Arcoflame Stock Control	\$17.25
at Compensated Thermostat Low Voltage (Scale 40°-90°)	0.00
at Night Heat Compensated Thermostat (Scale 40°-90°)	0.00
Time Switch with Transducer	11.50
Limit Control (High Voltage) (Scale 180°-240°) (Stop 250°)	4.50
Combination Blower and Limit Control (High Voltage) (Scale Blower 75° 225° Limit 180°-240° Stop 250°)	3.25
Arcoflame Blower Control (High Voltage) (Scale 75°-225°) (Stop 175°)	6.00

* Thermostat sold only in combination with 456 Time Switch.

NOZZLES AND STRAINERS

Nozzle Size	Flow Gals. Per Hr.	Angle of Spray
1/8"	2.00	60°
3/16"	2.25	60°
1/4"	2.60	60°
5/16"	2.75	60°
3/8"	3.00	60°
1/2"	4.00	60°
5/8"	5.00	60°
3/4"	6.00	60°
1"	7.00	60°
1 1/4"	10.00	60°
1 1/2"	12.00	60°
2"	17.00	60°

PRICE—The 1/8" and 3/16" Nozzles are included in Model C Arcoflame Burners, the Special Turbulator At-
tachment is sold separately. Special Turbulator Attachment furnished at no additional charge when
ordered with any of the Standard Arcoflame Control Sets shown above.
The Special Turbulator Attachment, when sold separately, is \$1.50.

Gas Fired Automatic Storage Water Heaters

Temperature and Pressure Relief Valve, \$1.25 Extra

Center Flue

AGP BUDGET

Galv. Steel

Catalog Page A58

Heater No. STEEL	Capacity Gallons	Approximate Ship- ping Weight, Lbs.	Btu Input	* Recov. Gals. per Hour	Net Trade Price
154-S	15	143	16,000	22.4	\$32.50
204-S	20	166	19,000	26.6	33.10
304-S	30	206	24,000	33.6	41.25
404-S	40	250	35,000	49.0	47.50

Gas Inlet $\frac{1}{2}$ " I.P.S. Flue Connection 3" Size of Water Connection $\frac{3}{4}$ "
 Automatic gas cut-off (piped to thermostat) can be furnished at additional charge of \$3.65.
 Models for "Bottled Gas" available with special controls at \$1.25 trade price extra.

Circumferential Flue

AGP CLIPPER

Galv. Steel

Catalog Page A57

Heater No. STEEL	Capacity Gallons	Approximate Ship- ping Weight, Lbs.	Btu Input	* Recov. Gals. per Hour	Net Trade Price
203-S	20	275	20,000	28.0	\$ 44.95
303-S	30	339	30,000	42.0	53.50
403-S	40	385	30,000	42.0	68.45
603-S*	60	480	45,000	63.0	100.00
755-S*	75	580	45,000	63.0	118.75

Gas Inlet $\frac{1}{2}$ " I.P.S. Flue Connection 3" Size of Water Connection $\frac{3}{4}$ "
 *Flue Connection 4", Size of Water Connections 1 $\frac{1}{4}$ ", Gas Inlet $\frac{1}{2}$ ", 3 Center Flues.

Center Flue

AGP DICTATOR

Strengthened Copper

Catalog Page A56

Heater No. Strengthened COPPER	Capacity Gallons	Approximate Ship- ping Weight, Lbs.	Btu Input	* Recov. Gals. per Hour	Net Trade Price
205-C	20	218	19,000	26.6	\$ 56.90
305-C	30	272	24,000	33.6	73.75
405-C	40	315	35,000	49.0	95.00
755-C*	75	580	45,000	63.0	187.50

Gas Inlet $\frac{1}{2}$ " Female Size of Water Connection $\frac{3}{4}$ " Flue Connection 3"
 *Flue Connection 4", Size of Water Connections 1 $\frac{1}{4}$ ", Gas Inlet $\frac{1}{2}$ ", 3 Center Flues.