

FILE NAME: Union Carbide (UC)

DATE: 1986 June 19

DOC#: UC113

DOCUMENT DESCRIPTION: Documents from AI Archives RE Asbestos



THE ASBESTOS INSTITUTE

Montreal, June 19, 1986

PLAINTIFF'S
EXHIBIT
707.4

DOCUMENTS FROM AI ARCHIVES

Dear Sirs:

For your information we take pleasure in sending from our library, current year's fourth shipment of documents dealing with asbestos and health, as follows:

AI Nos.:

6550	6600	1513
6564	6601	588
6570	6602	592
6579	6723	593
6598	6769	602
6599	1505	618
		627

Yours truly,

A16423

Premysl V. Pelnar, M.D.

PVP/tb

Enclosures: (19)

Head Office:
1130 Sherbrooke Street West
Suite 410
Montreal, Quebec
Canada H3A 2M8
Telephone: (514) 844-3956
Telex: 055-60565 (INSTAM)

UCC 006286

Research Division:
Pavillon Marie-Victoria
Suite 336
Sherbrooke University
Sherbrooke, Quebec
Canada J1K 2R1
Telephone: (819) 821-7633
Telex: 056-36149 (BIBUNIV SHB)

DATE	INDEXED BY	EDITED BY	DOCUMENT NO.
1/1/68			3070
DOCUMENT TITLE			LOCATION
Gross, Paul & deTreville, Robert T.P.			
KEY CODE	KEY WORD OR CHARACTERISTIC	SCOPE NOTES	
43	The Pulmonary Response to Coalinga	Not to circulate. See file in committee	
40	Asbestos Dust: A Preliminary		
53	Investigation		
72	Ind. Hy. Foundation, July 1968		
52	FINAL REPORT - NOT PUBLISHED		
80 20			

Evaluation: This study was undertaken to determine the relative pathogenicity of Coalinga chrysotile from California with Canadian chrysotile and other non-asbestos dusts when injected into the trachea of rats. It was found that Coalinga dust produces effects similar to Canadian chrysotile. "The lesions observed in the lungs of these rats suggest that the pathogenic potential of Coalinga dust resembles that of chrysotile dust. Whether this potential is less or greater than that of chrysotile dust cannot be determined from the available data."

INDEX / TRACING CARD

A1645.1

UCC 006288