(Wagg, pers. comm.).

Detailed investigations have been carried out in buildings in France (Bignon et al 1975) and Germany which support these data.

Table V-1. Asbestos dust concentrations according to materials used

concentration fibre/1000 cm^3	type of material				total	
	insulation board	asbestos cement sheeting	sprayed asbestos	others *)	(No)	(%)
0 - 5	17	2	7	8	34	46
> 5 - 10	8	3	5	0	16	22
>10 - 20	6	2	2	0	10	14
>20 - 30	2	1	3	0	6	8
>30 - 40	2	0	0	0	2	3
>40 - 50	2	0	0	0	2	3
>50 - 80	2	0	1	0	3	4

*) Includes fully compressed flat sheets, partition board and low density rigid planels

Table V-2. Asbestos dust concentrations according to type of building

concentration (fibre/1000 cm^3)	type of building								total	
	Hospital	Education	Factory or Storage	Office	Shop	Place of assembly	Residential	Miscellaneous	(No)	(%)
0 - 5	4	15	3	6	1	2	2	0	34	46
> 5 - 10	1	3	2	2	4	2	1	1	16	22
>10 - 20	1	0	4	0	1	1	2	1	10	14
>20 - 30	2	0	2	0	0	0	2	0	6	8
>30 - 40	0	1	0	1	0	0	0	0	2	3
>40 - 50	0	0	0	1	0	0	1	0	2	3
>50 - 80	0	0	0	2	0	0	0	1	3	4

8001 0744

PRODUCED BY FORD