PLAINTIFF'S EXHIBIT

BIR-349

BIRD ASPHALT SHINGLES

Metric Equivalent Shown (Approx.)

GROUP PRODUCTS D-33

ARCHITECT® 70 Shingle  12¼" x 36⅞₁₆" ARCHITECT 80	1130 CYPRESSWOOD 906 DRIFTWOOD 937 EBONYWOOD 999 OAKWOOD 995 1135	80 Units Per Sq. Approx. 345 Lbs. (156.5kg.) Per Sq. 5 Bundles Per Sq. 6 Sq. Per Pallet Class "C" U/L
HIP and RIDGE ARCHITECT® 70 Shingle 	0423 CYPRESSWOOD 906 DRIFTWOOD 937 EBONYWOOD 999 OAKWOOD 995	12" x 36" Scored Strips (.305m x .914m) 4 Units 9" x 12" Each Approx. 80 Lbs. (36.3kg.) Per Bdl. 108 Pcs. Per Bdl. 30 Bdls. Per Pallet Covers 45 Lin. Ft. (13.72m) (5" Exposure) (.127m)

GROUP PRODUCTS A-01


WOODSCAPE® Shingles  12" x 36" (.305m x .914m)	1105 ACORN 392 DOVE 604 MAHOGANY 938 SUNTAN 960	84 Units Per Sq. Approx. 260 Lbs. (118kg.) Per Sq. 4 Bdls. Per Sq. 7½ Sq. Per Pallet Class "C" U/L
WIND SEAL® Shingle  12" x 36" (.305m x .914m)	0611 ACORN 392 BRIGHT RED 503 BROWN BLENDE 910 COLONIAL GREEN 304 DESERT BROWN 103 *FROST BLENDE 107 GRAY 601 MEADOW MIST 117 MOIRE BLACK 202 RUSSET GLO 914 SLATE BLENDE 915 WHITE 008 WOOD BLENDE 918	80 Units Per Sq. Approx. 235 Lbs. (106.6 kg.) Per Sq. 3 Bdls. Per Sq. 10 Sq. Per Pallet Class "C" U/L
JET® II Shingle  12" x 36" (.305m x .914m) JET 80	0622 ACORN 392 ADOBE 925 BROWN BLENDE 910 *DAWN MIST 116 GRANITE GRAY 611 0631 MAHOGANY 938 MEADOW MIST 117 MOIRE BLACK 202 WHITE 008 WOOD BLENDE 918	80 Units Per Sq. Approx. 235 Lbs. (106.6 kg.) Per Sq. 3 Bdls. Per Sq. 10 Sq. Per Pallet Class "C" U/L

GROUP PRODUCTS K-42

* **GLASS BILT™ JET® II** * Random Tab Shingle DISCONTINUED  12" x 36" (.305m x .914m)	0637 *ACORN 392 *ADOBE 925 *MAHOGANY 938 *MOIRE BLACK 202 *WHITE *WOOD BLENDE	80 Units Per Sq. Approx. 225 Lbs. (102 kg.) Per Sq. 3 Bdls. Per Sq. 10 Sq. Per Pallet Class "C" U/L


*DISCONTINUED

GROUP PRODUCTS K-42

GLASS BILT™ FIRESCREEN® 3-Tab Shingle  12" x 36" (.305m x .914m)	0635 ACORN 392 MAHOGANY 938 MOIRE BLACK 202 WHITE 008 WOOD BLENDE 918 ADOBE 925	80 Units Per Sq. Approx. 225 Lbs. (102 kg.) Per Sq. 3 Bdls. Per Sq. 10 Sq. Per Pallet Class "C" U/L

GROUP PRODUCTS A-07

0420

UNIVERSAL HIP and RIDGE Shingle 	ACORN 392 ADOBE 925 BRIGHT RED 503 BROWN BLENDE 910 COLONIAL GREEN 304 DESERT BROWN 103 DOVE 604 FROST BLENDE 107 GRANITE GRAY 611	MAHOGANY- 938 MEADOW MIST- 117 MOIRE BLACK- 202 RUSSET GLO SLATE BLENDE SUNTAN WHITE WOOD BLENDE	– 12" x 36" Scored Strips (.305m x .914m) 4 Units 9" x 12" Each Approx. 80 Lbs. (36.3kg.) Per Bdl. 108 Pcs. Per Bdl. 30 Bdls. Per Pallet Covers 45 Lin. Ft. (13.72m) (5" Exposure) (.127m)

NAIL REQUIREMENTS FOR SHINGLES

Shingles	No. of Nails per square	Approx. Pounds of 11-12 gauge Galvanized nails required per square		
		1¼" Nail	1½" Nail	1¾" Nail
Jet II • 4 Nails per strip	320	1½	1¾	2⅛
Wind Seal • 4 Nails per strip	320	1½	1¾	2⅛
Architect 70 • 4 Nails per strip	320	1½	1¾	2⅛
Woodscape • 4 Nails per strip	336	1½	1¾	2⅛
Glass Bilt • 4 Nails per strip	320	1½	1¾	2⅛

BIRD ASPHALT FELT

GROUP PRODUCTS A-16

ASPHALT FELT NO. 15 PLAIN 36" Wide (.914m)	0701- 432	4 Sq. Roll Approx. 60 Lbs. (27.2 kg.) Per Roll 432 Sq. Ft. (40.1m²) Per Roll
ASPHALT FELT NO. 30 PLAIN 36" Wide (.914m)	0702 - 216	2 Sq. Roll Approx. 60 Lbs. (27.2 kg.) Per Roll 216 Sq. Ft. (20.07m²) Per Roll

ASPHALT FELT NO. 30 PERF 0715- 216

1-GAL - 004
5-GAL - 005
½ GAL - 012

1-PINT - 018
1-# CART - 024
52-GAL - 052
1-PT - 018

CEMENTS AND COATINGS

Metric Equivalent Shown (Approx.)

GROUP PRODUCTS G-36

REFLECTO-COAT™ ALUMINUM SURFACING 3027	New formula reflective coating. Lowers interior temperatures by reflecting solar heat. Easy to apply brush or spray. Use over surface coated with asphalt emulsion or mineral surfaced roofing in good condition.	Also for metal roofs, concrete, or masonry. Use on mobile home and truck-trailer roofs. Coverage — Approx. 1 gallon per 100 sq. ft.	Container size 1 gal. (3.79 L.) Packaged per case 6 cans Approx. wt. per pkg. 60 lbs. (27.2 kg.) Pricing Unit Gal. (3.79 L.) Container size 5 gals. (18.93 L.) Approx. wt. per pkg. 48 lbs. (21.8 kg.) Pricing Unit Gal.
NO. 56 FIBRE ROOF COATING (Fibrated) 3002	Fed. Spec. SS-A-694D Reinforced with asbestos fibre — protects asphalt or metal roofing, dampproofing concrete in home, farm or factory. Coverage — 1 to 2 gallons per 100 sq. ft.	Container size 1 gal. (3.79 L.) Packaged per case 6 cans Approx. wt. per pkg. 56 lbs. (25.4 kg.) Pricing Unit Gal. Container size 5 gals. (18.93 L.) Approx. wt. per pkg. 46 lbs. (20.9 kg.) Pricing Unit Gal.	Container size 52 gals. (196.52 L.) Approx. wt. per pkg. 470 lbs. (213.2 kg.) Pricing Unit Gal.
ASPHALT PROTECTIVE & FOUNDATION COATING 3003	Black, Non-Fibrated	Container size 1 gal. (3.79 L.) Packaged per case 6 cans Approx. wt. per case 46 lbs. (20.9 kg.) Pricing Unit Gal.	Container size 5 gals. (18.93 L.) Approx. wt. per pkg. 38 lbs. (17.2 kg.) Pricing Unit Gal.
ASPHALT QUICK-SET™ CEMENT 3015	For use in applying Selvage Edge Roll Roofing by the Concealed Nailing Method or in cementing down butts of Asphalt Shingles. 1 Cartridge will spot-cement approximately 1 square of strip shingles.	Container size Cartridge Packaged per case 24 cartr. Approx. wt. per pkg. 24 lbs. (10.9 kg.) Pricing Unit Gal. Container size 1 qt. (.95 L.) Packaged per case 12 cans Approx. wt. per pkg. 35 lbs. (15.9 kg.) Pricing Unit Gal.	Container size 1 gal. (3.79 L.) Packaged per case 6 cans Approx. wt. per case 62 lbs. (28.1 kg.) Pricing Unit Gal. Container size 5 gals. (18.93 L.) Approx. wt. per pkg. 51 lbs. (23.1 kg.) Pricing Unit Gal.
ASPHALT PLASTIC CEMENT 3014	Indispensable for Flashings around Chimneys, Sidewalls, Vent Pipes, Skylights and General Caulking. Will make any valley tight.	Container size 1 pt. (.47 L.) Packaged per case 12 cans Approx. wt. per pkg. 20 lbs. (9.1 kg.) Pricing Unit Gal. Container size 1 qt. (.95 L.) Packaged per case 12 cans Approx. wt. per pkg. 36 lbs. (16.3 kg.) Pricing Unit Gal. Container size ½ gal. (1.89 L.) Packaged per case 6 cans Approx. wt. per pkg. 40 lbs. (18 kg.) Pricing Unit Gal.	Container size 1 gal. (3.79 L.) Packaged per case 6 cans Approx. wt. per pkg. 66 lbs. (29.9 kg.) Pricing Unit Gal. Container size 5 gals. (18.93 L.) Approx. wt. per pkg. 55 lbs. (25 kg.) Pricing Unit Gal. Container size 52 gals. (196.8 L.) Approx. wt. per pkg. 585 lbs. (265.4 kg.) Pricing Unit Gal.
NO. 1099 CONCRETE ROOF PRIMER 3008	Fed. Spec. SS-A-701B ASTM D-41-73 Pure asphalt-base primer for building a bonding foundation on concrete decks or walls. Use as first coat before application of bonding agent under	a built-up roof. Use also under application of roof coatings or other asphalt coatings. Sets in an hour under average conditions. Coverage — approximately 1 gallon per sq. (3.8 L.)	Container size 5 gals. (18.93 L.) Approx. wt. per pkg. 44 lbs. (20 kg.) Pricing Unit Gal.

BIRD 005697

GROUP PRODUCTS G-36

NO. 4731 SPECIAL FLASHING COMPOUND 3016	Fed. Spec. SS-C-153B, Type I Premium quality for bonding and sealing flashings in professional roof construction. Holds flashing firmly in place and sets quickly. Will not slip or pull loose. Coverage: Approximately 12½ sq. ft. ⅛" thick per gallon. (1.16m² — 3.2mm)	Container size 5 gals. (18.93 L.) Approx. wt. per pkg. 44 lbs. (20 kg.) Pricing Unit Gal. Container size 52 gals. (196.82 L.) Approx. wt. per pkg. 515 lbs. (233.6 kg.) Pricing Unit Gal.
NO. 1060 BUCA® COLDHESIVE CEMENT 3017	Heavy bodied asphaltic base cement. Quick setting. Recommended for cold process built-up roof construction, instead of hot asphalt, for bonding the plies together. Coverage — 2 gallons per 100 square feet per brushing between plies.	Container size 1 gal. (3.79 L.) Packaged per case 6 cans Approx. wt. per pkg. 56 lbs. (25.4 kg.) Container size 5 gals. (18.93 L.) Approx. wt. per pkg. 44 lbs. (20 kg.) Pricing Unit Gal.
WATERDYKE® ASPHALT EMULSION 3011	Specially formulated for use on dead level roofs or those subject to severe moisture conditions.	Container size 5 gals. (18.93 L.) Approx. wt. per pkg. 47 lbs. (21.3 kg.) Pricing Unit Gal.

CRUSHED GRANULES

Prices on request
FOB Mill — no freight allowance

9970-001



CARPENTER APRONS

FOB Mexico, Missouri
Made of 8 oz. White . . . fastenings re-enforced with thread tacks, imprinted with your name in three colors . . . Neck Band Style . . . Waist Style, no bib
Minimum quantity 50

GROUP PRODUCTS I-39		
BUR-5 ASPHALT SATURATED ASBESTOS FELT NO. 15 PERFORATED 36" Wide (.91m)	2201-432	4 Sq. Roll Approx. 60 Lbs. (27.2 kg.) Per Roll 432 Sq. Ft. (40.1m²) Per Roll Type 15 B-U U/L FOB FACTORY POINT
BUR-7 REINFORCED ASBESTOS FLASHING SHEET	2205-108	Approx. 50 Lbs. (22.7 kg.) Per Roll 108 Sq. Ft. (10m²) Per Roll
GROUP PRODUCTS K-45		
ASPHALT SATURATED FABRIC	7020-450	36" Wide (.91m) Approx. 40 Lbs. (18.1 kg.) Per Roll 450 Sq. Ft. (41.8m²) Per Roll Type 15 B-U U/L F.O.B. Shreveport, La.
GROUP PRODUCTS A-22		
FIXTURES FOR ROLL ROOFING	9980-001	24 SETS NAILS AND CEMENT PER BOX SOLD IN BOX UNITS ONLY
GROUP PRODUCTS T-60		
ASPHALT	FLAT STEEP 0210-005 LEVEL DECK* BITUMEN 0210-015	AVAILABLE Under Published Prices, Terms And Conditions Subject To Stock Available At Refineries

BUILDING PAPERS

GROUP PRODUCTS A-19		
ROSIN SIZED SHEATHING PAPER	3515-	Approx. 20 Lbs. (9.1 kg.) Per Roll 500 Sq. Ft. (46.45m²) Per Roll

BIRD
ASPHALT FELT cont.

Metric Equivalent Shown (Approx.)

GROUP PRODUCTS **A-16**		
ASPHALT FELT **NO. 30 PLAIN** 18" Wide (.457m)	0704 - 180	1 Sq. Roll Approx. 30 lbs. (13.5 kg.) Per Pc. 108 Sq. Ft. (10m²) Per Roll

BIRD
ROLL ROOFING

GROUP PRODUCTS **A-10**		
9" (.229m) **MINERAL SURFACED STRIPS**	0202 BLACK 201 WHITE - 008	Approx. 23 Lbs. (10.4 kg.) Per Roll 27 Sq. Ft. (2.5m²) Per Roll 36 Lin. Ft. (10.97m) Per Roll
36" (.914m) **MINERAL SURFACED STRIPS** **(Roll Roofing)** **(Valley Roll)** No Selvage	0210 ACORN - 392 BLACK 201 BRIGHT RED 503 BROWN BLENDE 910 COLONIAL GREEN 304 GRAY 601 MEADOW MIST 117 WHITE 008 WOOD BLENDE 918	Approx. 90 Lbs. (40.8 kg.) Per Roll 108 Sq. Ft. (10m²) Per Roll 36 Lin. Ft. (10.97m) Per Roll Fixtures Sold Separately
NEPONSET ™ **CAP SHEET**	0230 BLACK - 701 BROWN 901 WHITE 008	½ Sq. Roll No Fixtures Approx. 60 Lbs. (27.2 kg.) Per Roll Class "C" U/L
GROUP PRODUCTS A-13		
36" (.914m) **PAROID**®	0101 - 036 GRAY	Fixtures Sold Separately Approx. 65 Lbs. (29.5 kg.) Per Roll 108 Sq. Ft. (10m²) Per Roll 36 Lin. Ft. (10.97m) Per Roll

BIRD BUILT-UP
ROOF PRODUCTS

GROUP PRODUCTS **B-30**		
BUR-4 **ASPHALT FELT** **NO. 15 PERFORATED** 36" Wide (.914m)	0710 - 432	4 Sq. Roll Approx. 60 Lbs. (27.2 kg.) Per Roll 432 Sq. Ft. (40.1m²) Per Roll
BUR-3 **BONDED BASE SHEET** 36" Wide (.914m) For Hot or Cold Application	0104 - 222	2 Sq. Roll — 3" Lap (76mm) No Fixtures Approx. 88 Lbs. (39 kg.) Per Roll 222 Sq. Ft. (20.62m²) Per Roll Type 15 B-U U/L