CCB CCB



August 20, 1974

Mr. E. H. Feierabend
Vice President - Mfg.
FPG - Winchester

Subject: Comparative Asbestos Levels

The attached table lists the asbestos levels at the majority of work locations where concentrations above 5 fibers/ml have been found during one or more surveys since August, 1972. Locations where levels have been consistently low (below 5 fibers/ml) are not listed in the table. Exposures on the third shift are apparently well below the T.L.V. at all locations, and no data covering the January 31-February 2, 1973 survey date is included.

If you have any questions regarding the attached information, please let me know.

M. David Gidley, Manager
Industrial Hygiene and
Environmental Control

MDG:ej
Att.
CC: D. K. Rennie



SPNY 007149

SCF-ABEX-1670

WINCHESTER - F.P.G.
COMPARATIVE ASBESTOS LEVELS

LOCATION	ASBESTOS LEVELS June, 1974 fibers/ml		ASBESTOS LEVELS September, 1973 fibers/ml		ASBESTOS LEVELS October, 1972 fibers/ml			ASBESTOS LEVELS August, 1972 fibers/ml
Block Preform #13		11.2		3.36	7.7	8.1		6.01
Blok Preform No. 2	6.74	5.9		6.04				4.62
Blok Preform No. 3		6.97			26.4	22.0	21.7	
Blok Preform No. 8		5.05		5.9		3.7		2.21
Blok Preform No. 1		7.5		4.9		8.1		3.9
Blok Fin.-Finish Gr.#142A	5.15	5.26		2.94		8.8		-
Blok Finish-Printing Mach.		5.96		2.13		5.84		-
Disc Brake Preform #1		5.09		7.4				-
Disc Brake Preform #2		6.68	2.4	2.5		5.7		-
Disc Brake Preform #3		3.09		5.85		5.3		-
Book Preform No. 11 & 15		2.29		4.84		7.3		1.02
Book Preform #6		4.08		4.42		7.8		1.9
Blok Press Dept.		2.12				2.9		

SPNY 007150