

URATION



Interoffice Correspondence

To: **L. B. Stocks**
Location: **51st Street**

From: **J. E. Brown**
Location: **Glenville**

Date: **July 7, 1977**
cc: **W. Fassuliotis - Wayne**
R. G. Hornof - St. Louis
G. Kullowitch - Melrose Park
H. L. Rosebrugh - Erie

Subject: **McCord Corporation**

Reference visit of 6/30/77.

Those in attendance:

Messers:

From McCord

Al Cabanaw, Manufacturing Manager
Lee Clark, Personnel Manager
Vince Fisher, Purchasing Manager
Bob Gaydos, Buyer
Bill Kinlin, Engineering Materials Manager
Bob Skrycki, Sr. Applications Engneer
Gus Wilson, Automotive Sales Manager

From GAF

Joseph Brown, Product Mgr.,
Robert Hornof, Regional Sales Mgr.

They were interested in knowing:

1. If we anticipated being able to meet proposed OSHA regulations.
2. How we handle airborne asbestos fiber problems.
3. What asbestos gasketing substitutes we have to offer.

It was necessary to generalize in answering each of the above and for the time being I feel we have been able to satisfy their many questions.

Things to think about were:

1. McCord had heard that an electronic telescope might be required to measure airborne fiber concentrations and fiber size.

MICH08933

2. They wanted to know type of dust collecting equipment we currently use, particularly in the area of our cutting operation. Would H. L. Rosebrugh 'phone me on this.
3. OSHA comes in their plant twice a year and may soon be there quarterly. Tests McCord has made show that they can meet a 0.5F/CC standard except for millboard. Our latex beater addition product E-533 is being offered as a substitute for millboard.
4. They pointed out that the Asbestos Information Association booklet mentions on page 7 that dust should be removed from surface of fabricated materials before shipment. Also that if asbestos waste is required to be transported in sealed containers, would not the same apply to millboard on an open skid. They were thinking that perhaps a plastic wrap is needed which would protect the product in transit as well as in storage. Perhaps H. L. Rosebrugh should consider this.