

TUESDAY, DECEMBER 3, 1974

WASHINGTON, D.C.

Volume 39 ■ Number 233

Page 41848.

PART I

CHAPTER XVII—OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION, DE- PARTMENT OF LABOR

PART 1910—OCCUPATIONAL SAFETY AND HEALTH STANDARDS

Standard for Exposure to Vinyl Chloride; Corrections

In FR Doc. 74-23176 beginning at 39 FR 35699 in the issue dated Friday, October 4, 1974, there were a number of typographical errors and the inadvertent omission from the document of the type C supplied air respirator, continuous flow type, with full or half facepiece helmet or hood for exposures not over 1,000 ppm.

As was stated in the preamble to the standard, we concluded that the suggestions of Edwin Hyatt, the OSHA consultant on respirators, were meritorious, and we intended to closely follow the recommendations contained in his testimony (39 FR 35894, 2nd column, 4th paragraph). Hyatt and several industrial spokesmen recommended the use of certain respirators, including the type C supplied air respirator, continuous flow type, with full or half facepiece, helmet or hood for exposures not over 1,000 ppm (see e.g. Tr. 80-3, 217). All of the respirators that were recommended by Hyatt were included in the Document, except for the type C supplied air respirator, continuous flow type, with full or half facepiece, helmet or hood, which was not included in the document solely because of an inadvertent omission.

Accordingly, FR Doc. 74-23176 beginning at 39 FR 35699 of the issue dated Friday, October 4, 1974, is corrected as follows:

1. In paragraph I(2), 1st paragraph, 17th line (2nd column, 35699) by changing "(30 FR 3874)" to read "(39 FR 3874)".

2. In paragraph I(7), 22nd line (1st column, 35691), by changing "experience" to read "expertise".

3. In paragraph II(2), 4th paragraph, 3rd line (3rd column, 35691), by changing "necessarily" to read "necessarily".

4. In paragraph II(4), 4th paragraph, 5th line (3rd column, 35692), by changing "unacceptable" to read "unacceptably".

5. In paragraph III(2), 2nd paragraph, 6th line (2nd column, 35693), by changing "release" to read "releases".

6. In paragraph III(7), 6th paragraph, 8th and 9th lines (2nd column, 35694) by changing "... testimony of SPI and B. F. Goodrich (TR" to read "... testimony, Industrial spokesman also agreed".

7. In paragraph III(10), 2nd paragraph, 7th line (1st column, 35695) by changing "unwieldly" to read "unwieldy".

8. In paragraph III(15), 2nd paragraph, 2nd line (1st column 35696) by changing "proceeding" to read "proceeding".

9. In § 1910.93q(a) (1), 5th line, (1st column 35896) by changing "75015" to read "75014".

10. In § 1910.93q(b) (7), 5th line (2nd column 35896), by changing "because" to read "because".

11. In § 1910.93q(g) (4) (ii) (B), 1st line (2nd column 35897) by changing "Type" to read "Combination type".

12. In § 1910.93q(g) (4) (1st column 35897) by renumbering paragraphs (iii) through (v) as (iv) through (vi) and by inserting a new paragraph (iii) to read as follows:

(iii) Not over 1,000 Type C, supplied
ppm air respirator,
continuous flow
type, with full
or half face-
piece, helmet or
hood."

13. In § 1910.93q(j), 10th line (2nd column 35897) by changing "(ii)" to read "(iii)".

14. In § 1910.93q(l) (1), lines 4 and 5 (1st column 35898) by changing:

CANCER-SUSPECT AGENT AREA AUTHORIZED
PERSONNEL ONLY

to read:

CANCER-SUSPECT AGENT AREA
AUTHORIZED PERSONNEL ONLY

15. In § 1910.93q(1) (2), lines 5, 6 and 7 (1st column 35898) by changing:

CANCER-SUSPECT AGENT IN THIS AREA PROTE-
CTIVE EQUIPMENT REQUIRED AUTHORIZED
PERSONNEL ONLY

to read:

CANCER-SUSPECT AGENT IN THIS AREA
PROTECTIVE EQUIPMENT REQUIRED
AUTHORIZED PERSONNEL ONLY

16. In § 1910.93q (1) (3), lines 5 and 6 (1st column 35898) by changing:

CONTAMINATED WITH
VINYL CHLORIDE CANCER-SUSPECT AGENT

to read:

CONTAMINATED WITH
VINYL CHLORIDE
CANCER-SUSPECT AGENT

17. In § 1910.93q(1) (5) (ii), lines 1 and 2 (1st column 35898) by changing "Part 173, Subpart H" to read "Parts 170-189". In Line 3 by changing "legends" to read "legend", and in line 5, by changing "labor" to read "label".

18. In § 1910.93q(n) (3), line 5, (3rd column 35898) by inserting a comma after the word "respirators".

Signed at Washington, D.C. this 29th day of November, 1974.

JOHN STENDER,
Assistant Secretary of Labor.

1 FR Doc. 74-28119 Filed 12-2-74; 8:45 am

GENC 007523