

INDUSTRIAL NOISE

program is effective, use followup hearing tests

Ear plugs do not provide the same amount of attenuation in the field as they do in the laboratory, probably because of incorrect

fitting and failure to maintain a good seal even with properly fitted plugs. Limited research data indicate that ear plugs provide on the average about 5 db less attenuation under field conditions than in lab tests.

References

Noise-exposure analysis

- Peterson, A P G, and L L Beranek *Handbook of Noise Measurement* Cambridge, Mass., General Radio Company, 1956
- Snow, W B. "Instruments for Noise Measurements" *Noise Control*, vol 1, No 3 16, 1955

Noise-exposure control

- American Academy of Ophthalmology and Otolaryngology, 15 Second St. SW, Rochester, Minn. *Guide for Conservation of Hearing in Noise*. 1964 (Available from Research Center Subcommittee on Noise, 327 South Alvarado St., Los Angeles, Calif.)
- American Foundrymen's Society, Inc., Des Plaines, Ill. *Foundry Noise Manual*, 1956.
- American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc., 345 East 47th St., New York City *Guide and Data Book, Fundamentals and Equipment*.
- Beranek, L L. *Acoustics* New York City, McGraw-Hill Book Company, 1954.
- Noise Reduction*. New York City, McGraw-Hill Book Company, 1960
- Bolt, R H., and others, eds. *Handbook of Acoustic Noise Control*, vol 1, "Physical Acoustics." Dayton, Ohio, Wright Air Development Center. Technical Report 52-204. 1952.
- Glorig, Aram. "The Practical Aspects of Ear Protection." *American Industrial Hygiene Association Journal*, 17 43-48 (March 1956).
- Harris, Cyril M., ed. *Handbook of Noise Control*. New York City, McGraw-Hill Book Company, 1957.
- "Industry's Noise Problem." *Occupational Hazards*, 18 30-33 (July 1956)
- Pietrasanta, A C "Fundamentals of Noise Control" *Noise Control*, 1 10-18 (Jan 1955)
- Wheeler, D E, and A. Glorig "The Industrial Hygienist and Ear Protection" *American Industrial Hygiene Association Journal*, 16 40-45 (March 1955) Reprinted in *Noise Control*, 2 45-49 (Jan 1956)

Hearing evaluation

- "Guide to the Evaluation of Permanent Impairment Ear, Nose, Throat, and Related Structures." *Journal of the American Medical Association*, (Aug 19, 1961)

General

- Acoustical Society of America, 335 East 45th St., New York City *Sound* (bi-monthly).
- American Industrial Hygiene Association, 14125 Prevost St., Detroit, Mich
American Industrial Hygiene Association Quarterly
 "Conference on Factory Noise" Vol 15, No 1 (March 1954)
 "Third Industrial Noise Conference" Vol 17, No 1 (March 1956)
Industrial Noise Manual 1958
- American Standards Association, 10 East 40th St., New York City S Series on Acoustics, Vibration, Mechanical Shock, and Sound Recording
- Building Research Institute, 172 S. De Sales St. NW, Washington, D C
Building Research (Published bi-monthly)
Noise Control in Buildings Publication 706.
- Glorig, A M *Noise and Your Ear*. New York City, Grune & Stratton, 1959
- Industrial Hygiene Foundation of America, Inc., Mellon Institute, 4400 Fifth Ave., Pittsburgh, Pa. *An Annotated Bibliography on Noise, Its Measurement, Effects and Control*. 1955
- Journal of the American Society of Safety Engineers*. Symposium "The Noise Problem" Vol IX, No 4 (April 1964).
- Richardson, E G *The Technical Aspects of Sound* New York City, Elsevier Publishing Company, 1953
- Rosenblith, W A, and K. N Stevens *Handbook of Acoustic Noise Control*, vol II, "Noise and Man." Dayton, Ohio, Wright Air Development Center. Technical Report 52-204. 1952
- Watson, L A, and T. Tolan. *Hearing Tests and Hearing Instruments* Baltimore, Md., Williams and Wilkins, 1949