

M. J. CAPRIO

MR. D. D. MCGREGOR

PROCUREMENT DEPARTMENT - 19

AB 23

RECEIVED

APR 1 1981

1981 MARCH 31

INDUSTRIAL HYGIENE

RE: TRANSITE AIR VENT PIPE: JOHNS-MANVILLE

We have convinced Johns-Manville's (J.M.) management to continue the manufacture of Transite Air Vent Pipe until Alcoa has found an acceptable substitute. Todate, the asbestos Transite pipe has been the only acceptable product for the pot exhaust duct application.

J-M has requested that Alcoa's total requirements for Transite pipe be issued on a semi-annual basis by the Pittsburgh Procurement Department directly to J-M's Denver Colorado Headquarters, Attn: Mr. John Cran. Therefore, all plant requirements for Transite pipe will be forwarded to my attention by the 31 JAN and 31JULY of each year for shipments to be made at the end of the second and fourth quarters respectively. Emergency requirements in the off-periods will be handled on a best effort basis.

Until we have found a substitute for the Transite pipe, we are hereby alerting all plant procurement offices that future requirements for this commodity will be purchased as outlined above. If there are any questions, please call me directly.

M. J. CAPRIO

MJC:gih

*Ed Graddy at
ATC involved in
potroom*

ARD 007387



DISTRIBUTION

W.K. Benefield - Badin
L.A. Hartley - Badin
T.E. Klenske - Massena
B.M. Triko - Massena
J.R. Fry - Rockdale
G.H. Lantz - Rockdale
D.L. Smith - Rockdale
W.S. Zuber - Tennessee
G.A. Turnbow - Tennessee
M.D. Wooden - Vancouver
P.C. Ames - Vancouver
W.V. Pataki - Warrick
D.J. Carney - Warrick
J.R. Pargman - Wenatchee
M.H. Johnson - Wenatchee

J.L. McKinstry/A.G. Rust - 3 WPH
K.A. Isakson - 3 WPH
