

aPacific



mix compound

Instructions for use

3. If necessary, the consistency may be adjusted by adding small amounts of clean water. Avoid excessive thinning.

4. Allow compound to dry thoroughly between applications. Overnight drying is usually sufficient. When applying during cold weather, provide heat to maintain 55°F minimum temperature until occupied.

5. Do not mix any ready mixed or dry joint compound to that of this can.

CAUTION

- CONTAINS ASBESTOS
- AVOID CREATING DUST
- BREATHING ASBESTOS IS A SERIOUS BODILY HAZARD
- USE APPROVED RESPIRATORY PROTECTION
- WASH FACE AND HANDS AFTER HANDLING


Net weight

Net weight

PLAINTIFF'S EXHIBIT

GP-1492

SGP 0022469



Georgia-Pacific



Ready mix Joint compound

Recommendations

1. If freezing, place for at least 24 hours before using. If it freezes, allow to thaw before use. Do not use if it has frozen.

2. If liquid has separated, stir thoroughly and remix before use.

3. If necessary, the consistency may be adjusted by adding small amounts of clean water. Avoid excessive thinning.

4. Allow compound to dry thoroughly between applications. Overnight drying is sufficient. When applied in cold weather, provide a minimum temperature of 55°F until the compound has dried.

5. From ready mix joint compound of this type.

6. CONTAINS...
7. AVOID GETTING...
8. GREATLY IMPROVES...
9. USE WITH...
10. REMIX...

10 pounds net weight

100% free of lead