

Meeting with Simon 3/20/74

Les Fibridge - Met
Dean Hodges - Briefed
Steve Jones - Met
Jack Kanger

→ at home working on PCBs
→ type of PCBs - 1242, 1245, 1248

→ Offer to take their extracts and run the GC Mass 1/2 day
→ Use program about 4 hrs $\approx$ 1 1/2 working

- FDB says

1. methylated PCB -- FDB doesn't recognize these as any more
they

2. 1242

3. 1245

4. 1248

FDB says no way of determining whether a PCB is alkylated
(or methylated) or is pure

Birds - Offshore - Birds

- Rhizophora water - should they be looking for this?

→ 50 to 100* of material probably involved

Ralston can find samples containing PCB.

→ Ralston wants composition of the material. What are the
basic materials used in formulating hydraulic fluids?
Tell them the components and a seal! If Ralston
wants to give us a sample of the fluid, would be analyzing
the material to determine if hydraulic fluid or transformer
fluid. If we can't do it, then they need help
how to find it out.

They think the room is a feeding hydration fluid in a left device.

* Repetition/ the impression given must by Salton -- can we give them a sample as it related prior to the procedure change.

Salton has purchased all of them from M.C. in the past:
Reptol & C

150

A200

F-9

625

135

230

312

590

Mr. McAlister in RP (Sgt. Rept.) has been working with the people on station. RP has not employed these contractors -- hoped that we can help them.

* Feeding truck left at Pine State Dairies Co.

* Officers go to Pine State -- get in large rats of steam chickens -- cooked to get rid of fat & moisture -- fat and meat in them fed back to chickens ~ 5% in poultry meat and 5% in fat in the feed. Pine State also handles chicken and meat with trimming -- then they will animal fat and animal by-product -- about 10% on the chicken. Pine State also supplies feed meal but RP does not buy it. Pine State does not export feed meal. Feed lots are used to dump the trimmings of chicken. Investigation has determined that these people have a problem with lymphatic system.

MONS 060660

RP is the only one who has this kind of a contamination problem. Since the feed supply is expensive.

Salton feed sent to Fort Halifax. (which they add on 4/7/72).

24.5 Parcelment -- up to 500 ppm. Some the
company has up to 700 ppm -- no connection with the
Hill. One day production of Pabst's ¹⁹⁵² H²O to
Ohio State. Pabst's: The whole feed program would
be good for the country, but from Ohio State -- when they
found out about the problem, they started making it
but found no more in the poultry feed. Pabst's good and
accepted the market.

First indication was no more availability in chicken

RB known source of problem 2/12/52

People who own Ohio State run 24.5 of the Ohio State
production. Pabst's in the 5th production in Pabst's.

(2)
Pabst's may have had a problem of taking by-products about
a year ago.

FDA thinks 1252 could be regulated in a chicken system 1/54
or 1254.

Not a
out of
fact
change

Albion

1. Analyze for them and tell them if there is a cancer.
2. Give RP: comparison of all PAB products
3. Give sample of all Hatched PAB products

Probably, FDA problem was 200 ppm in poultry
it is 4.5 ppm per 2/15/52 FDA program in Pabst's

2 of chicken as regulated in process is correct -- about 1/54 date

MONS 060661

- Appendix given: 1. Photo of (1292) - see attached
2. Copy of Analytical method - see attached
3. East Coast Tamil script C.P.P. - see attached

Examine copy that East Coast Tamil material is not of question -- too good - too open

- 4. See questions of Examine attached
- No document available
- No proposal for the study - necessary to
determine cooperation for 100 years for S.C.

Inventory of 1016 materials
by 4/27/50 within 4/10/50

Urban
Grand Franklin

1342 Current Uses - Electrical Transformers - NH

~~Electrical~~ - Electrical Capacitors (1442 under C. 1000) - Could there be
more information?

Forman dies - Electrical Capacitors Big when? price? ?
Electrical Transformers Not big when?
Heat Transfer System Big when?
Gas Transmission Turbines ? one customer only
Hydraulic fluids Little small
In Alliances Very small
Plasticizers - Rollers " "
Wax Extractors " "
Carbonates depending on type Big

1343 Current Uses ? Ant. application 5/50

Forman Uses - Heat Transfer Systems Biggest use
Vacuum bagging Selling
Hydraulic fluids Products
Plasticizers - Synthetic Resins
In Alliances Small
In Surface Coatings
Plasticizers in Rollers

Blank

- Hydraulic fluids
- vacuum bagging

MCNS 060663

1254 Current Uses - Electrical equipment - very limited usage
 - Electrical Transformers

216

Former Uses

- Electrical equipment
- Electrical Transformers
- Heat Transfer Systems
- Vacuum Pumps
- Hydraulic Cylinders

Little

limited

Very so

Problems

- Heat Transfer Systems
- In Addition

- In Surface Cooling

Very
Problems

- Heat Transfer in Pumps

- Use of Cylinders

- Hydraulic Cylinders

- Problems with Cylinders

- Lubrication with oil

limited

- Fuel

MONS 060664