



THE LAKE ERIE CHEMICAL COMPANY

B. C. GOSS
PRESIDENT

2200 SCRANTON RD.
CLEVELAND, OHIO (13)

CABLE ADDRESS
"LECCO
CLEVELAND"

August 6, 1943

Dr. Robert A. Kehoe
Kettering Laboratory of Applied Physiology
Eden Avenue
Cincinnati, Ohio

Dear Dr. Kehoe:

It has been over a month since I have written to you but we had been delayed somewhat in getting started with TEL. However, last week we received our first lot of TEL and have started making our product.

Therefore, after a week of work we are sending you the urine samples for your analysis.

We intend to use only three men, all chemists, throughout this job. We have set up our equipment in such a way as to minimize handling and to use the ventilating hoods to full advantage.

As yet we have not run into any problems. I am contacting Mr. E. O. Jones as to the proper method of preparing empty cans for return.

Your cooperation has been of very great assistance to us.

Sincerely yours,

THE LAKE ERIE CHEMICAL COMPANY

L. E. Edelman

L. E. Edelman

LEE:vyy

A number of urine samples submitted by the Lake Erie Chemical Company, Cleveland, Ohio, for lead and arsenic analyses.

<u>Analysis Number</u>	<u>Date and Hour Collected</u>	<u>Name</u>	<u>Mg. Pb/L.</u>	<u>Mg. As/L.</u>
43A-2350	12:15 p.m. 6/17/43	[REDACTED]	0.035	0.01
43A-2353	3:45 p.m. 6/18/43	[REDACTED]	0.075	0.02
43A-2352	1:30 p.m. 6/17/43	[REDACTED]	0.18	0.04
43A-2355	9:30 a.m. 6/18/43	[REDACTED]	0.06	0.04
43A-2351	11:00 a.m. 6/17/43	[REDACTED]	0.055	0.04
43A-2354	9:00 a.m. 6/18/43	[REDACTED]	0.02	0.03

Samples Reported: 6-28-43

KE 0013734

N16567.01

A number of urine samples submitted by the Lake Erie Chemical Company, Cleveland, Ohio, for lead and arsenic analyses.

<u>Analysis Number</u>	<u>Date and Hour Collected</u>	<u>Name</u>	<u>Mg. Pb/L.</u>	<u>Mg. As/L.</u>
43A-2350	12:15 p.m. 6/17/43	[REDACTED]	0.035	0.01
43A-2353	3:45 p.m. 6/18/43	[REDACTED]	0.075	0.02
43A-2352	1:30 p.m. 6/17/43	[REDACTED]	0.13	0.04
43A-2355	9:30 a.m. 6/18/43	[REDACTED]	0.06	0.04
43A-2351	11:00 am. 6/17/43	[REDACTED]	0.055	0.04
43A-2354	9:00 a.m. 6/18/43	[REDACTED]	0.02	0.03

Samples Reported: 6-28-43

KE 0013735

A number of urine samples submitted by the Lake Erie Chemical Company, Cleveland, Ohio, for lead and arsenic analyses.

<u>Analysis Number</u>	<u>Date and Hour Collected</u>	<u>Name</u>	<u>Mg. Pb/L.</u>	<u>Mg. As/L.</u>
43A-2350	12:15 p.m. 6/17/43	[REDACTED]	0.035	0.01
43A-2353	3:45 p.m. 6/18/43	[REDACTED]	0.075	0.02
43A-2352	1:30 p.m. 6/17/43	[REDACTED]	0.13	0.04
43A-2355	9:30 a.m. 6/18/43	[REDACTED]	0.06	0.04
43A-2351	11:00 am. 6/17/43	[REDACTED]	0.053	0.04
43A-2354	9:00 a.m. 6/18/43	[REDACTED]	0.02	0.03

Samples Reported: 6-28-43

KE 0013736