Monsanto

FROM (NAME & LOCATION): R. McEntire -- WGK

DATE: July 1, 1971

SUBJECT:

REFERENCE:

cc: R. Blowers
H. Horner
H. Campbell

TO:
W. Engmann
C. Buckley
J. Munoz
R. McCutchan
A. Rasmussen

COMPANY CONFIDENTIAL

The amount and type of PCB obtained in recent water samples are reported below. Results are in parts per billion (ppb) unless otherwise noted.

Log No.	Date	Sample Description			(ppb) PCB	Type
652	6-20	246			51	1242
					10	1254
653	6-20	WTP Inf			419	1242
					75	1254
654	6-20	WTP Eff			81	1242
					40	1254
655	6-20	30 W			130	1248
					74	1260
656	6-20	24 W		Sample lost		
657	6-17	246			488	1242
					53	1254
658	6-17	24 W			135	1242
					28	1254
659	6-17	30 W			33	1248
					15	1254
660	6-24	WTP Inf			322	1242
					80	1254
661	6-24	WTP Eff			67	1242
					17	1254
662	6-24	246			367	1242
					65	1254
663	6-24	30 W			134	1248
					92	1254
664	6-24	24 W			117	1242
					35	1254
665	6-27	WTP Inf			173	1248
					74	1254
666	6-27	WTP Eff			47	1248
					27	1254
667	6-27	246	MONS	098797	45	1242
					16	1254

Lor No.	Date	Sample Description	(ppb) PCB	Type
668	6-27	East	45	1248
			17	1254
669	6-27	248	119	ppb 1242
			10	1254
670	6-27	24 W	69	1242
			12	1254
671	6-27	30 W	155	1248
			91	1254

R. McEntire

dy