JOURNAL REFERENCES

J. S. Aabye, Kem. Maanedsblad Nord. Handelsblad Kem. Ind. 10, 22-8 (1929).
White paints.
Durability as regards weather examd. for Kronos Ti white Standard A.

Abegg and Auerbach, Handbuch der Anorganischen Chemie, Leipzig 1909
Ti p. 396-461, Vol. III. Part II.
Literature p. 456 (307 references). Colloidal titanic acid, p. 883.

R. Akerman, Iron, 6, 450 (1875).
Relations of titanium to iron.

E. T. Allen, Jour. Am. Chem. Soc., XXV, 425 (1903).
Precipitation and separation by weak organic bases.
Separation of Ti from Fe.

H. Amsel, Allgemeine Malerzeitung Nr. 51, 1925.
Products of Titan Company.

H. Amsel, Die farb. Stadt (1927) 74-76.
Titanium White.

R. J. Anderson, Bur. of Mines, Repts. of Investigation No.2406, 12 pp. (1922).
Titanium.
General article with bibliography.

R. J. Anderson, J. Franklin Inst. 184, 469-508, 637-650, 885-900 (1917).
The metallurgy of titanium.
Mostly on metallic Ti and its alloy. Bibliography.

R. J. Anderson, Chem. Age (N. Y.) 31, 27-30 (1923).
Properties and uses of titanium.

R. J. Anderson, Chem. Age (London) 8, 331-2 (1923).
Titanium: Its uses, properties and sources of supply.

R. Apjohn, Chem. News 26, 183.
Occurrence and Detection of Vanadium and Titanium in Trap-Rocks.

A. E. van Arkel, Chem. Weekbl. 24, 90-96.
Separation of metals by the gas phase.
Red. $TiCl_4$ with N or CO contg. H_2 gives TiN and TiC, resp.

N33671

A. E. van Arkel, Physica 4, 286-301 (1924).
Crystal Structure and physical properties.
TiN_3 + TiC included.

F. Ashworth, Leather World 8 No. 2, 15-6 (1916); Shoe and Leather Reporter 121, No. 9, 77-9 (1916).
Potassium titanium oxalate as a dye, stainer and mordant.

J. Aston, Mineral Industry 24, 683-4 (1915).
Titanium.
Occurence, technology and uses.

I. A. Atanasin, Bul. Chim. Soc. română stiinte 27, 17-36 (1924)
Chemical study of basic eruptive rocks.
Analysis of basic rocks contg. Ti from Eastern Carpathians. Method given.

J. A. Atanasin, Bull. Chim. Soc. Română Stiinte 27, 81-144 (1924).
Hydrolysis in the systems TiR_4-H_2O.
$TiCl_4$-H_2O and $TiBr_4$-H_2O studied.

I. A. Atanasin and V. Stefanescu, Ber. 61B, 1343-7 (1928).
Ceric salt as oxidizing agent in electrometric titrations
Titrations of HNO_2, Fe, Ti, etc. made.

V. W. Aubel, Bull. Amer. Inst. Mining Eng. (1919) 2081-95
Titanium containing iron sand in New Zealand.

R. Audubert and H. Rabate, Compt. rend. 180, 1663-1665 (1925).
A method of determining the grain distribution in dispersed systems.
TiO_2 included.

M. V. Auger, Compt. rend. 177, 1302-4 (1923); Bull. Soc. Chim. 35, 18 (1924).
Solubility of titanic acid in alkalies and alkali carbonates. Crystallized titanium oxychloride.

J. Augustin, Parfumeur 3, 43-44 (1929); Deut. Parfum.-Ztg. 15 147-149 (1929).
Titanium dioxide as an addition to zinc oxide.

P. T. Austin and F. A. Wilber, Am. Chem. Jour., 4, 211-4 (1882-3)
On the Precipitation of Titanic Acid.
Treatment of titaniferous ores.

B., Farb. Zeit., 32, 1616 (1927).
Italian titanium white.

DUP050026493

F. E. Bachman, Bull. Amer. Inst. Mining Eng. (1919) 3009-17.
Titanium-containing iron sand in New Zealand.

E. Bahlsen, Stahl u. Eisen, 22, 326-30 (1902).
Ueber Titaneisen.

F. Bachran, Dissertation (Berlin, 1911). pp. 1-47.
Beiträge zur Kenntnis des Titans.
Copy in Ti file - Thornton.

J. W. Bain, J. Amer. Chem. Soc. 25, 1073-1091 (1903).
The estimation of titanium.
Separation from iron, aluminum, and phosphorous. Hilger and Haas use H_2SO_4 (1:12) and HF to attack the ore. Ledebur red. ore with H and boils with dil. H_2SO_4 (1:40). Levy gives manner in which ppt. TiO_2 influenced by free acid present.

D. Balareff, J. prakt. Chem. 102, 283-6 (1921).
The compilation of the molecular volumes of the oxides in the periodic system.
TiO_2 included.

T. R. Ball and G. McP. Smith., J. Am Chem. Soc. 36 1838-43 (1914)
The volumetric estimation of titanium by means of ferric chloride.

O. L. Barnebey and R. M. Ishan, J. Am. Chem. Soc. 32, 957-62 (1910).
Rapid and accurate method for the determination of titanium.
In rutile and iron ores. H_2SO_4 and HF. used.

J. Barnes, J. Soc. Chem. Ind. 18, 15-16.
The use of titanium compounds as mordants and pigments.

J. Barnes, J. Soc. Dyers and Colourists 35, 59-62 (1919); Rev. Gen. Mat. Col., 23, 101 (1919); Rev. Chim. Ind. 28, 277 (1919).
Properties and uses of some titanium compounds.

J. Barnes, H. Spence and P. Spence & Sons., London Mng. Journ. 82, 65 (1907).
Titanium salts.

E. P. Barrett, Mining Sci. Press 117, 729-30 (1918).
A rapid method for determining titanium and chromium in beach sand.

DUP050026494

L. E. Barton, Paint, Oil and Chem. Rev. 75, No. 9, 10-1 (1923).
The determination of titanic oxide in pigments with suggestions for the analysis of mixed pigments.

L. E. Barton. Mineral Ind. 25, 716-9 (1916).
Titanium.
Uses and technology of compounds.

L. E. Barton, Mineral Ind. 26, 694-7 (1917).
Titanium.

L. E. Barton. Mineral Ind. 27, 710-4 (1918).
Titanium and Zirconium.
Ti and Zr industries.

L. E. Barton, Proc. A. S. T. M. 24, I, 443-451 (1924).
Methods of analysis and reports of collaborators on the analysis of titanium pigments.
Analysts reporting: W. J. Brown of National Lead, L. E. Barton, F. Kenney of Central Testing Dept., N. Y., and U. S. Bureau of Standards.

C. Baskerville, J. Am. Chem. Soc. 16, 427 (1894).
Separation of titanium from iron.
Chlorides with SO_2.

C. Baskerville, J. Amer. Chem. Soc. 21, 1099-1101 (1899).
Universal distribution of titanium.

C. Baskerville, J. Soc. Chem. Ind. 19, 419-20 (1900).
The analysis of titanium containing iron ores.

C. Baskerville, Eng. Min. J. 87, 10-4 (1909).
The rare minerals: Titanium.
List of minerals contg. Ti and description of the most prominent. Uses of titanium.

H. L. Beakes, Ind. Eng. Chem. 20, 732-34 (1928).
Settling of pigments in house paints.
Titanium white included in study.

J. Beckenkamp, Z. Kryst. 42, 448-74.
On the dioxides of the elements of the fourth group of the periodic system.
Crystallographic data.

G. Becker, Zeitschr. Kryst. Min., 38, 317-319 (1903).
Aluminous and titaniferous augites.

DUP050026495

I. Bellucci and L. Grassi., Atti. accad. Lincei. 22 I 30-4.
The use of cupferron in quantitative analysis.
Detn. of Ti in solutions.

K. F. Beloglazov, Contributions to the study of the Natural Resources of the U. S. S. R. No. 56, 20-3 (1926).
Report of the titanium commission on the experimental results in obtaining titanium tetrachloride.
From Ti ore.

R. C. Benner, Mining Sci. Press. 101, 576-7.
Rapid electrolytic method of anaylsis.
Used to separate Fe from Ti.

A. Benrath, Z. Wiss. Phot. 14, 217-22 (1915).
Photochemical reactions of compounds of the rarer elements.
TiO_3, Ti sulfate and tetrachloride in alc. or $(COOH)_2$ slowly turn black or brown, as simple or complex salts are formed.

A. Benrath and A. Obladen, Z. wiss. Phot. 22, 65-72 (1922).
The photochemical reduction of titanium salts.

G. Berg, Z. anorg. Chem., 15, 328-30 (1897).
Compound of titanic acid with malic acid.

A. Berge, Sprechsaal 46, 206-8 (1913).
Titanic acid in under-glaze colors.
Dark gray or black tones; olive-green, brown and yellow shades.

P. H. Berggreen, Chem. Eng. 21, 168-9 (1915).
Titanium and titaniferous ores.
Review of researches on red. of these ores.

P. Berthier, Ann. mines, (3) 3,41-3 (1833); Ann. Chim. Phys. (3) 7, 741 (1843).
Fer titané de Baltimore, en Maryland.

W. Bettel, Chem. News 28, 93 (1873).
Modification of Forbes' method of estimating titanic acid.

F. Beyschalag, J. H. L. Vogt and P. Krusch (translated by S. J. Truscott) Macmillan and Co., Ltd. (1914).
Two volumes; page numbers continuous.
The deposits of the useful minerals and rocks.

DUP050026496

F. v. Bichowsky, C. Met. Eng. 29, 1098-1101 (1923).
Nitrides as a possible way for preparing cyanides.
Ti nitride used.

F. v. Bichowsky, Chem. Met. Eng. 33, 749-50 (1926).
Putting titanium nitride into commercial production.
Ti_2N_2 from ilmenite. Powder applied to surface of molds and cores gives high resistance to molten metal.

F. v. Bichowsky, Ind. Eng. Chem. 21, 1061-3 (1929).
Titanium white. A new method for its preparation.
Nitride to Ti white by HNO_3 and catalysts.

M. Billy, Compt. rend. 155, 777-9 (1912).
Simple method for the preparation of inorganic oxides.
Red. of TiO_2 to lower oxides.

M. Billy, Compt. rend. 172, 1411-2 (1921).
Titanium peroxide.
Pertitanates.

M. Billy, Ann. Chim. (9) 16, 5-54 (1921).
Titanium.
Review of literature and exptl. study of problem of prep. pure Ti and its cpds.

M. Billy, Compt. rend. 186, 760-62 (1928).
The structure of titanium peroxide.

P. Binder, Bull. Soc. Ind. Mulhouse 89, 196-8 (1923).
Use of titanium oxide for printing fabrics.

F. Binder, Chimie et industrie 11, Special No., 551-6 (May, 1924).
Titanium oxide. Its manufacture and properties as a pigment.

Bingham, Master Painter & Dec. 2, 18 (1924).
Titanox paints, their good and bad points.

F. Bischoff and H. Adkins, J. Am. Chem. Soc. 46, 256-9 (1924).
Alkyl titanates.
Tetraethyl-, tetraisopropyl-, tetrabutyl-, and tetramethyl- derivatives obtained.

C. W. Blomstrand, Ber., 12, 1721-3 (1879).
Titanates from Småland.

Blondel, Bull. Soc. Chim. (3) 21, 262-264 (1899).
Some compounds of titanic acid and sulfuric acid.

DUP050026497

J. Bluman, Chem. News T. 83, 181 (1901).
Norwegian ilmenite.

F. Böck and L. Moser, Monats. Chem. 33, 1407-1429 (1912); 34, 1825-49 (1913).
Action of the silent electric discharge on a mixture of hydrogen and titanium tetrachloride vapor. I and II.

Lecoq de Boisbandran, Chem. News 48, 164 (1883).
Separation of gallium from titanium.

W. Boller, Dissertation (Zurich, 1915) pp. 1-53.
Beitrage zur titrimetrischen Bestimmung des Antimon, Zinn, Titans, Eisens, und Urans.
Copy in Ti file - Thornton.

O. F. Bollnow, Z. Physik. 33, 726-40, 741-59 (1925).
The lattice theory of the crystals of titanium dioxide, rutile and anatase.

J. E. Booge, Paint, Oil, Chem. Rev. 86, 18b-c (1928).
Recent improvements in the quality of American Lithopone.

W. Borchers, Metallurgie 8, 246-48; Stahl & Eisen 31, 706-7 (1911)
Reducing fusion of oxidized ores in the electric furnace.
Fusion of titanium iron ores.

H. Bordewich, Daily Consular and Trade Reports, December 21, 1911, p. 1463.
Rutile Production in Norway.

F. Born, Z. Elektrochem. 36, 309-11 (1925).
Dissociation of some metal oxides.
TiO_2 included.

K. Bornemann and H. Schirmeister, Metallurgie 7, 646-49 (1910).
Observations on the solution and precipitation of titanic acid.
From conc. and dil. H_2SO_4.

K. Bornemann and H. Schirmeister, Metallurgie 7, 711-716, 723-30 (1910).
The analysis of titaniferous substances.

DUP050026498

P. van Bosse, Ingenieur, April 27 (1912).
A sandy mineral containing iron and titanium.
Sandy banks on the south coast of Java. Possibility of treating in Sweden due to low cost of electric power.

E. W. Boughton, Chem. Markets 25, 280-82 (1929).
Titanium dioxide - a revolutionizing factor in the pigment market.

L. Bourgeois, Ann. chim. phys., (5) 29, 433 (1883).
Reproduction, par voie ignée, d'un certain nombre d'espeoes minérales appartenant aux familles des silicates, des titanates et des carbonates.

L. Bourgeois, Jahrb. Min., 1, 196-8 (1884).
Artificial reproduction of certain silicates and titanates.

L. Bourgeois, Bull. soc. chim., (2) 46, 262 (1886).
Sur des titanates de barium et de strontium cristallin.

F. Bourion, Compt. rend. 154, 1229-32.
Separation of iron and titanium. Uses Cl_2 and HCl.

W. M. Bowron, Trans. Am. Inst. Mining Eng., 11, 159-64 (1882-3).
The practical metallurgy of titaniferous ores.
Carbon and limestone.

H. Bräkken, Z. Krist. 67, 547-9 (1928).
The crystal structure of titanium monoxide.

H. Braidy, Industrie chimique 14, 105-7, 242-5, 290-5, 486-91, 539-42 (1927).
Titanium white.
Review of manuf., properties and uses of TiO_2

H. Braidy, Ind. Chim. 16, 312 (1929).
Titanium white.

J. Brakes, Jour. Soc. Chem. Ind. 20, 23 (1901).
Colorimetric Estimation of Titanic Acid.

P. S. Brallier, Trans. Amer. Elektr. Soc. 49, (1926).
The Chlorination of Metals.

A. Brammall and H. F. Harwood, Mineral. Magazine 20, 27-31 (1923).
The occurrence of rutile, anatase and brookite in Dartmoor.

DUP050026499

B. Brauner, Chemick Obzor 1, 86-88 (1926).
Titanium white.

H. Brenck, Z. anorg. Chem. 80, 448-52 (1913).
Compounds of titanium dioxide with selenic and selenious acids.

H. Britzinger and W. Schieferdecker, Z. anal. Chem, 76, 277-8 (1929).
Potentiometric determination of titanium in the presence of other metals, particularly iron.

Waldemar C. Brögger, Vid.-Selsk. Skrifter, Christiania, Math.-Naturv. Kl., 1906, No. 6, 1-162.
Columbates, tantalates, and titanates from the Norwegian Pegnatite-Veins.

DUP050026500

B. K. Brown, Chem. Met. Eng. 35, 427-8 (1928)
Large scale titanium pigment production based on old laboratory process.
Blumenfeld process. Commercial Pigments Corp.

G. H. Brown, Ceramic Age 11, 77-9 (1928)
Notes on production of cream-colored bodies.
Rutile and TiO_2 with clays.

J. Brown, J. Amer. Chem. Soc. 39, 2358-66 (1917)
The use of cupferron; I. The quantitative separation of zirconium, titanium, iron, manganese, and aluminum.

J. Brown and H. T. Madden, J. Amer. Chem. Soc. 42, 36 (1920)
Separation of zirconium and titanium as the phosphates.

W. D. Brown, Met. and Chem. Eng. 8, 616-617 (1910)
Analysis of titaniferous iron ores.

P. E. Browning, Introduction to the Rarer Elements (1904)
Titanium p. 58-65.

P. E. Browning, G. S. Sompson, and L. E. Porter, Am. J. Sci. 42, 106-8 (1916)
On the qualitative separation and detection (1) of tellurium and arsenic and (2) of iron, thallium, zirconium and titanium.
Copy in Ti file - Thornton.

H. D. Bruce, Bur. Standards J. Research 1, 125 (1928)
Tinting strength of pigments.
TiO_2 and titanox included.

Luigi Brugnatelli, Zeitschr. Kryst. Min., 39, 209-219 (1904).
Titanolivine from Val Malenco, Lombardy.
The mineral offers more resistance to weathering than does the associated olivine, but the products of decomposition, viz., antigorite and a colorless diopside, are the same for both. Analysis by G. Anelli gave:

SiO_2	TiO_2	MgO	FeO	MnO	Fe_2O_3	F	H_2O	Total
36.86	4.78	45.50	10.05	Trace	1.08	Trace	1.57	99.84

C. van Brunt, J. Am. Chem. Soc. 36, 1426-9 (1914)
Volumetric determination of titanium and chromium by means of a modified reductor.

Bur. Standards, G. K. Burgess, Director, Samples submitted by Dr. Thornton, March 1923.
Spectrographic analysis of samples of rutile and ilmenite.

S. Burman, Stahl u. Eisen 24, 302 (1904)
Titanium estimation in iron ores.

DUP050026501

C. H. Butcher, Ind. Chemist 20, 400-1 (1926)
The microscopical character of white pigments and extenders.
Tabulated description of white lead, zinc white, titanium white, etc. Photomicrographs of some of these reproduced.

E. Cahen and W. O. Wooton, J. B. Lippincott Co. (1920)
The Mineralogy of the Rarer Metals.

J. H. Calbeck and C. P. Olander, Am. Soc. Testing Materials 22, II 515-22 (1922)
An application of the Pfund colorimeter to the determination of tinting strength of white pigments.

Canadian Mining Journal, Canadium titanium in 1927. Vol. 49, p. 788 (1928).

T. Carnelly and J. Walker, J. Chem. Soc., 53, 59 (1888)
The dehydration of metallic hydroxides by heat, with special reference to the polymerization of the oxides, and to the periodic law.
TiO_2 included.

C. W. Carstens, Z. Krist. 67, 260-78 (1928)
The behavior of titanium in the titanium-bearing slags (with special reference to titanium monoxide).
Occurs as "deoxidized" rutile or as fulvite.

G. Carteret et Devaux, L'age de fer, 36, 670-2 (1920)
Titanium - its method of preparation and industrial applications.

M. Cartaret, Bull. Soc. Chem., 29, 207 (1921): 35, 19 (1924)
Oxychloride of titanium.

L. R. Catalano, Anales Soc. quim. Argentina, 6, 35, 83 (1918)
Chemical Study of a Titanium Mineral from the Sierra del Pie de Palo (San Juan).

C. Catlett, Econ. Geol., 2, 796-7 (1907)
Occurrence of Rutile in Virginia.

A. Cavazzi, Ann. Chim. applicata, 12, 105-11 (1919)
Quantitative determination of titanium in some Italian pozzuolanas.

Chemical & Pigment Co., American Paint Journ., 13, 25 (1929)
Titanolith, a titanium lithopone.

Christensen, Schwartz & Co. and A. Ebel, Farben-Zeit., 35, 85-87 (1929)
Titanium white.

DUP050026502

A. Christy and R. T. Birge, Nature 122, 205 (1928)
The titanium oxide bands.

I. Ciochină, Bul. Soc. Chim. Romania, 7, 28-9 (1925)
Zt. Anal. Chem. 73, 40-46 (1928)
Determination of titanium in ferrotitanium.

F. W. Clarke, U. S. Geol. Survey Bull. 695, 343 (1920)
Titanium Minerals. Data of Geochemistry.

A. Classen, Ber., 21, 370-2, 1519 (1888)
Titanium Dioxide.

A. Classen, Ber. 21, 372-75 (1888)
Quantitative separation of titanium from iron.

C. Coffignier, Couleurs et Vernis, (1921), Paris.

C. Coffignier, Rev. Chim. Ind., 30, 101-5 (1921)
Titanium White.

C. Coffignier, Chimie et industrie, 7, 651-61 (1922)
The manufacture and properties of titanium white.

W. H. Coghill, Bur. Mines, Repts. Investigations Nos. 2867, 4 pp. (1928).
Titanium in bauxite ores and sludges.

E. Cohen, Jahrb. f. Min. 1 Mem., 186-87 (1884)
Separation of alumina, ferric oxide and titanic oxide.

W. T. Cooke, Trans. Proc. Roy. Soc. S. Australia, 40, 267 (1917)
Chemical Notes on Davidite.

T. Crook and G. S. Blake, Mineralog. Mag., 15, 271-84 (1910); 16, 224 (1912).
On Carnotite and an Associated Mineral Complex from South Australia. Struverite from the Federated Malay States.

C. R. Crymble, J. Chem. Soc. 101, 266-73 (1912)
The relation between the absorption spectra of metallic ions and their valency.

W. T. Daugherty, Economic and Trade Note No. 631.
Germans champion titanium colors in lieu of white lead: Blend of TiO_2 and ZnO generally employed. Titanium brown and grey used as rust protector on iron. Promises to be competitor of lithopone in linoleum, gutta percha and rubber goods industries. Low sp.gr. favors its cheap transportation.

DUP050026503

W. T. Daugherty, World Trade Notes, 3, 6 (1929). No. 37, Sept. 17; Cellulose, February 1930, page 14.
Production of titanium white discontinued in Norway.
Plant of Titan Co. A. S. at Fredericksstad, Norway, and of titanium white department of Deutsche Gasglühlicht - A.-G. at Cologne, Germany closed down on account of unprofitable returns.

T. Denis, Can. Mining J., 32, 11 (1911)
Note on titaniferous iron ores and St. Urbain titanium deposit.

Deutsche Gasglühlicht - A. G., Degea Titandioxyd, Berlin, 1929
Titandioxyde and Titanweiss pigments, Berlin, 1928.

H. St. C. Deville and F. Wohler, Ann., 103, 230-5 (1857); Compt. rend., 65, 480-3 (1857).
Ueber die Affinitat zwischen Stickstoff und Titan.

B. Diethelm and F. Foerster, Z. physik. Chem. 62, 129-177 (1908).
The electrolytic reduction of titanium sulfate.

R. Ditmar, Chem. Ztg. 52, 506-07 (1928)
Snowwhite and luminous, non-poisonous enamel with titanium oxide.

R. Ditmar, Kautschuk, 5, 79-81 (1929)
Titanium dioxide in the rubber industry.

R. Ditmar and G. Ballog, Gummi-Zeit., 42, 1303-04 (1928)
Zinc oxide, lithopone, zinc sulfide and titanic acid in vulcanization.

M. Dittrich and S. Freund, Zeit. anorg. Chem., 56, 337-343; 348-52 (1907)
Simultaneous precipitation of titanium and zirconium in the presence of iron.
Separation of thallium, titanium and zirconium from iron.

G. Doby and G. Melezer, Z. F. Kristall, 39, 526-40 (1904)
The ash content and chemical composition of some titanium iron ores.

W. Donavan, N. L. Wright and R. P. Wilson, 49th Ann. Rept. Dominion Lab., New Zealand, pp.1-5. J. Soc. Chem. Ind., 36, 292 (1917)
Titanium, phosphorus and vanadium in Taranaki iron sand.
Concentrated by magnet.

DUP050026504

C. Dreher, Farben. Zeit., 13, 293-300 (1902)
Compounds of tetravalent titanium and their properties, especially in relation to their use as dye mordants.

C. Dreher, Farben-Zeit., 14, 229-230
Mordant dyes.
Use of titanic acid.

C. Dreher, J. Chem. Soc., 86, Ab. i 471 (1904)
Combinations of titanic acid with lactic acid.

F. H. Driggs and J. W. Marden, Mineral Ind., 37, 599-606 (1928)
Titanium and zirconium.
Technology and production.

A. Dulac, Rev. chim. Ind., 36, 263-6, 294-7 (1927)
The manufacture of titanium white.
Description, based mainly on French patents.

F. P. Dunnington, Proc. Am. Assoc. Adv. Sci. 34, 132 (1885)
A sponge-like mass containing titanic oxides.

F. P. Dunnington, Am. Jour. Sci. 42, 491-495 (1891)
Distribution of titanic oxide upon the surface of the earth.

F. P. Dunnington, Chem. News, 76, 221-222 (1897)
Distribution of titanic oxide upon the earth.

L. Duparc, R. Sabot , M. Wunder, Chem. Zentr. 1915 II, 553
Study of pegmatite minerals of Madagascar.
Ilmenite of 51.32% TiO_2.

R. Durrer, Stahl u. Eisen, 40, 938-41 (1920)
The smelting of titanium iron sand.

W. A. Dyes, Chem. Ztg., 42, 356 (1918)
Titanium and titanium white.

G. M. Dyson, Chem. Age. (London), 14, Metal. sect. 33-5 (1926)
Metallurgy and uses of vanadium and titanium.

H. Eberth, Farbe u. Lack (1927) 412-14, 425-26, 437.
Titanium white.

G. Edgar and A. Kemp., J. Amer. Chem. Soc., 40, 777-84 (1918)
The use of metallic silver as a reducing agent in the volumetric estimation of iron.
Does not reduce Ti at all.

DUP050026505

A. Eibner, Lunge-Berl, Chem. Techn. Unters. 7 ed., 1924, Vol. IV, 738-39, 764-67.
Titanium white.

A. Eibner, Farb. Zeit. 34, 1490 (1929)
Effect of titanium white on the fading of pigments.

H. R. Ellis, Chem. News. 95, 122-23 (1907)
Preparation of titanium tetrachloride from rutile.

H. V. Ellsworth, Amer. Mineralogist, 12, 365-67 (1927)
New analysis of euxenit of Maberly, Ontario.
25.04% TiO_2

F. Erban, Chem. Ztg., 30, 145-46 (1906)
The manufacture of titanium preparations and their use in dyeing.

G. J. Ericson, The Iron Age, 72, 4 (Aug. 27, 1903)
A new method for determination of Titanium.
Copy in Ti file - Thornton.

G. H. Ettele, Jr., Chem. Analyst, 27, 10-11 (1918)
A new method for the determination of titanium.

P. Farber, Chem. Ztg. 31, 263-65 (1907)
The colorimetric determination of titanium and its application in the presence of iron.
Uses H_2O_2.

P. Faber, Z. Anal. Chem. 46, 277 (1907)
The properties of sexavalent titanium.

I. G. Farbenindustrie A.-G.
"Kronos" titanium white, the white pigment of the future Leverkusen (1928)

P. Farup and E. Schreiner, Tidskrift kem. Farm. Terapi 11, 65-73 (1914)
Determination of titanium and the insolubility of titaniferous ores.

Federal Specifications Board, Standard Specification No. 115, Bur. Standards Circ. No. 163, 11 pp. (Feb. 1924)
United States government specification for titanium pigment, dry and paste.

Federal Specifications Board, U. S. Government specification for titanium pigment, dry and paste. No. 278, 1-11, Washington 1925.

DUP050026506

F. Ferrari, Giorn. Chim. Ind. applicata 2, 497-8 (1920)
Determination of titanium and iron in rocks.

A. E. Fersman, Neues Jahrb. Min. Abt. A. Beil. Bd. 55, 36-46 (1926-7)
Minerals of the Chibina and Lujaur tundras of the Kola peninsula.
Titanite among those reported.

F. Foerster, Chem. Ztg., 31, 922 (1908)
The electrolytic reduction of solutions of titanium sulfate.

A. Fowler, Proc. Roy. Soc. London (A) 29, 509-18 (1908)
The fluted spectrum of titanium oxide.

C. S. Fox, Trans. Mining & Geol. Inst. of India, 20, 216-245 (1926)
Notes on titanium, zirconium, cerium and thorium.

L. Franck, Chem. Ztg., 21, 520 (1897)
Titanium cyanide as a blast furnace product.
Split to TiO_2 and N cpds.

A. Frenzel, Tech. Min. Mitth., 14, 121-130 (1894)
Sepierate, Lautite, and Pseudo brookite.

E. Friederich and L. Sittig, Z. anorg, Chem. 145, 127-40 (1925)
Preparation and properties of high-melting lower oxides.
Lower oxides of Ti for higher by reduction with H_2.

E. Friederich and L. Sittig, Z. anorg. Chem., 143, 293-320 (1925)
Preparation and properties of nitrides.
TiN among those prepared.

H. Freund, Metall. u. Erz 23, 444-46 (1926)
Color reactions and their use in quantitative chemical analysis.
Ti included.

C. Friedel and J. Guerin, Compt. rend. 81, 889; 82, 872; 82, 973 (1876); Ann. Chim. phys. (5) 8, 24-56 (1876); Bull. Soc. Chim. 23, 289-90 (1875).
Titanium compounds.
Separation of iron and titanium.

J. N. Friend, Text-Book of Inorganic Chemistry.
Vol. 5, 1917, by R. M. Caven.
Titanium - p. 232.

DUP050026507

F. Fritz, Farbe u. Lack (1927) 589-90, 603,615.
Examination of titanium white as a linoleum pigment.

H. Gall and W. Nanchot, Ber. 58, 482-85 (1925).
Catalytic hydrogenation of inorganic substance.
Titanium sulfate hydrogenation.

G. Gallo, Atti. accad. Lincei (5) 16, (1) 325-30 (1907).
Volumetric Determination of titanium.

H. A. Gardner, Paint Mfgrs. Assoc. U.S., Circ. 133,
pp. 1-10 (1921).
Reflection factors of industrial paints and pigments.
Circular in Ti file, Thornton.

H. A. Gardner, Paint Mfgrs. Assoc. U.S., Circ. 129,
pp. 1-9 (1921).
Two-year exposure results on Atlantic City panels.

H. A. Gardner, Physical and Chemical Examinations of
Paints, Varnishes, and Colors. Washington, 1922.

H. A. Gardner, Am. Paint & Varnish Man. Ass. Circ. 142,
127-28, 131 (1922).
Present and future painting practice; the great value
of high grade mixed paints; bulking values for painters.

H. A. Gardner, Am. Paint and Varnish Man. Ass. Circ. 143,
149 (1922).
Storage conditions in white and tinted paints with
reference to soap formation on the flake or granular
type.

H. A. Gardner, Proc. Sc. Sect. Paint Man. Ass. U.S. Circ.,
187, 20-43 (1923).
Report on inspection of miscellaneous exposure tests
on paints.

H. A. Gardner, Paint Mfgrs. Assoc. of U.S. Circ. No. 199,
256-78 (Feb. 1924).
Titanox, antimony oxide, and lithopone. New exposure
tests on titanox paints and lithopone paints. New ex-
posure tests to determine the effect of aluminum powder
in white paints and the effect of aluminum powder paints
as wood primers.

H. A. Gardner. Proc. Am. Soc. Testing Materials, 25, Pt. 1,
227-31 (1925).
Report of sub-committee III on testing paint vehicles.
Pigments used mixts. ZnO with 50% titanox, 70% titanox,
50% lithopone, etc. Titanox mixts. stood up best.

DUP050026508

H. A. Gardner, Proc. A.S.T.M., 26, I 308-314.
Report on testing paint vehicles.

H. A. Gardner, Am. Paint & Varnish Mfgrs. Ass. Circ. 295, 333, 337, 341, 343, 345, 347, 349 (1926).
Color number of dry pigments and experiments on the selective absorption of various pigments and liquids.

H. A. Gardner, Am. Paint and Varnish Mfgrs. Ass. Circ. 318, 494-495 (1927).
Ultraviolet light effect on pigment in oil mixtures.

H. A. Gardner and P. C. Holdt, Am. Paint and Varnish Mfgrs. Ass. Circ. 173, 160-161, 164, 167, 171 (1923).
Brightness, whiteness and hiding power of opaque white pigment, paints and enamels.

H. A. Gardner and H. C. Parks, Am. Paint & Varnish Mfgrs. Ass. Circ. 186, 12-13 (1923).
Efficiency of driers for various white pigment paints.

H. A. Gardner, H. C. Parks & H. Pihlblad, Proc. Sc. Sect. Paint Mfgrs. Ass. U. S. Circ. 148, 186-257 (1922).
Fineness and bulking values of paints.

A. Gautier, Rev. gen. chim. 14, 14-15 (1911).
Determination of titanium in alumina minerals by the colorimetric method.

A. Gautier, Rev. Gen. de chim. 14, 16-17 (1911).
Note on the use of helianthin in the colorimetric determination of titanium.

L. C. E. Gee, Record of the Mines of South Australia, 4th Ed., pp. 356-7 (1908).
Rutile.
See Watson and Taber: Va. G. S., Bull. III-A, 3407 (1913).

R. F. Geiler and B. J. Woods, J. Amer. Ceramic Soc. 4, 842-54 (1922).
Use of special oxides in porcelain masses.
TiO_2 included.

A. Gemmel, Analyst, 35, 198-202 (1910).
Improved method for the estimation of titanium.
Zn-Al alloy used to reduce ferric iron to ferrous.
Differential reduction.

DUP050026509

G. Genin, Peintures, pigments, vernis, 5, 631-7 (1928).
Titanium pigments.
History and occ. of titaniferous materials usable as pigments and methods of prep. Ti pigments. Methods of analysis outlined.

F. G. Germuth, J. Am. Chem. Soc. 50, 1910 (1928).
Colorimetric determination of titanium by hydrogen dioxide.

J. Gewecke, Ann., 361, 79-89 (1908).
Phosphides of Titanium and Zirconium.

W. B. Giles, Chem. News. 99, 1-4, 25-27 (1909).
Observations on tantalum, titanium and niob. II. The decomposition of minerals containing these substances.
Fusion with alk. hydroxide; with HF or K bifluoride; with C and Cl; with C in the electric furnace; with K, Na, or NH_3 bisulfate.

G. Gin, Trans. Am. Electrochem. Soc., 11, 291-4 (1907).
Cf. U. S., 181, 888, May 4, 1905.
On the electrical reduction of titaniferous iron ores.
With limestone and coke.

C. Glaser, J. Am. Chem. Soc. 18, 782-93 (1896).
Chemical Analysis of Monazite Sand.
Mineral with strong H_2SO_4 - P. 789.

E. Glatzel. Ber., 9, 1829-39 (1876).
The oxide of titanium obtained by the solution of titanium in acids, and some new titanium compounds.
Ti and TiO_2 with H_2SO_4.

Gmelin-Kraut, Handbuch der anorganischen chemie (1912), Vol. III, p. 1-100 and 1201-1240.
Titanium.
p. 13. Ti ions with HF and dil. H_2SO_4. Weber, J. prk. chem. 90, 212 (1863). p.12-16. Rutile with conc. H_2SO_4. H. Geison. Dissert. Munich, 1902, Beitrage zur Kenntnis der selt. anorg. Sauren.
No mention of CONC.

H. Goerges and A. Stahler, Ber. 42, 3200-18.
Reduction of titanium tetrachloride by hydrogen.

H. Goldschmidt, Electrochem. Met. Ind., 3, 168-70 (1905).
Titanium and vanadium.

DUP050026510

V. M. Goldschmidt, T. Barth, D. Holmsen. G. Lunde and W. Zachariasen. Skrifter Norske Videnskaps - Akad., Oslo, Mat.-Nat. Kl. No. 1, 21 pp. (1926).
Geochemical distribution law of the elements. VI. Crystal structure of the rutile type with remarks on the geochemistry of the bivalent and quadrivalent elements.
Dimensions of space lattices of TiO_2 studied among others.

Gooch, Proc. Amer. Acad. Science, 12, 435 (1885); Bull. U.S. Geol. Survey, 27, p. 16.
Separation of titanium from aluminum and iron.

Gooch and Newton, Amer. Journ. Sci. 23, 365 (1905).
Iron in the presence of titanium.

W. L. Goodwin, Can. Chem. J. 2, 210 (1918); Trans. Can. Mining Institute. 22, 86-99 (1918).
Titaniferous ores of Canada.

H. Gorceix, Jahrb. f. Min., 1885, 1, Ref. 208.
Hydrated titanium oxide from Diamantina.

A. L. M. Gottschalk, Mining Eng. World, 42, 903-4 (1915).
Brazilian Monazite sands lie in Costal strip.
British Indian deposits are at Travancore. Ilmenite, with some monazite, occurs near Cape Frio.

T. Graham, J. Chem. Soc., 17, 325 (1864).
On the properties of silicic acid and other analogous colloidal substances.
Liquid titanic acid.

E. Grandmougin, Rev. chim. Ind. 35, 299 (1926).
Titanium white in France.

H. Green, Ind. Eng. Chem. 16, 677-80 (1924).
The microchemistry of white pigments and fillers.
Titanox included.

G. Greenwood, Philos. Magazine (6) 48, 654-63 (1924).
The crystal structure of cuprite and rutile.

H. Grossmann, Chem. Ztg. 30, 907 (1906).
Some reactions of trivalent titanium.

Grunwald and Hodgson, Raw materials of the Enamel Industry (1914). p. 126.

DUP050026511

A. Gutbier, B. Ottenstein, E. Leutheusser, K. Lossen, and F. Allan, Z. anorg. chem. 162, 87-100 (1927).
Colloidal syntheses with the aid of titanium trichloride. Aq. sol. $TiCl_3$ yields colloidal TiO_2. X-ray analysis.

R. Hadfield, Trans. Faraday Soc. 12, 86-115 (1917).
Refractory materials.
General review and bibliography of TiO_2, etc.

I. D. Hagar, Paint Mfgrs. Assoc. of Amer., Proc. Scientific Sect. Circ. 184, 287-290 (1923).
Titanox Paints.
Titanox with ZnO especially free from checking, cracking, scaling and discoloring. Titanox used alone chalks.

Author not known, Gift of Mr. I. D. Hagar (about Oct.31,1923) to Thornton.
Titanium white.

I. D. Hagar, Paint, Oil and Chem. Rev. 84, No. 1, 12-13, 27 (1927); No. 12, 17 (1927).
Titanium pigments.
Review of applications of titanox, Ti - Ca pigment and pure TiO_2.

I. D. Hagar, Hide & Leather 73, 49-50 (1927).
Titanium pigments for leather finishing.
A discussion.

I. D. Hagar, Chim. & Ind. 21, 151 (1929).
Titanium pigments in leather finishing.

E. W. Hagmaier, Met. and Chem. Engineering, 16, 588 (1917).
Analysis of rutile.

O. Hahn and H. Gille, Z. anorg. chem. 112, 283-92 (1920).
The solubility of earth acid gel (titanic, tantalic and columbic acids) in hydrogen peroxide-acid mixtures.

H. v. Halban and E. Zimmelmann. Z. Elektrochem. 34, 387-93 (1928).
The use of photo-electric spectrophotometry in micro-analysis. Application of method to determine Ti by ppt. as TiO_2 given.

R. D. Hall, J. Amer. Chem. Soc. 26, 1235 (1904).
Metallic acids.
Reaction of a titanium solution to numerous reagents.

F. Halla, Zeit. anorg. chem. 184, 421-427 (1929).
Reactions of titanium sesquioxide with iron oxide.

DUP050026512

R. L. Hallett, Paint, Oil and Chem. Rev. 70, No. 3, 8, 22.4 (1920).
An instrument for measuring the hiding power of paints.
Titanox compound with other paints.

R. L. Hallett, Proc. A.S.T.M. 22, II 523-31 (1922).
Hiding power of white pigments.

R. L. Hallett, Proc. Am. Soc. Testing Materials, 23, II 379-95 (1923).
The effect of certain paint films on ultra-violet light.
Reflection, transmission and adsorption of titanox given.

R. L. Hallett, Proc. Am. Soc. Testing Materials, 26, Pt. 2, 538-45 (1926).
Hiding power of pigments.
Relative hiding and tinting powers of white lead, basic $PbSO_4$, titanox, ZnO and lithopone.

R. L. Hallet, Paint, Oil & Chem. Rev. 82, No. 24 (1926).
Titanium pigments.

R. L. Hallett, Am. Paint Journ. 12, No. 10, 20-22 (1927).
Characteristics of titanium pigments.

R. L. Hallett, Drugs, Oils and Paints 43, (1928) 301-302.
Characteristics of titanium pigments.

E. J. Hallock, Annals New York Acad. Sci. 1, 53-76 (1879).
Index to the literature of Titanium, 1783-1876.

T. Hanssen, Teknisk Ukeblad 75, 88-92 (1928).
Titanium white.

F. Hart, Zement 13, 377 (1924).
Titanic acid and its occurrence in oement.

Hauser, Z. anorg. Chem. 60, 231 (1902).
Risorit, a new mineral.
TiO_2, 6%.

P. Hautefeuille and J. Margottet, Compt. rend., 102, 1017-9 (1886).
Combination of phosphoric acid with titanic, zirconic, and stannic acids.

DUP050026513

W. P. Headden, Proc. Colo. Sci. Soc. 11, 177-202 (1917).
The estimation and separation of titanium, columbium, etc.

N. Heaton, J. Pow. Soc. Arts 70, 552-65 (1922).
The production of titanium oxide and its use as a paint material.
Discoloration of pigment not due to iron but to molecular change in pigment during calcination. Prevented by having small portion of Ti in form of phosphate.

N. Heaton, Chem. Age, 21, 423 (1929).
The development of titanium oxide pigments.

N. Heaton, Chem. Trade J. 85, 439 (1929).
Titanium oxide pigments. Their development and possibilities.

DUP050026514

N. Heaton
Oil and Colour Trade Journal 76 1520 (1929)
Titanium oxide pigments

N. Heaton
J. Soc. Chem. Ind. 48, 1090-1091 (1929)
Titanium oxide pigments

J. A. Hedvall
Z. anorg. allgem. Chem. 92, 313-9 (1915)
The reactions between cobalt oxide and other metallic oxides at high temperatures.
Ignition with TiO_2 gave $CoO.TiO_2$ but no orthotitanate.

J. A. Hedvall
Arkiv Kemi Mineral.Geol. 8, No.11, 18 pp.
Changes in properties produced by different methods of preparation of some ignited oxides studied by X-ray interference.
Hydroxide of Ti studied.

J. A. Hedvall and N. v. Zweigbergk
Z. anorg. chem. 108, 119-36 (1929)
Study of some rapid low-temperature oxide reactions by means of heating curves.
BaO with TiO_2 studied.

E. Hellbusch
Chem. Techn. Wochensche. 5, 165-6 (1921); Chimie et industrie 6, 815 (1921).
Titanium white

W. Hempel
Z. anorg. chem. 3, 193 (1893)
Use of sodium peroxide in analysis
With Ti iron ores.

H. M. Henton
Mining Sci. Press 104, 472 (1912)
Titanium and its uses.

R. Hermann
Ann. mines, (4) 11, 476-88 (1847)
Recherches sur le titane, le tantale, le niobium et un nouveau métal, l'ilménium

W. Hermann
Zeit. anorg. chem. 60, 369-404 (1908)
The influence of oxidizing and reducing gases on the color of some minerals.
Titanium minerals included.

H. Herzfeld
Stahl u. Eisen 27 781 (1912)
Determination of titanium in the presence of iron.

DUP050026515

J. A. Heskett
Iron and Steel Inst. May 6-7, 1920; Engineering 109 875-7 (1920)
The utilization if titaniferous iron ore in New Zealand.

Frank L. Hess
Mining World, 33, 305-7 (1910)
New Rutile Deposits Near Richmond, Virginia

F. L. Hess
U. S. Geol. Survey, Mineral Resources of U. S., 1915. Part I, 767-803 (separate 25, pub. Mar. 2, 1917).
Cobalt, titanium, etc.

F. L. Hess
U. S. Geol. Survey, Mineral Resources of U.S., 1916. Part I, 775-807 (preprint No. 25, pub. Feb. 25, 1919).
Cobalt, titanium, etc.

F. L. Hess
U. S. Geol. Survey, Mineral Resources of U.S., 1917. Part I, 899-959 (preprint 29, August 31, 1920).
Cobalt, titanium, etc. in 1917.

F. L. Hess
U. S. Geol. Survey, Mineral Resources of U.S. 1918, Part I. 791-817 (Preprint No. 26, pub. June 29, 1920).
Cobalt, molybdenum, titanium, etc. in 1918.

F. L. Hess
U. S. Geol. Survey, Mineral Resources of U.S., 1919, Part I. 711-29 (Preprint No. 26, pub. Nov. 10, 1921).
Cobalt, molybdenum, nickel, tantalum, titanium, etc.

F. L. Hess
U. S. Geol. Survey, Mineral Resources of U.S. 1920, Part I. 401-17 (Preprint No. 22, pub. Feb. 20, 1922).
Cobalt, molybdenum, nickel, tantalum, titanium, tungsten, radium, uranium and vanadium in 1920.

F. L. Hess
U. S. Geol. Survey, Mineral Resources of U.S., 1922, Part I. 557-83 (Preprint No. 27, pub. Mar. 14, 1924).
Cobalt, molybdenum, nickel, tantalum, titanium, tungsten, radium, uranium and vanadium in 1922.

F. L. Hess
U. S. Geol. Survey, Mineral Resources of U.S. 1923, Part I. 235-58 (Preprint 15, pub. Nov. 29, 1924).
Rare Metals
Includes Ti.

DUP050026516

Frank L. Hess
Private Commun. (7th. June, 1923) - Thornton
STRÜVERITE
Strüverite occurs on the Sebantun River, Kuala Kangsar District, Perak, Federated Malay States. The sand (specimen) contains also cassiterite, monazite, topaz, tourmaline, zircon and pyrite. This deposit was originally worked for tin; but more careful investigation proved it to contain relatively little tin-stone and much strüverite.

F. L. Hess
Bur. of Mines, Mineral Resources of U.S. 1924, Part I. 451-76 (Preprint No. 22, pub. June 7, 1926).
Rare Metals
Includes Titanium.

F. L. Hess
Bur. Mines, Mineral Resources of U.S. 1925, Part I. 601-22 (Preprint 24, pub. June 17, 1927).
Rare metals. Cobalt, molybdenum, nickel, titanium, tungsten, radium, uranium and vanadium in 1925.

F. L. Hess
Bur. Mines, Mineral Resources of U.S. 1926, Part I, 249-74.
Cobalt, molybdenum, nickel, tantalum, titanium, tungsten, radium, uranium and vanadium in 1926.

F. L. Hess
Bur. Mines, Mineral Resources of the U.S., 1927, Part I, 393-453 (Preprint No. 17, pub. May 1, 1929).
Rare metals - 1927.
Ti included.

Hettbusch
Farbe u. Lack 1921 40 u. 350
Titanium white

E. Hibbert
J. Soc. Chem. Ind. 28, 189-190
Volumetric method for the estimation of titanium, and of titanium and iron in the presence of each other.

W. E. Hidden
Am. Jour. Sci., 36, 272-74 (1889)
EDISONITE, A FOURTH FORM OF TITANIC ANHYDRIDE.
Same as Rutile in Dana's System

A. Hilger and H. Haas
Ber. 23,458-461 (1890)
Separation and quantitative determination of tin and titanium.
Mineral with dil. H_2SO_4 (1:10) and hydrofluoric acid.

DUP050026517

Hillebrand
U. S. Geol. Survey Bull. 422, 134, 136 (1910); 700, 124-154 (1919)
Titanium analyses.

F. Willy Hinrichsen
Chem. Ztg. 61 (59) 738 (1908)
On the volumetric determination of titanium
Red. with Zn in H_2SO_4.

A. W. Hixson and W. W. Plechner
Chem. Metal. Eng. 36, 76-78 (1929). Foote-Prints 2, 32 (1929)
Titanium offers new possibilities as a pigment.
66° Be H_2SO_4 and red. of ferric iron by scrap iron characteristic of Titan Co. process.

C. P. van Hoek
Farben-Ztg. 31, 2296-8 (1926)
Titanium white
Summary of pub. information on chem. and phys. properties of mixtures of TiO_2 and $BaSO_4$. Comprehensive bibliography.

C. P. van Hoek
Farbe und Lack 34, 834, 954-56, 1006-1009 (1929).
White pigments and their behavior in ultra-violet light.

C. P. van Hoek
Farben. Zeit. 34, 2828-2832; 3001-3004 (1929)
Titanium dioxide and titanium white.
Bibliography of 135 ref.

K. A. Hofmann and W. Prandtl
B. 34, 1064 (1901); 43, 2631 (1910)
Zirconium ore.
Determination of TiO_2 ore fused with Na bisulphate and evap. to dryness with H_2SO_4.

P. Holland
Chem. News, 59, 27 (1889)
On the estimation of titanium in natural silicates.
Two cc. H_2SO_4 (5 cc. = 0.8 g. SO_3) were added to HF in each experiment.

H_2SO_4	TiO_2 present	TiO_2 found
None present	0.0466	0.0340
Present	0.0414	0.0413
Present	0.0520	0.0520

See also Mellor (Quan. Inorg. Anal., p.169 1913).
Prevents volatilization of TiF_4.

DUP050026518

O. Hönigschmid
Monatsh. 27, 1069; Comp. rend. 143, 224 (1906)
Silicides of Zirconium and Titanium
$TiSi_2$ prepd. by alumino-thermal process and properties described.

B. S. Hopkins
Chemistry of the Rarer Elements (1923).
Titanium, p.131-148

G. Hundt
Farbe u. Lack (1923) 52
Titanium Pigments

G. H. Hurst and F. N. Heaton
Paint technology, London, 1929.

A. Hutin
Peint., Pigm., Vernis 4, 425-426 (1927)
The industrial extraction of titanium from its minerals.

Imperial Chemical Industries, Ltd., Brunner, Mond & Co.
Amended Report on The Manufacture and Costs of the Brown-Klein Process for Obtaining Titanium White Pigment
Written for the Dupont Co., by L.M.Clark, May 1929.

Imperial Chemical Industries, Ltd. Brunner, Mond & Co.
Methods of Testing Titanium Pigments by J.L.Keats, Jan. 1930.

R. L. Jack
Bull. Geol. Survey S. Australia No. 13 (1928)
Pigment Minerals of South Australia
Ilmenite included.

J. Jakob
Zeit. anorg. Chem. 106, 229-67 (1919)
The theory of magnetic mineralizers.
TiO_2 minerals included.

G. S. Jamieson and R. Wrenshall
J. Ind. Eng. Chem. 6, 203-5 (1914)
Determination of titanium as phosphates

H. Janistyn
Deutsche Parfüm.-Zeit. 14, 430-31 (1928)
Beryllium and titanium compounds in cosmetics.

G. Jebsen
Tidsskrift for Kemi 17, 41 (1920)
The new Norwegian titanium white industry.

G. Jebsen
Tek. Ukeblad 67, 234-9 (1920)
Norwegian Titanhvitt-Industrie Lecture

DUP050026519

S. J. Johnstone
The Rare Earth Industry (1915)
Titanium, p.37-43

A. O. Jones
J. Soc. Dyers Colourists 43, 161 (1927)
Stability of titanium sulfate

J. Jones
Chem. News, 65, 8 (1892); Abstr. Jour. Chem. Soc., 62, 664 (1892)
DECOMPOSITION OF MINERALS CONTAINING TITANIUM
Two grams mineral can be dissolved except silica by heating in pressure bottle to 200°C. with 20 cc. of water and 20 cc. of sulphuric acid for 2 hrs.

A. Jorissen
Bull. Acad. Roy. Belg. 902-7 (1903)
Delicate reaction of titanium
Salicylic acid in conc. H_2SO_4 gives red color with titanium.

C.K.
Svenskkem. Tidskr. 32, 165-67 (1920)
Titanium white

G. A. Kall
Sprechsaal 59, 510-1 (1926)
Standard methods for quantitative silicate analysis.
Detn. SiO_2, BaO, Fe_2O_3 and TiO_2 described.

N. Kano
J. Chem. Soc. Japan 43, 333-40 (1922)
Uses of amalgams in volumetric analyses, IV. Uses of cadmium amalgam.
In detn. Ti, among other metals.

N. Kano
J. Chem. Soc. Japan 44, 47-53 (1923)
Uses of amalgams in volumetric analysis. IX. Determination of titanium and of titanium and iron in the presence of one other.

S. B. Kanowitz
Chem. Met. Eng. 32, 203 (1925)
Modern pulverizing methods.

A. Karl
Compt. rend. 146, 1104-6 (1908)
The triboluminescence of minerals.
Titanic acid included.

L. Kayser
Zeit. anorg. Chem. 138, 43-64 (1924)
The hydrolysis of titanium sulfate solutions as a basis of a separation of titanium from aluminum in sulfuric acid solution.

DUP050026520

E. Keidel
Farb. Zeit. 34, 1242-43 (1929)
Fading of aniline dyes in the presence of titanium white.

Kerckhof
Brochure sur le Blanc de Titane, 1923

S. Kikuchi and N. Kanô
J. Chem. Soc. Japan 43, 544-50; 550-556 (1922)
Uses of amalgams in volumetric analyses. V. Estimation of iron, titanium, uranium and methylene blue. VI. Electrometric titration of iron, molybdenum, uranium, vanadium and titanium.

S. Kikuchi and N. Kanô
Sci. Repts. Tohoku Imp. Univ. 16, 707-712; 713-718; 733-8 (1927).
Application of liquid amalgams to volumetric analysis. V. The estimation of iron, titanium, uranium, and methylene blue. VI. Potentiometric titration of iron, molybdenum, uranium, vanadium and titanium. IX. A new method of estimating titanium and iron in a mixture.

H. A. Kirsch
Chem. Techn. Monatsh. 9, 1-2 (1927)
Avoidance of lead intoxication by non-poisonous titanium pigments.

J. Kirschfeld and A. Sieverts
Zeit. physik. Chem. 145, 227-240 (1929)
Titanium and hydrogen.

K. L. Kithil
Bur. Mines, Tech. Papers No. 110, (1915)
Monazite, thorium, and mesothorium
Flow sheet of magnetic separation of monazite sands given.

A. Klauber
Z. anorg. Chem. 117, 243-8 (1921)
Titanium hydride.

C. A. Klein
J. Soc. Chem. Ind., 41, 209-10 (1922)
New white pigments

A. A. Klein and G. H. Brown
Trans. Am. Ceram. Soc. 17, 745-59 (1915)
Microscopic investigations of some compounds noted in the systems soda-zinc oxide-silica and soda-zinc oxide-titanic oxide-silica.

E. Klever
Keram. Rundschau 36, 101-2 (1928)
The influence of titanium on the coloring of clay ware.
Ti may cause bluish to purplish color in burned clay ware.

DUP050026521

S. Klosky and A. J. Burggraff
J. Am. Chem. Soc. 50, 1045-9 (1928)
The absorption of sulfur dioxide by titania gel.

S. Klosky and C. Marzano
J. Phys. Chem. 29, 1125-8 (1925)
Titania Jellies.

S. Klosky and L. P. L. Woo
J. Phys. Chem. 32, 1387-95 (1928)
Absorption of mixtures of easily condensable gases. C_4H_{10}, CH_3Cl, $SO_2 + C_4H_{10}$, and $SO_2 + CH_3Cl$ by titania gel.

E. Knecht
Z. angew. Chem. 26, Aufsatz. 734-5 (1914)
The determination of titanium by titration.

E. Knecht
J. Chem. Soc. 125, 1537 (1924)
Titanous salts as reducing agents.

E. Knecht and E. Hibbert
J. Soc. Chem. Ind. 30, 396 (1911)
Pertitanic acid and its influence on the volumetric estimation of iron in titanium minerals.

A. H. Knechler
J. Amer. Cer. Soc. 9, 104-109 (1926)
The influence of Fe_2O_3 and TiO_2 on pure clays.

T. Koenig and O. F. von der Pfordten
Ber., 22, 1485-94 (1889)
Untersuchungen über Titan
Ti-Fe mineral with conc. H_2SO_4, p. 1490.

Kohl
Dissert. (München, 1910)
Über die elektrolyt. Reduktion von Titansalzen.

Y. F. Krieger
Contributions to the Study of the Natural Resources of the U.S. S.R. No.56, Titanium and its compound, No.1, 23-33 (1926)
Report of the titanium commission on the experimental results in chlorinating ilmenite.

A. Labunzow
Neues Jahrb. Mineral., Geol. Paläout, 1928, I 97.
Ilmenite from Chibinsky Tundren.

DUP050026522

A. Lacroix
Conference faite au Museum National d'Histoire Naturelle le Mai 1920. Pp. 1-63. Les Industries minerales non metalliferes à Madagascar.
Les minerais de titane, pp.28-30
Copy in Ti file-Thornton

A. Lacroix
Compt. rend. 171, 481-85
The regular grouping of two different minerals containing iron and titanium.

I. Ladoff
J. Ind. Eng. Chem. 1, 642-4 (1909)
Technical Application of Titanium

W. A. Lampadius
Phil. Mag., 17, II, 95-6 (1803)
Titanium

R. D. Landrum and L. J. Frost
J. Amer. Ceram. Soc. 3 316-21 (1920)
Titanium enamels
Show unusual durability under all tests

E. S. Larsen and J. F. Hunter
J. Wash. Acad. Sci. 4, 473-9 (1914)
Melilite and other minerals from Gunnison County, Colo.
Perofskite on p. 477.
Reprint in Ti file-Thornton

Laugier
Ann. Chim. Phys., (1) 89, 306-24 (1814)
Sur la purification et la reduction des oxides de titane et de cerium

Ledebur
Leitfaden f. Eisen-Lab., 5th ed., page 38.

Lehmann
Ztschr. Krystall. 1, 97 (1927)
Change of one TiO_2-modification into another

K. B. Lehman and L. Herget
Chem.-Ztg. 51, 793-4 (1927)
Studies on the physiological properties of titanium dioxide and titanium white.
TiO_2 fed for 6 mos. to various animals proved harmless.
Two methods for detn. of Ti given.

V. Lenher
Electrochem. Ind. 2, 11-3 (1904)
The rare elements
Titanium, p. 13.

DUP050026523

V. Lenher and W. G. Crawford
Orig. Com. 8th Intern. Congr. Appl. Chem. 1, 285-93 (1912)
A new colorimetric method for titanium

V. Lenher and W. G. Crawford
J. Am. Chem. Soc. 35, 138-45 (1913).
A new colorimetric method for titanium

H. A. Leverin
Can. Chem. Met. 9, 198-9 (1925)
Possible production of titanium white from Canadian sources. Review of American and Norwegian processes given. Recent process in which ore reduced to sponge Fe.

G. R. Levi
Giorn. chim. ind. applicata 7, 410 (1925)
New Chemical studies with X-rays.
Titanic and metatitanic acids are completely amorphous.

L. Levy
J. Pharm. (5) 16, 56-61 (1887)
Estimation of titanic acid.

L. Levy
Compt. rend., 108, 294-6 (1889)
Titanium peroxide

L. Levy
Dissertation (Paris, 1891)
Titane

Levy
Ann. chim. phys. (6) 25, 433-519 (1892)
Contribution to the study of titanium

S. I. Levy
The Rare Earths (1915)
The Titano-silicates and Titanates - Chap. 3.
The Monazite Sands - Chap. 7.
Titanium - Chap. 15.

H. Lienan
Chem. Ztg. 29, 484-85 (1905)
A method for investigating bauxite.

Lithopone-Kontor
Farbe und Lack (1927) 448
Titanium white and lithopone.

Lithopone-Contor
Titanium white or lithopone? Cologne, 1929.

E. Livraghi
Rass. min. met. chim. 60, 135-7 (1924)
The industrial applications of titanium

DUP050026524

E. Livraghi
Atti congr. Naz. chim. Ind. (1924) 329.
Sands of Adriatic coast, with special consideration of ilmenite and magnetite

R. Lorenz and J. Woolcock
Z. anorg. chem. 176, 289-304 (1928)
Decomposition pressure of nitrides
Action of N_2 on Ti.

L. Losana and E. Carozzi
Giorn. di chim. ind. ed appl. 4, 394-96 (1922)
Determination of titanium in iron compounds.
Methylene blue oxid. titanous cpd. to titanic cpd. in warm HCl soln. Red. by Zn in HCl.

A. Low
Technical Methods of ore analysis 1914.
Titanium - pp. 260-266.

G. Lunde
Z. anorg. allgem. chem. 164, 341-4 (1927)
Titanium sesquioxide.

G. Lundell and H. B. Knowles
J. Amer. Chem. Soc. 42, 1439 (1920)
The determination of zirconium and titanium in zirconium ores.
Discussion of fluxes.

G. E. F. Lundell and H. B. Knowles
J. Am. Chem. Soc. 45, 2620-3 (1923)
The determination of titanium by reduction with zinc and titration with permanganate.

G. Lundell and H. Knowles
Ind. Eng. Chem. 16, 723 (1924)
Use of cool solutions in the Jones reductor.

DUP050026525

D. W. MacCorquodale and H. Adkins
J. Am. Chem. Soc. 50, 1938-9 (1928)
Organic titanous compounds and a new method for the preparation of solutions of titanous salts.
Dark blue org. tervalent Ti cpd. from Et_4TiO_4.

S. Magri and G. Ercolini
Gaz. chim. ital. 37, II 179-185; Atti Accad. Lincei (5) 16, I 331-336 (1907).
Quantitative separation of iron from titanium and aluminum. Use of membranes for quantitative electrolytic analysis.

S. K. Majumdar
J. Indian Chem. Soc. 6, 357-360 (1929)
Coagulation of colloidal titanic hydroxide.

M. S. Maksimenko
U.S.S.R. No. 56, Titanium and its compounds, No. 1,33-43 (1926)
Experimental investigation on the problem of obtaining titanium carbide.

M. S. Maksimenko and A. Elisiev
U.S.S.R. No. 56. Titanium and its compounds, No.1,43-7 (1926)
A technical report on the experiments on the chlorination of titanium carbide.

W. Manchot
Zeit. anorg. Ch. 74, 79-85 (1912)
The chemical constitution of titanium-iron ores
Action of minerals toward conc. H_2SO_4.

W. Manchot and P. Richter
Ber., 39, 320-23 (1906); 39, 488-92 (1906).
Auto-oxidation of tervalent titanium. Oxidation of Tervalent Titanium. II.

O. P. Mann
Farbe und Lack, pp. 482, 549, 607 (1928)
A new preparation of titanium oxide pigment.

J. W. Marden
Mineral Ind. 30, 684-90 (1921)
Titanium and Zirconium.

J. W. Marden
Mineral Ind. 31, 687-97 (1922)
Titanium and Zirconium
Production, uses and technology.

J. W. Marden
Mineral Ind. 32, 674-81 (1923)
Titanium and zirconium

DUP050026526

J. W. Marden
Mineral Ind. 33, 703-10 (1924)
Titanium and zirconium
Technology, uses and production.

J. W. Marden
Mineral Ind. 34, 691-9 (1925)
Titanium and zirconium
Production, uses and metallurgy

J. W. Marden
Mineral Ind. 35, 675-83 (1926)
Titanium and zirconium
New processes, uses and patents discussed

J. W. Marden
Mineral Ind. 36, 584-90 (1927)
Titanium and zirconium
Sources and technical developments.

E. Martin
Chim. et Ind. 16, Special No. 3, II 197-99 (1926)
Determination of titanium in bauxite. Method applicable to all titanium containing material

T. Matsubara
The Osaka Industrial Lab., Bull. IV, No. 13, 16 pp. (1923)
Preparation of titanium oxide and its refining.

J. M. Matthews, J Am. Chem. Soc. 20, 846 (1898)
On the separation of iron from zirconium and certain other allied metals.

A. Mazzucchelli
Atti accad. Lincei (5) 16, 265 I 394; II 349-52 (1907)
Certain complex salts of titanium peroxide.
Introd. of active oxygen into the molecule of titanium oxide promotes the formation of complex anions.

A. Mazzucchelli and E. Pontanelli
Atti accad. Lincei 18 I 420; 508; 518-22; Atti accad. Lincei 17 513 (1908)
Complex ozo salts of titanium
H_4TiO_4 in H_2O sol. gives reddish yellow oil on add. H_2O_2, EtOH and Et_2O.

A. Mazzucchelli and E. Pontanelli
Atti accad. Lincei 18, I 608 (1911)
Inorganic salts of titanium peroxide
Cpds. such as $O_2Ti(KSO_4)_2.7H_2O$ obtd. from TiO_2, K_2SO_4, and perhydrol.

DUP050026527

A. Mazzuchelli et E. Pontanelli
Gaz. Chim. It. 40, 666 (1910)

J. McLeish
Can. Dept. Mines (Mines Branch) No. 478 pp. 1-20 (1918)
Prelim. Report of Mineral Production of Canada during 1917.

P. G. Melikoff and L. Pissarjewsky
Ber., 31, 678-80, 953-6 (1898)
Hypertitanates and Hyperborates

J. W. Mellor
A Comprehensive Treatise on Inorganic and Theoretical Chemistry, vol. 7, 1927.
Titanium pp. 1-97. Checked pertinent references.

M. Menzel
Farbe and Lack 34, 623 (1929)
Titanium Changes on the German Market

Meren, Edel Erden und Erze, 2, 33-36 (1920).
Summary of patented processes relating to the production of titanium, vanadium, zirconium, thorium, etc.

G. P. Merrill
Eng. Mining J., 73, 351 (1902)
Rutile mining in Virginia.

H. E. Merwin
Am. J. Sci. 28, 119-25 (1909)
Coloration in peroxidized titanium solutions, with special reference to the colorimetric methods of estimating titanium and fluorine.

V. Merz
Dissertation (Zurich, 1864), pp. 1-38
Untersuchungen über das Titan, Silicium und Boron
Copy in Ti file - Thornton.

V. Merz
Jour. pr. Chem., 99, 157-76 (1866)
Titansaurephosphat, p. 170
VII. Beiträge zur kenntnis der titansaure.

F. Meyer
Ber. 45, 2548-54; 47, 1036-49 (1912)
Reductions and reactions in flames I. Reduction of chlorides in the oxyhydrogen flame.
$TiCl_4$ reduced.

F. Meyer, A. Bauer and R. Schmidt
Ber. 56, 1908-14 (1923)
Preparation of well-crystallized, anhydrous titanium trichloride and the mechanism of the reduction of titanium tetrachloride by hydrogen.

DUP050026528

R. J. Meyer and O. Hauser
Die Analyse der Seltener Erden und der Erdsäuren. 1912.
Titanium - pages 119-137; 271-292; 258-61.
Full account of processes available for estimation of titanium and its separation from other elements. Monazite sand opened up with conc. H_2SO_4 heated to 200°.

E. J. Mills
J. Chem. Soc. 33, 360 (1878)
On the action of oxides on salts. III. Titanic oxide Potassium titanate.

W. G. Mixter
Am. J. Sci. 27, 393-97 (1909)
The heat of formation of titanium dioxide and third paper on the heat of combustion of acidic oxides with sodium oxide.

W. H. Mixter
Am. J. Sci. 33, 45; Z. anorg. chem. 74, 122-26 (1912)
The heat of formation of titanium dioxide.

J. Moir
J. Chem. Met. Soc. S. Africa 16,189 (1912).
Analysis of Co-Ti minerals.

H. Moissan
Compt. rend., 120,290-6 (1895)
Titanium

H. Moissan
Ann. chim. phys., (7) 9, 229-37 (1896)
Preparation et proprietes du titane.

H. Moissan
Traite de Chimie Minerale Vol. 2, 1905
Titanium (Defacqz).
Page 490, 511-14. Prep. of TiO_2.
Amorphous Ti anhydride, a white powder whose density varies with temperature to which it has been subjected.

R. Molstad
Tidskrift Kemi. Farm. og Terapi 11, 313-5 (1914)
Determination of titanium

R. H. Monk
Can. Chem. Met. 11, (1927) 69-70
Manufacture and uses of titanium pigment

R. H. Monk and R. J. Traill
Can. Chem. Met. 10, 137-39 (1926)
Electrolytic iron from Ilmenite ore
Sep. of Fe and Ti.

DUP050026529

R. H. Monk and C. Whittemore
Can. Chem. Met. 9, 153-6 (1925); Mon. scient. (5) 16,127-32
Production and properties of titanium oxide.

C. Montemartini and L. Losana
Il notiz. chim. ind. 1, 237-40 (1926)
Action of mixtures of oxygen and nitrogen on a few elements
Ti among those studied.

R. B. Moore, S. C. Lind, J. W. Marden, J.P. Bonardi, C.W. Davis, and J. E. Conley.
Bur. of Mines, Bull. 212, 320 pp.
Analytical methods for certain metals.
Ti included

H. T. Morgan and J. H. Calbeck
Ind. Eng. Chem. 18, 1228 (1926)
Cause and prevention of staining on white paints

A. M. Morley and J. K. Wood
J. Soc. Dyers and Colourists 39, 100-5 (1923)
The behavior of titanic acid towards dyestuffs.

A. M. Morley and J. K. Wood
J. Chem. Soc. 125, 1626-34 (1924)
Behavior of titanic acid towards hydrochloric acid

A. M. Morley and J. K. Wood
J. Chem. Soc. 125, 518-20 (1924)
The volumetric estimation of titanium

L. Moser
Zeit. anal. Chem. 68, 468 (1926)
Separation of zirconium from titanium

L. Moser and E. Iranyi
Monat. 43, 673-77; 323-37 (1925)
Determination and separation of rare metals from other metals. I. The use of hydrolysis for the separation of titanium, iron and aluminum.

W. R. Mott
Trans. Am. Electrochem. Soc. 34, 255-95 (1918)
Relative volatilities of refractory materials

O. " "Mühlhäuser
Zeit. angew. chem. 32, 53-56 (1919)
The colors formed in the chamber of a zinc muffle and their transformation by the muffle and furnace gases.
TiO_2 reduced.

R. K. Murphy
Dissertation, Darmstadt, 1913.
Titanium determination
In Ti files - Thornton.

DUP050026530

W. Muthmann and H. Heramhof
Ann. 355, 162 (1907)
Metals of the rare earths and earth acids. V. Porcelain colors. Includes Ti pigments: iron titanate, cerium titanate, manganese titanate.

T. Nakazene
J. Chem. Soc. Japan 42, 526-37 (1921)
The use of amalgams in volumetric analysis. I. Determination of molybdenum, titanium, and iron.

T. Nakazene
Sci. Repts. Tohoku Imp. Univ. 14, 109-17 (1925)
Application of liquid amalgams to volumetric analysis. I. Estimation of molybdenum, titanium, and iron.

T. Nakazono
J. Chem. Soc. Japan 48, 17-26 (1927)
Uses of amalgams in volumetric analysis. XII. Potentiometric titration of molybdenum, iron, titanium, uranium, and vanadium by means of metallic electrodes.

W. B. Nanson, Textile Colorist 48, 463-5 (1926)
Titanium and its uses.
In connection with dyeing, printing, mordanting, and stripping.

S. S. Negus, Student Lecture, Johns Hopkins University, 1923.
20 pages.
The chemistry of titanium
Copy in Ti file - Thornton.

H. A. Nelson, Proc. A.S.T.M. 22, II 485-500 (1922)
Accelerated weathering of paint on wood and metal surfaces.

H. A. Nelson and G. W. Rundle, Proc. A.S.T.M. 23, II 365 (1923)
Further studies of the physical properties of drying-oil, paint, and varnish films.

H. A. Nelson and G.F.A. Stutz, Res. Bull. N. J. Zinc Co. (1923) 10, 15.
Application of hiding power-brightness relationship in comparing white pigments.

B. Neumann, Stahl u. Eisen 30, 457-8 (1911)
Determination of titanium

B. Neumann, Z. angew. Chem. 27, Aufsatz.; 56 (1914)
Determination of titanium by titration.
Polemical against Knecht

B. Neumann and R. K. Murphy, Z. angew. Chem. 26, Aufsatz., 613-6 (1914).
Determination of titanium by titration with methylene blue.

DUP050026531

E. Newbery and J. Pring, Proc. Roy, Soc. London (Chem. Zentr. 1916 II 52)
Reduction of metallic oxides by hydrogen at high pressures TiO_2 included.

H. D. Newton, Am. J. Sci. 25, 130 (1908)
A method for the volumetric estimation of titanium

H. D. Newton, Z. anorg. Chem. 57, 278-80 (1908)
Volumetric method for the determination of titanium

E. L. Nichols, Phys. Rev. 22, 420-4 (1923)
The luminescence of titanium oxide.

P. Niggli, Z. anorg. Chem. 98, 241-326 (1916)
Equilibrium between titanium dioxide and carbon dioxide as well as silica and carbon dioxide in alkali, lime-alkali, and alkali-aluminate melts.

L. F. Nilson and O. Petterson, Z. physik. Chem., 1, 27-38 (1887); J. Chem. Soc., 52, 778 (1887).
Physical constants of germanium and titanium and their compounds.

A. A. Noyes, W. C. Bray, and E. Spear, J. Amer. Chem. Soc. 30, 481 (1908)
A system of qualitative analysis for the common elements. III. Analysis of the aluminum and iron groups, including titanium, etc.

A. A. Noyes and W. C. Bray, Chem. Reviews 1, 277 (1924)
Systematic detection of rarer chemical elements.

W. A. Noyes, J. Anal. Appl. Chem. 5, 39 (1891)
Determination and estimation of titanium.

H. Olsen, Edel-Erden u. Erze 4 1-3 (1923)
Titanium colors: Preparation of pigments from rutile and ilmenite given.

S. I. Oreshkin, Contributions to the Study of the Natural Resources of U.S.S.R. No. 56, 14-20 (1926)
Obtaining titanium tetrachloride from titanium carbide

F. F. Osborne, Econ. Geol. 23, 724-61, 895-922 (1922)
Certain magmatic titaniferous iron ores and their origin

J. Ott, Metallbörse 18, 91-2, 148-9, 481-2 (1928)
Titanium and titanium compounds
Special reference to the patent literature.

G. P. Pamfil, Mon. sci. 24, 643-4 (1911)
Estimation of titanium in silicates.

DUP050026532

A. Pamfilow, J. Chem. Ind. (Russ.) 4, 725-728 (1927)
Titanium white
Literature study.

C. W. Parmelee, Foote-Prints 2, 16-27 (1929)
Titanium

N. Parravano and G. Mazzetti, Rec.Trav.chim.Pays-Bas 42, 821 (1923)
Reduction of certain halides by means of hydrogen.
$TiCl_4$ included.

J. Pattinson and H. Pattinson, J. Soc. Chem. Ind. 14, 443 (1895)
Estimation of phosphorous in iron and iron ores containing titanium.

S. L. Penfield and H. W. Foote, Am. J. Sci. (4) 4, 108-10 (1897)
Composition of ilmenite

L. Persoz, Aciers speciaux 4, 3-13 (1929)
The century of metal.
Brief discussion of properties and uses and statistics on the production of Ti included.

F. O. Peters and J.D. Hagar, Farbe und Lack (1928) 410
Titanium oxide in America

O. F. von der Pfordten, Ann. 234, 257-99 (1886); ibid, 237, 201-35 (1887)
Untersuchungen über das Titan
Pure TiO_2 from rutile with K_2CO_3

O. F. v.d. Pfordten, Ber., 17, 727-30
Titanium

A. H. Pfund, J. Franklin Inst. 188, 675-681, 189, 371-379 (1919)
The hiding power of white pigments and paints

A. H. Pfund, J. Franklin Inst. 196, 69-78 (1923)
Relation between the brightness and hiding power of white paint-pigments

A. H. Pfund, Proc. Am. Soc. Testing Materials 23, II 369-78 (1923)
Some optical properties of white paint pigments in the ultra-violet spectrum
Titanox included.

A. H. Pfund, Official Digest No. 88, 13-5 (1929)
The hiding power of pigments and paints

A. Piccini, Gazz. Chim. ital. 12, 151-4 (1882); 13, 57-65 (1883)
Oxidation of titanic acid

F. Pisani, Compt. rend. 59, 298 (1864)
The separation of titanic acid and of zirconium
Attack with bisulfate or H_2SO_4. Red. by Zn in HCl or H_2SO_4.

DUP050026533

F. J. Pope, Trans.Amer.Inst.Min.Eng. 29, 379-384; 402 (1899)
Investigation of magnetic iron ores from Eastern Ontario
Estimation of titanium in titaniferous magnetites.

O. Prager, Seifensieder-Ztg. 55, Chem.techn.Fabr.25, 79-80 (1928)
Titanium white

J. H. Pratt, North Carolina Geol. Econ. Survey Bull. 25, 1-111 (1916)
Zircon, monazite and other minerals used in production of chemical compounds for use in manufacturing lighting apparatus

W. Pukall, Silikate-Zeitschrift 2, 65-76, 87-99, 109-18 (1914)
Inorganic synthesis
Titanates of alkalies, alk. earths and heavy metals among salts prepared.

H. Rabaté, Rev. Ind. 53, 197-206 (1923) June; 56, 337-341, August, 1926, Rev. de l'Ingen., Aug. 1923.
Titanium white

M. Ragg, Ch. Zeit. 47, 598 (1923).
Titanium pigments

M. Ragg, Farbe u. Lack (1927) 414-15, 426-7, 439.
Microscopic testing of titanium white.

P. Ramdohr, Neues Jahrb. Min. Abt. A. Beil.-Bd. 54, 320-79 (1926
Observations on magnetite, ilmenite, hermatite and their relation to the system $FeO-Fe_2O_3-TiO_2$.

Rammelsberg, Ber., 5, 1006
Crystalline titanium dioxide

E. O. Rasser, Bayer, Ind. & Gen. Bl. 54, 73-75 (1922)
Titanium pigments

E. O. Rasser, Farbe u. Lack p. 113 and 124 (1923); Ch. Zeit. 47, 460 (1923)
Titanium pigments

C. Reichard, Chem. Ztg. 27, 1-5; 28, 16-8 (1903)
The reduction of titanic acid, vanadic acid, etc. by nascent hydrogen

C. Reichard, Zeitschr. angew. Chem., 1, 124-26
Titanium nitrocyanide
A specimen of this substance, obtained from the slag of a blast furnace, was purified by heating with HCl, HF, H_2CrO_4, and H_2SO_4. When ignited in air, it gained 29%. The Ti was determined by fusing with $HKSO_4$, dissolving in cold water adding CH_3CO_2H and $CH_3.CO_2Na$ and boiling; - 128.72% TiO_2 was obtained. Both these results confirm the formula Ti_5CN_4. Comp. not vol. at white heat.

C. Renz, Ber. 39, 249-50 (1906)
Preparation of titanium tetrachloride and of tin tetrachlorid

DUP050026534

C. Renz, Helv.chim.acta. 4, 961-8 (1921)
Photo-reactions of the oxides of titanium, cerium, and the earth-acids.

E. Repossi and V. Gennaro, Atti R. accad. Lincei, Roma (6) 4, 150-53 (1926)
Minerals of the serpentine of Piossasco.
Ilmenite and titanite found.

F. H. Rhodes and A. E. VanWirt, Ind.Eng.Chem. 15, 1135-40 (1923)
Effect of various pigments upon the rate of oxidation of linseed oil.

J. W. Richards, J. Ind. Eng. Chem., 8, 736-40 (1916)
The metallurgy of the rarer metals.
Titanium p. 739

C. Richet, Gardner and Goodbody, Compt. rend. 181, 1105-6 (1925)
Effect of salts of zirconium, titanium, and manganese on nutrition.
No toxic action observed. Ti citrate had slightly favorable action on nutrition.

G. A. Richter, Trans. Am. Elect. Soc. 35, 323 (1919)
Role played by silicon and titanium tetrachloride during the past war.
In smoke screens.

K. G. P. Richter, Dissertation (Würzburg, 1906), pp. 1-54.
Untersuchungen uber das Titan
Copy in Ti file - Thornton

A. H. A. Robinson, Can.Dept. Mines, Mines Branch No. 579,127 pp. (1922)
Titanium

A.H.A. Robinson, Chem. Trade J. 72, 695-7 (1923)
Titanium alloys and compounds
Survey of present and possible future uses.

O. Roeer, Tidsskrift Kemi Bergvaesen 5, 152-5 (1925)
Determination of vanadium, chromium, and titanium of iron ore.

E. Roer, Chem.-Ztg. 33, 1225 (1909)
The determination of titanic acid in ilmenite
Na_2CO_3

G. Röhl, Chem.-Ztg. 40, 105-6 (1916)
The determination of titanium in ferrotitanium

H. E. Roscoe and C. Schorlemmer, Treatise on Chemistry, Vol.II,1923.
Titanium p. 832-849.

DUP050026535

H. Rose, Ann. chim. phys., (2) 23, 353-77 (1823)
Sur le titane.

H. Rose, Ann. mines, (1) 9, 228-37 (1824).
Sur le titane.

H. Rose, Farb. Ztg. 27, 3017 (1922).
Titanium white.

Rosenheim & O. Schütte, Z. anorg. Chem. 26, 239, 250 (1901)
Double compounds of quadrivalent titanium.

A. Rosenheim & O. Sorge, Ber. 53, 932-9 (1920).
Molecular compounds of inorganic halides. VII. Oxy-carboxylic acid titanates, polyphenol titanates and some analogous cmpds.

E. O. Rosner, Techn. Mitt. für Mal. 39, Nr. 4 (1923).
Titanium pigments.

A. J. Rossi, Iron Age (February 6 and 20, 1896) 57, 354-6.
The smelting of titaniferous ores.

A. J. Rossi, J. Franklin Inst. 154, 241-61(1903)
Metallurgy of titanium.

R. Rossi, Proc. Roy. Soc. Lond. A 83, 414-20 (1910)
The influence of pressure on arc spectra. Titanium.

A. J. Rossi, Rev. Metal. 22, 121-38, 193-206, 491-2 (1925).
Titanium and its commercial uses.
Use in Fe and steel industry and in metallurgy of Cu.

W. Roth, Ind. Eng. Chem. (News Ed.), 6, 6 (Jan. 10, 1928).
Titanium pigments.
In German News Letter.

V. Roussel, Compt. rend. 77, 1102 (1873).
Determination of titanium and vanadium in basalts of Clermont-Ferrand.
Ore with Na_2CO_3.

E. A. Rudge and F. Arnall, J. Soc. Chem. Ind. 47, 376-80 T (1928).
"Titanium cyanonitride" and the titanium oxychlorides.

E. A. de la Rue, Compt. rend. 184, 104-6 (1927).
Some minerals of the Ivory Coast.
Titanite among minerals reports. Cassiterite occurs in black titanite, a sample of which gave 37.1% TiO_2.

O. Ruff, Ber., 42, 900 (1909); C.A., 3, 1377 (1909).
Titanium nitride.

DUP050026536

O. Ruff, Z. anorg. Chem. 82, 373-400 (1913).
Investigations at higher temperatures. I. Fusion and Vaporization of refractory oxides in the electric vacuum furnace. TiO_2 among oxides studied.

O. Ruff and H. Brintzinger, Z. anorg. Chem. 129, 267-75 (1923).
Reduction of thorium, zirconium and titanium dioxide.

O. Ruff and F. Eisner, Ber. 41, 2250-64 (1908).
Titanium nitride and a new class of titanium compounds.

O. Ruff and F. Neumann, Z. anorg. Chem. 128, 81-95 (1923).
Reduction of inorganic halides. II. Reduction of titanium tetrachloride.

O. Ruff and A. Riebeth, Zeit. anorg. Chem. 173, 373-394 (1928).
Plasticity. V. Plastic masses with different inorganic substances and the possibility of their ceramic value.
TiO_2 and $TiOF_2$ included.

Ruff and Schiller, Z. anorg. Chem. 72, 350 (1911).
Tantalum and Niobium pentafluorides and prep. of pure acids.
Sep. from titanic acid.

O. Ruff and O. Treidel, Ber. 45, 1364-73 (1912).
New titanium compounds.
Prep. and properties of Ti_3N_4.

A. S. Russell, J. Chem. Soc., 129, 497-8 (1926).
Air oxidation of titanous sulphate solution. Vanadous sulphate, a new and powerful reducing agent.
Titanous sulfate in 4N H_2SO_4 stable in air.

A. N. Sabin, Ind. Eng. Chem. 14, 775 (1922).
The paint industry.

E. Schaaf-Regelman, Eng. Mag. 33, 91-98 (1907).
Rare metals and minerals and their uses.
Properties and uses of Ti and location of minerals containing it.

W. T. Schaller, Bull, 509. U. S. Geolog. Survey, pp. 9-39,(1912).
Mineralogical Notes. 1 Series 2: A Study of the Rutile Group.

Scheerer, Pogg. Ann. 64, 489 (1845).
Titanium-iron ore with sulfuric acid.

Scheiber, Farbe und Lack No. 44, 515-6, 527 (1925).
Titanium white.
Review of methods of manuf. and properties.

DUP050026537

R. Schmidt, Ber. 58, 400-4 (1925)
Reaction mechanism of the reduction of titanium tetrachloride with hydrogen and the behavior of the reduction product in vacuum.

E. A. Schneider, Z. anorg. Chem. 8, 81 (1895).
Kritische Studien auf dem Gebiete der Chemie des Titans.
TiN and Ti_3N_4.

W. R. Schöller and E. Deering, Analyst 52, 627-37 (1927).
The separation of titanium from tantalum and niobium.

W. R. Schoeller and A. R. Powell, The Analysis of Minerals and Ores of the Rarer Elements.
Titanium, p. 89-99.
Detection and determination in ores given.

M. J. Schoen and J. Rinse, Chem. Weekblad 26, 321-2 (1929).
The detection of pigments with the aid of ultraviolet light.

K. Schröder, Zeit. anal. Chem. 68, 233 (1926).
Separation of zirconium from titanium.

A. Schröder, Z. Krist. 66, 493-4 (1928); Fort. Min. Krys. Petrograd 12, 83-84 (1927).
X-ray investigation of the structure of brookite and the physical properties of the three titanium dioxides.

A. Schröder, Z. Krist. 67, 485-542 (1928).
The fine structure and physical behavior of brookite, and the change of state of the three natural forms of titania.

M. Schuster, N. Jahrb. f. Mineral 1917, I, 45-49.
Eruptive rocks for the Bavarian Rhinepfalz.
Ti - Fe ores contg. 53.6 and 28.03% TiO_2.

O. Schütte, Dissertation (Berlin, 1899), pp. 1-61.
Ueber die Verbindungen der Titansäure.
Copy in Ti file - Thornton.

R. Schwarz and W. Sexauer, Ber. 60B, 500-2 (1927).
The constitution of titanium peroxides.



G. W. Sears and L. Quill, J. Am. Chem. Soc. 47, 922-9 (1925).
Critical studies on the fusion of rare-metal ores.
I. Pyrosulfate fusion of titanium ores.

DUP050026538

P. W. Shimer and E. B. Shimer, Orig. Com. 8th Intern. Congr. Appl. Chem. 1, 445-51 (1912).
The volumetric determination of titanium.

A. Sinding - Larsen, London, Eng. J. 85, 513 (1909).
Iron; titanium, titanium nitrides.

J. T. Singewald, Bull. 64, U.S. Bureau of Mines, 1913, pp. 1-145.
The titaniferous iron ores of the United States.

W. Singleton, Chem. Age 17, Metal. sect. 1-3 (1927).
Determination of vanadium in metallurgical products.
Separation of V, Cr and Ti.

J. A. Singmaster and F. G. Breyer, Ann. Survey Amer. Chemistry, Vol. 3, (1928).
Lithopone-titanium mixtures.

D. P. Smith, Z. anorg. Chem. 37, 332-36 (1903).
The action of titanic acid anhydride on sodium carbonate.

S. Smolenskii, Z. anorg. Chem. 78, 293-303 (1912).
Fusion experiments with bisilicates and titanates.
Following binary mixtures investigated: $CaSiO_3$-$CaTiO_3$, $BaSiO_3$-$BaTiO_3$, $MnSiO_3$-$MnTiO_3$.

W. O. Snelling, U. S. Geol. Survey, Mineral Resources, 1901, 271-8.
The production of titanium.

Spence and Crundall, Chem. Tr. J. 83, 78 (1928).
Titanium Pigments.

W. J. Sollas, Proc. Roy. Soc., Ser. A, 80, 267 (1908).
On the intimate structure of crystals. VI. Titanic oxide, its polymorphs and isomorphs.
Three forms of TiO_2, anatase, rutile and brookite.

K. Someya, Z. anorg. Chem. 145, 168-80 (1925); 152, 368-81.
The use of liquid amalgams in volumetric analysis. II. Oxidimetric determination of tungsten, titanium, etc. with the aid of lead and bismuth amalgams.

H. Spence, J. Soc. Dyers & Col. 20, 63 (1904).
Some compounds of titanium and their applications.

Stähler, Ber. 37, 4405 (1904); 30, 2619 (1905).
Titanium I. Hydrates of $TiCl_3$.

A. Stähler, Ber. 38, 2619-2629 (1905).
Titanium II.

DUP050026539

A. Stähler and F. Bachran, Ber. 44, 2906-15 (1911).
Titanium IV.
Prep. of Ti metal; red. of Ti cpd; formates of trivalent Ti.

H. F. Stanley, J. Amer. Ceram. Soc. 7, 719-25 (1924).
Suggestions for development in enameling technology: TiO_2 used.

G. H. Stanley, J. Chem. Met. Soc. S. Africa, 10, 163-72.
Some experiments on smelting titaniferous iron ore.

A. Stansfield, Iron Steel Canada 10, 263 (1927); Trans. Can. Inst. Mining and Met. 30, 802-18 (1927).
Treatment of titaniferous iron ores.

A. Stansfield and J. E. Morrison, Trans. Roy. Soc. Can. 20, 439-43 (1926).
Blast-furnace slags containing titanium.

A. Stansfield and W. A. Wissler, Trans. Roy. Soc. Canada, No. 111, 33-42 (1916).
The smelting of titaniferous ores of iron.

B. Stoughton, Trans. Can. Mining Inst., 18, 140-52 (1915).
The smelting of titaniferous iron ores.

S. W. Stratton, Director. Circ. of the Bureau of Standards, No. 14, p. 9, 5th ed. (1916).
II. 5. Titanium in irons.
With HCl and then with HF and H_2SO_4.

G. Streit and B. Franz, J. prkt. chem. 108, 65 (1869).
Pure titanic acid and separation from iron and zinc.
Ore attacked by (1) K_2CO_3; (2) Acid K sulfate; (3) chlorine; (4) HF and H_2SO_4.

Stromeyer, Ann. 113, 127 (1860).
Separation of Ti and Zr from Fe.

G.F.A. Stutz, J. Franklin Inst. 202, 89-98 (1926).
The testing of paint pigments for transparency to ultraviolet radiation.

V. S. Suirokomskii, U. S. S. R. No. 56, Titanium and its compounds, No. 1, 47-49 (1926).
A review of the methods for the production of titanium tetrachloride.

V. S. Suirokomskii, Natural resources of U.S.S.R. No. 56, Titanium and its compounds, No. 1, 49-53, 53-5 (1926)
Review of methods for the production of titanium dioxide and titanium carbide.

DUP050026540

V. S. Suirokomskii, Contribution to the study of the Natural Resources of the U. S. S. R. No. 56, Titanium and its compounds, No. 1, 58-73 (1926).
Titanium ore deposits in U. S. S. R.

V. S. Suirokomskii, Contributions to the Study of the Natural Resources of the U. S. S. R. No. 56, Titanium and its compounds, No. 1, 76-108 (1926).
Titanium and its application in the industries.
Ti and its cpds.; Ti in earth's crust; chief Ti minerals, metallic Ti; use of Ti in paint industry; etc. Each subject accompanied by a bibliography.

M. Talenti, Giorn. Chim. ind. applicata 10, 261-4 (1928).
Titanium oxide as a new white pigment.

G. Tammann, Z. anorg. chem. 43, 370-372 (1905).
Action of silicon on metatitanic acid hydrate.

G. Tammann and H. Kalsing, Z. anorg. Chem. 149, 68-89 (1925).
Chemical reactions in powdered mixtures of two kinds of crystals. IV.
SiO_2, TiO_2, ZrO_2, Sb_2O_3 and As_2O_3 with basic oxides.

H. Tertsch, Z. Krist. Festband P.v. Groth 58, 293-308 (1923).
Inferences from the lattice structures for titanium dioxide.

W. M. Thornton, Jr.
Titanium. Chem. Catalog Co. 1927.

W. M. Thornton, Jr., Am. J. Sci. 34, 214-8; Z. anorg. Chem. 79, 190-94 (1912).
Estimation of titanium in the presence of iron.

W. M. Thornton, Jr., Am. J. Sci. 37, 173-8; Z. anorg. Chem. 86, 407-12 (1914).
The use of the ammonium salt of nitrosophenylhydroxylamine ("cupferron") in the quantitative separation of titanium from iron.

W. M. Thornton, Jr., Am. J. Sci. 37, 407-14 (1914).
The separation of titanium from iron, aluminum, and phosphoric acid with the acid of the ammonium salt of nitrosophenylhydroxylamine.

W. M. Thornton, Jr. and A. E. Wood. Ind. Eng. Chem. 19, 150-154 (1927).
Standardization of titanium sulfate solutions.

DUP050026541

E. Thorpe, Dictionary of Applied Chemistry, Vol. 7, 1927.
Titanium, p. 70-76.
Ti cpds. - suggested for use as pigments as far back as 1846.

T. E. Thorpe, J. Chem. Soc., 37, 327 (1880). Properties of titanic chloride, pp. 329-30 and 386.
On the relation between the molecular weights of substances and their specific gravities when in the liquid state.

A. Tian, J. Chim. Phys. 19, 190 (1921); Koll. Zeit. 14, 149 (1914).
The slow hydrolysis of salts.

W. B. Timm. Metal Industry, 28, 214 (1926).
Electrolytic iron and titanium pigments:
Utilization of Canadian ilmenite ore. Ore with carbon.

G. H. Tipper, Records of the Geological Survey of India 44, 186.
The monazite sands of Travancore.

Titan Company, Iets over verf en hare verdienste.
Frederiksstad, o. J.

Titan Company, Titanwit voor schepen.
Frederiksstad, o. J.

M. Toch, Ind. Eng. Chem. 18, 948 (1926).
Paint and varnish - yesterday, today, and tomorrow.

E. W. Todd, Univ. Toronto Studies, Geol. Ser. No. 16, 40-5 (1923).
The estimation of columbium, tantalum and titanium in minerals.

R. J. Traill, Can. Dept. Mines. Mines Branch No. 688, 95-6, 96-101, (1928).
Report of investigations;hydrometallurgical laboratory.
Metallization of ilmenite. High-grade TiO_2 concentrate obtained.

R. J. Traill and W. R. McClellan, Am. Electrochem. Soc. Pamphlet May 1929.
Metallization of the oxide of iron in ilmenite.

R. J. Traill and W. W. McClelland, Canadian Chem. and Met. 13, 265-268, 272 (1929).
Metallization of the oxide of iron in ilmenite.

R. J. Traill, W. R. McClelland and E. A. Thompson, Can. Dept. Mines, Mines Branch No. 670, 81-8 (1926).
New process for the treatment of ilmenite for the recovery of electrolytic iron and titanium oxide concentrate for pigment and other purposes.

DUP050026542

W. D. Treadwell, Helv. Chim. Acta 4, 551-65 (1921).
Reduction with zinc and cadmium in quantitative analysis.
Tetravalent Ti reduced.

Treadwell - Hall, Analytical Chemistry, Vol. II. 1919
Titanium, pp. 100, 114-19, 504, 843-48.

P. Truchot, Rev. gen. chim. 8, 173-76 (1905).
The determination of titanic acid in minerals.

Ullmann, Enzyklopädie der technischen Chimie, Vol. 11, 1922.
Titanium - p. 176-184.

C. van Brunt, J. Amer. Chem. Soc. 36, 1426 (1914).
The volumetric determination of titanium and chromium by means of a modified reductor.

R. T. Vanderbilt Company, Paint, Oil and Chemical Review 89, 4 (1930); Oil, Paint & Drug Reporter 117, 26 (1930).
Rayox (pure Titanium Dioxide).

E. Vigoroux and G. Arrivant, Bull. soc. Chim. (4) 1, 19 (1907).
The preparation of titanium tetrachloride.
From ferrotitanium.

E. Vigouroux and G. Arrivant, Compt. rend. 144, 485-87 (1907).
New methods of formation and preparation of titanium tetrachloride.
Three methods from ferrotitanium.

A. Vila, Tech. Moderne 21, 397-402; 434-439 (1929).
Titanium oxide pigments.

A. Vila, Peintures, Pigments, Vernis 6, 1033-1038 (1929).
White pigments and titanic oxide.
Same as Tech. Moderne 21, 397-402; 434-439 (1929).

Johan H. L. Vogt., Zeit. prakt. Geol., 1900, 233-242. Ibid., 1900, 370-383. Ibid., 1901, 289-296.
Separation of titaniferous iron-ores in basic igneous rocks.
Analyses have been made to determine which elements are concentrated with the titanium and which are not. Details are given of the method employed for the estimation of titanium.

A. Voomaer, Chem. Weekblad, 9, 726-33 (1913).
Titanium-iron sand.
In Java. Canada, Australia, New Zealand, Norway, etc.

DUP050026543

A. C. Vournasos, Z. anorg. Ch. 81, 364-68 (1913).
Reduction of certain volatile halogen compounds by potassium powder.
$TiCl_4$ included.

I. Wada and T. Nakazono, Sci. Papers Inst. Phys. Chem. Res. 1, 139-54 (1926).
Separation of iridium and titanium.

J. Waddell, Analyst, 44, 307 (1919).
Rapid method for the estimation of titanium in titaniferous iron ores.

H. Wagner, Farb. Zeit. 30, 566 (1924).
Progress in the pigment and lacquer industry.

H. Wagner, Farb. Zeit. 34, 1243-1245 (1929).
Titanium white catalysis.

R. Wagner, Ber., 21, 960-2 (1888). J. Chem. Soc., 54, 557 (1888).
Titanium Chloride and titanic acid.

H. W. Walker, Ind. Eng. Chem. 11, 1061-5 (1925).
Screening smokes.
Titanium tetrachloride, p. 1063.

P. H. Walker, J. Amer. Chem. Soc. 20, 513 (1898).
Applications of hydrogen peroxide to quantitative analysis.
Separation of titanium from iron.

P. H. Walker and E. F. Hickson, Ind. Eng. Chem. 16, 1142-43 (1924)
Paints resistant to sulfide fumes.

E. J. Wall, Photogr. Corr. 63, 33-34 (1927).
Titanium salts as mordants.

J. H. Walton, Jr., J. Am. Chem. Soc. 29, 481-85 (1907).
The colorimetric determination of titanium.

C. H. Warren, Amer. Jour. Sci. 25, 23 (1908).
$KHSO_4$ method for Ti.

C. H. Warren, Am. J. Sci., (4) 33, 263-77 (1912).
The ilmenite rocks near St. Urbain, Quebec; a new occurrence of rutile and sapphirine.

C. H. Warren, Econ. Geol. 13, 419-446 (1918).
The micro structure of certain titanic iron ores.

DUP050026544

W. F. Washburn and J. McGougan, Proc. Paint & Varnish Soc., March 1921, pp. 41-61.
Titanium, its production, properties and uses.

H. S. Washington, Quant. J. Geol. Soc. 63, 69-79 (1907).
The titaniferous basalts of the Western Mediterranean.

H. S. Washington, Manual of the Chemical Analysis of Rocks, 1919.
Titanium dioxide, p. 167-177.

G. B. Waterhouse, Chem. Eng. 7, 198 (1908).
The estimation of titanium.
Trans. of Ledebur's methods.

DUP050026545

T. L. Watson, J. Wash. Acad. Sci., 2, 431-4 (1912).
Vanadium and chromium in rutile and the possible effect of vanadium on color.
Reprint in Ti file - Thornton.

T. L. Watson, U.S. Geol. Survey, Bull, 580-G, 385-412 (1914).
The rutile deposits of the eastern United States.
Copy in Ti file.

T. L. Watson, Am. Mineral., 7, 185-8 (1922).
Rutile-ilmenite intergrowths.

T. L. Watson, J. Wash. Acad. Sci., 12, 447-54 (1922). Cf.Watson: Am. Mineral., 7, 185-8 (1922).
Geology of a vein occurrence of rutile-ilmenite in a new locality.

T. L. Watson and G. Steiger, J.Wash. Acad. Sci.,8, 665-76 (1918).
Titanium-bearing corundum spinellite (Rock Emery) a preliminary statement of its occurrence and composition in Virginia.
Reprint in Ti file - Thornton.

T. L. Watson and S. Taber, U.S. Geol. Survey,Bull.430,200-13(1910)
The Virginia rutile deposits.

T. L. Watson and S. Taber, Va.Geol.Survey,Bull. 3A; Met.Chem.Eng. 13, 573 (1915).
Geology of titanium and apatite deposits of Virginia.
Rutile deposits and ilmenite-apatite occurrence.

T. L. Watson and J. H. Watkins, Am.J.Sci.,(4) 32,195-201 (1911).
Association of rutile and cyanite from a new locality.

Watt's Dictionary of Chemistry, Vol. 4, 1902.
Titanium P. 737-749.

H. Weber, Zeit. Anal. Chem, 51, 498-504 (1912).
The analysis of titanium containing material.
Ppt. of titanic acid after fusion.

E. Wedekind and H. Fischer, Ber, 60, 544-45 (1927).
Action of Berlin blue on metal hydroxides.

G. Wegelin, Kolloid - Zeit. 14, 65-69 (1914).
The preparation of colloidal solutions by mechanical division.
Titanic acid included.

Weinland and Kühl, Z. anorg. Chem. 54, 253-55 (1907).
Compounds of titanium sulfate and alkaline-earth sulfates.

DUP050026546

L. Weiss and H. Kaiser, Zeit. Anorg. Ch. 65, 345-402 (1910).
Metallic titanium.
Red. of Ti opds.

A. Weller, Ber. 15, 2592 (1882).
Detection and determination of titanium.

H. L. Wells, Introduction to Volumetric Analysis and Combustion.
New Haven, 1916.
Iron and titanium dioxide - p. 7.

H. L. Wells and W. L. Mitchell, J.Amer.Chem.Soc.17, 878 (1895).
Volumetric determination of titanic acid and iron in ores.
Ore with conc. HCl. Then with H_2SO_4 (1:1).

R. C. Wells, J. Am. Chem. Soc. 33, 504-7 (1911).
Sensitiveness of the colorimetric estimation of titanium.

R. C. Wells, J. Am. Chem. Soc. 50, 1017 (1928).
Note on the T. Lawrence Smith Method for the analysis of samarskite.
Hydrofluoric acid method.

P. Wenger and T. Wuhrmann, Ann. Chim. Anal. Chim. Appl.1,337-9 (1919); 3, 139-42 (1921).
Separation of iron, aluminum, chromium, beryllium, titanium and zirconium by the sodium carbonate method.

E. T. Wherry, Proc. Nat. Acad. Sc. Washington 51, 82-88 (1917).
Remarks on alunite, psilomelanite and titanite.

N. Whitehouse, J. Soc. Chem. Ind. 738-39 (1907).
The fixation of nitrogen.
Ti_3N_4.

E. Wiegand, Zeit. anal. Chem. 21, 510 (1882).
Determination of titanic acid in the presence of iron.
Red. by Zn in pres. H_2SO_4.

F. Wilborn and A. Löwa, Mitt.Inst. Lackforschung 1,125-126 (1928)
Determination of titanium according to R. Berg.

H. Wilkinson and A. G. Tyler, Journ. Soc. Dyers Colourists, 43 114-115, 225 (1927).
Stability of titanium sulfate solutions.

H. I. Winch and V. L. Chandratreya, Chem.News 124, 231-32 (1922).
Volumetric determination of TiO_2 in bauxite.

DUP050026547

F. Wirth, Ullmann, Enz. Techn. Chem. 11, 182-184.
Titanium oxide.

H. Wirthwein, Dissertation (Berlin, 1906), pp. 1-59.
Beitrage zur Kenntnis des Titans und Vanadins.
Copy in Ti file - Thornton.

F. Wöhler, Ann., 74, 212-14 (1850). Methode zur Darstellung reiner Titansäure.
Ibid., 73,34-49 (1850). Ueber die Natur des metallischen Titans.

F. Wöhler, Ann. Chim. phys., (3) 29, 166-87 (1850); Ibid.,(3) 28, 382 (1850).
Sur le titane.

F. Wöhler and J. Liebig, Pogg. Ann., 21, 578-80 (1831).
Vermischte chemische Notizen 1. Titaneisen.

L. Wöhler, Kolloid - Z. 38, 97-111 (1926).
Luminescence on heating the oxides of chromium, iron, zirconium and titanium and magnesium pyrophosphate.
Titanic acid is luminescent whether pptd. from hot or cold soln.

H. Wolff, Farben Zeit. 33, 2729-33 (1928).
White pigments.
Includes titanium white.

H. Wolff, G. Zeidler and W. Toedte, Farb. Zeit. 33, 2729-2733 (1928).
White pigments.
TiO_2 pigments included.

Wolski, Zeit. angew. chem. (1925) 38, 834.
The evaluation of white pigments.

E. W. Worden, Chemical Patents Index 1, 546-7 (1927).
Lists many patents on extraction, manufacture and use of Ti compounds.

E. Wurm, Gummi-Zeitung 43, 2752(1929).
Titanium white or lithopone?

D. M. Yost and S. Zabano, J.Amer.Chem.Soc. 48, 1181-87 (1926).
The kinetics of the oxidation of trivalent titanium by iodine.

Ferruccio Zambonini, Atti R. Accad. Lincei,(V) 15, 291-95 (1906).
Constitution of Titanite.
Calcium salt of a complex titanosilicic acid, $TiO:O_2:Si:O_2Ca$.

DUP050026548

G. Zerr, Farben-Ztg. 34, 1430-1 (1929).
Prussian blue and titanium white in light.

American Soc. for testing materials. Tentative methods of routine analysis of titanium pigments. (1924) I- 859-863; II - 352-356. Tentative Standard 1924, 253-257.

American Society for Testing Materials. Standards Adopted in 1925. Separate, 117pp. (1925).
Analysis of Ti pigments included.

American Society for Testing Materials. Tentative specifications for titanium barium pigments. Tentative standards 1927, 327-328; 1928, 322-323.

American Society for Testing Materials. Tentative standards, 1928. I - 1127-1128.
Tentative specifications for Ti-Ba pigment included.

Brick 21, 99-101 (1904).
Rutile - the most important compound of titanium.

British Standard Specifications C.B. (B) 3980.
White titanium dioxide pigment for paints.
London, 1927.

Brit. Eng. Standards Assoc. No. 392 (1929).
British specification for white titanium dioxide pigment for paints.

Anon. Bull. Imp. Inst., 9, 134-45 (1911).
The distribution and uses of titanium ores.

Bull. Imp. Inst. No. 1, 1917. Mining Mag. 17, 137-41 (1917).
Titanium and its uses.

Le Caoutchouc et la Gutta - Percha 26, 14663 (1929).
Titanium oxide in the rubber industry.

Chem. & Ind. 44, (1925) 609.
Titanium white.
3 grades: Titanox A - pure TiO_2
" B - TiO_2 with $BaSO_4$
" C - TiO_2 with $CaSO_4$.

Chem. Ind. 48, 562 (1925); 49, 244 (1926).
Titanium white manufacture.

DUP050026549

Chem. Ind. 49, 161 (1926).
Titanium white preparation.

Chem. Ind. 50, 502 (1927).
Production of titanium white.

Chem. Ind. 50, 784 (1927).
The Norwegian titanium white industry.

Chem. Ind. 50, 1019 (1927).
Expansion of the National Lead Co.

Chem. Ind. 52, 1391-1396(1929).
World production of titanium, vanadium, etc.

The Chem. Trade J. 67, 407 (1920).
The new Norwegian Titanium-white industry.

Chem. Trade Journ. 80, 405, 414 (1927).
Titanium white.
National Lead Co. and Titan Co. merger.

Chem. Trade Journal 81, 370-371 (1926).
Titanium Pigments.

Chem. Trade J. 82, 661 (1928).
Japanese Titanium Ore.
Important deposit of Ti ore discovered in Japan. Japan Titanium Co. formed.

Chem. Trade J. 83, 102 (1928).
Titanium oxide pigment. Production of a new American plant. Commercial Pigments Corp. Shortened account of B.K.Bronon's article in Chem. and Met. July, 1928.

Chem. Trade J. 85, 476 (1929).
Titanium oxide in skin ointments.

Chem. Zeit. 43, 468 (1919); 44, 995.
New titanium white factory. Titanium white.
In Frederikstadt.

Chem. Zeit. 53, 248 (1929).
Titanium white.
Part of Hixson and Plechner's article in Chem.& Met.36, 76 (1929).

Drugs, Oils and Paints (1928) 349.
The National Lead Company.

DUP050026550

Drugs, Oils & Paints 45, 313 (1930).
Imports of titanium ores.

Electrochem. Met. Ind. 7, 285 (1909).
Titanium oxide.

Engineering 106, 50 (1918).
Titanium and rutile.
Occurrence, uses, etc.

Eng. Mining J. 87, 761 (1909).
Brazilian Monazite.

Eng. Mining J. 111, 150-1 (1921).
The mining industry in 1920. Uncommon ores and minerals.
Includes Cd, Ce, Se, Te, Ti and Zr.

Eng. Mining J. Press 115 No. 3, 89-168 (1923).
Fifty-fourth annual review and year book.
Mining, metallurgy, trade and other industrial information for various metals, including Ti.

Eng. Mining J. Press 119, No. 3 (1925).
Fifty-sixth annual review and year book number.
Mining and trade information for 1924 on Ti among other metals and minerals.

Eng. Mining J. Press 121, No. 3 (1926).
Fifty-seventh annual review and yr. book number.
Mining and trading information for 1925 on Ti among numerous other metals and minerals.

Eng. Mining J. 123, No. 4 (1927).
The fifty-eighth annual review and year book number.
Mining and trade information for 1926 on Ti among numerous other metals and minerals.

Eng. Mining J. 125, No. 3 (1928).
Mining and trade information for 1927 on Ti among other metals and minerals.
The fifty-ninth annual review number.

Farbe und Lack (1926) 182.
Standardized Titanium-zinc white pigments.

Farbe und Lack (1926) 428-429.
Titanium pigments and their preliminary treatment.

DUP050026551

Farbe und Lack (1927) 438.
Pure white titanium pigment.

Farbe und Lack (1927), p.448.
Titanium white production.

Farbe und Lack No. 30, p.359 (1929).
Titanium Pigments.
Abstract of Br. 308,725 of 1928 to Titanium Pigment Co.

Farbe und Lack No. 34 - 337 (1929)
Preparation of titanium white.

Farb. Zeit. 31, 1189-1193 (1926).

Farben. Zeit. 33, 557 (1927).
Concentration in titanium white production.

Farb. Zeit. 34, 1619; 1731-1732 (1929).
Titanium white in the enamel industry.

Farben. Zeit. 35, 78 (1929).
Titanium dioxide and titanium white. A correction.

Die Farbige Stadt 1927, 180; 1928, 30.
Kronos Titanium White.

Foote - Prints 2, 63 (1929).
Titan yellow has been the recognized standard of purity and uniformity for over a quarter century.

Gummi - Zeit. 44, 31 (1929).
Titanium white or lithopone?

Imperial Institute Bull. (London) 20, 351-53 (1922).
Recent developments in the use of titanium dioxide as a pigment.
Description of Ti pigment plant in Norway. Capacity, ore used, method of manuf. products.

India Rubber World 81, 72 (1930).
Titanium Pigments.

Ind. Eng. Chem., 16, 370 (1924).
Isolation of titanium.
By S. J. Lubowsky of Metal and Thermit Corp. on commercial scale.

Iron Age, 84, 1223 (1909).
Titaniferous iron ore smelting at Bethlehem.

DUP050026552

Mineral Ind. 28, 685-7 (1919).
Titanium and zirconium.
Review of the industries.

Mineral Ind. 29, 677-80 (1920).
Titanium and zirconium.
Description of Norway process.

Mineral Industry of the British Empire and Foreign Countries, 1919-1921.
Titanium.

Mining Journ. (London) 128, 197 (1920).
Production of titanium white.
Early history of project, methods, uses, capacity of plant, and name of operator.

Mining Sci. Press 98, 896 (1909); Mining World 36, 364 (1912).
Rutile deposits of Virginia.

Oil and Colour Trades Journal 75, 1448 (1929).
Manufecture of titanium white.

Oil and Colour Trades J. 76, 1431 (1929).
Titanium Pigments.

Oil, Paint and Drug Reporter, 115, 31 (1929).
Glidden gets Chesapeake rights for titanium oxide.

Oil, Paint and Drug Reporter 116, 29 (1929).
Titanium whites renamed.

Paint, Oil and Chem. Review 88, 22 (1929).
Titanium Pigment prices lowered.

Peintures, Pigments, Vernis, Dec. 1925.
The paint industry in 1924.

Peintures, Pigments, Vernis 5, 738 (1928).
Blancs de Titane "Kronos".

Peintures, Pigments, Vernis 6, 933-37 (1929).
Titanium oxide.

Proc.Am.Soc. Testing Materials 24, I 443-51, 859 (1924).
Methods of analysis and reports of collaborators on the analysis of titanium pigments.

Queensland Gov.Mining J. 10, 61 (1909); Australian Mining Standard 38, 533, 580 (1907).
Rutile in Queensland.

DUP050026553

Reactions, 13, 30-1 (1920).
The increasing use of titanium.
Second quarter in Ti file.

Rev. Chim. Ind. 27, 204 (1918).
Preparation of titanic oxide in treating a titanic and ferruginous substance.

Rev. Gen. des Matieres plastiques, 5, 589-594 (1929).
Titanium oxide as a pigment.

Rubber Age (N.Y.) 26, 548 (1930).
Titanium White Plant Closes.

Times Trade and Eng. Supplement (London) 23, 33 (1928).
Titanium salts and pigments. Principal outlets.
Review of main processes. Monk-Irwin process for Canadian ores.

Titanox Pigment, 1922, p.1-22.
Titanium Pigment Co. Magazine.

U.S.Gov. Master Specification for Outside White titanium-zinc paint, semi-paste and ready-mixed. Circ. Bur. of Standards 215, 1-12 (1925).

World Trade Notes, Sept. 19, 1927, p. 10.
Titanium oxide - Italy.
Soc. Anonima Titanium of Milan operating plant at Bovisa for prod. of TiO_2.

World Trade Notes 3, 5 (1929).
Production of titanium white in Australia.

World Trade Notes 4, 7 (1930).
German Manufacturer of Titanium white suspends operations.

DUP050026554

DLL
12/19/85

DUP050026555