FILE NAME: Reddaway Manufacturing (REDD)


DATE: 1973

DOC#: REDD002

DOCUMENT DESCRIPTION: Industry Sales Literature

WE CONCENTRATE ON...

LONGER LIFE
SUPERIOR PERFROMANCE
USER SATISFACTION
PROMPT DELIVERIES




Redco


REDDAWAY MANUFACTURING CO., INC.

32 Euclid Avenue • Newark, New Jersey 07105 • U.S.A.
(201) 589-1410


Your local Warehouse Distributor for **REDCO FRICTION PRODUCTS** is:

DEPOSITION EXHIBIT #5
11-8-89
WALKER





REDDAWAY MANUFACTURING COMPANY, Inc.
SINCE 1890



RBW BONDED WOVEN

Scientifically proportioned wire content dissipates heat rapidly and provides proper lubrication for the prevention of scoring and noise.

Braking action is exceptionally responsive and smooth.

RBW is FLEXIBLE. Can be used internally or externally.



WOVEN FLAT SHEETS

Made from REDDAWAY Bonded Woven Brake Lining. Flat Sheets may be cut into segments, discs and many irregular shapes.

MOLDED FLAT SHEETS

Made in 2 types of mix compounds and various thicknesses suitable for segments, discs and irregular shapes.


REDDAWAY REFERENCE SHEET

USE (see note 1)			
LIGHT			
MEDIUM			
HEAVY			
TYPE SURFACE (see note 2)	Iron-Steel Ground	Iron-Steel Ground	Iron-Steel Ground
STRUCTURE - FLEXIBLE			
SEMI-FLEXIBLE			
RIGID			
COEFFICIENT OF FRICTION @350° F @50 P. S. I.	0.40	0.35	0.40
THICKNESS WIDTH - LENGTH	SEE PRICE LIST	SEE PRICE LIST	SEE PRICE LIST
TYPE OF SERVICE (see note 3)	DRY OIL	DRY	DRY OIL
MAXIMUM RUBBING SPEED, FT/MIN.	7500	5000	5000
Maximum Drum Temp. °F for Constant Operation	750	500	350
MAXIMUM PRESSURE P .S. I.	300	250	175

NOTE 1 - Each category overlaps in some cases. Special uses are also included.


NOTE 2 - Clutch plates and cone type drums are included.

NOTE 3 - Submerged in oil, sizes are subject to design application.




EBONY LIGHT DUTY WOVEN

For light duty service. Medium-high friction value. Seats quickly and is suitable for use on steel or cast iron drums. Conforms to small drum diameters. Excellent for use on external contracting bands in automotive and industrial service.




TYPE RFM INDUSTRIAL FLEXIBLE MOLDED

Used on either internal or external applications. Seats fast, engages smoothly, has good wear factor and may be used on many applications where molded blocks are not available.



METALLIC BLOCKS

Designed for use on Well Servicing and Workover rigs with either air or water-cooled brake rims. Manufactured in all thicknesses up to and including 1-1/8 inch.




CLUTCH FACINGS

Heavy Duty Woven Clutch Facings suitable for industrial, automotive and special clutch and brake applications.

INDUSTRIAL MOLDED SETS

Special mix compounds made up in molded sets for industrial uses such as Cranes, Shovels, Tractors, etc.



CUSTOM SPECIALTIES

A typical range of custom products, bonding facilities, cutting operations, brake band manufacturing, complete clutch disc manufacturing and research & development make up a vital part of REDDAWAY's Custom Division.




REDCO RIVETS

A Complete line of top quality 70-30 brass alloy brake rivets in all standard sizes ranging from 3-3 to size 10-22 in tubular rivets, and sizes 8-24 to 8-32 and 10-24 to 10-32 in solid brass rivets only. Unaffected by heat.




REDCO EPOXY ADHESIVE

Redco No. 1762-10 epoxy resin, when combined with Redco No. 8-143M epoxy catalyst, has a tensile strength in excess of three thousand pounds. - pry strength of only sixteen pounds. making it ideal for coldbonding brake linings. Applications: metals, glass, ceramics, plastics and wood products.



REDCO BRASS BRAKE BLOCK BOLTS

Fabricated from a specially alloyed, high purity brass, the bolts are cold headed and thread rolled assuring continuity of grain flow for high strength performance. Shoulder under the head prevents threads from damaging the friction material.
Sizes from . . . . 3/16 x1-1/4 to 3/8 x 1-1/2.



CUSTOM SPECIALTIES

A typical range of custom products, bonding facilities, cutting operations, brake band manufacturing, complete clutch disc manufacturing and research & development make up a vital part of REDDAWAY's Custom Division.




REDCO RIVETS

A Complete line of top quality 70-30 brass alloy brake rivets in all standard sizes ranging from 3-3 to size 10-22 in tubular rivets, and sizes 8-24 to 8-32 and 10-24 to 10-32 in solid brass rivets only. Unaffected by heat.



REDCO EPOXY ADHESIVE

Redco No. 1762-10 epoxy resin, when combined with Redco No. 8-143M epoxy catalyst, has a tensile strength in excess of three thousand pounds, - pry strength of only sixteen pounds, making it ideal for coldbonding brake linings. Applications: metals, glass, ceramics, plastics and wood products.




REDCO BRASS BRAKE BLOCK BOLTS

Fabricated from a specially alloyed, high purity brass, the bolts are cold headed and thread rolled assuring continuity of grain flow for high strength performance. Shoulder under the head prevents threads from damaging the friction material.
Sizes from . . . . 3/16 x1-1/4 to 3/8 x 1-1/2.

WE CONCENTRATE ON...

LONGER LIFE
SUPERIOR PERFROMANCE
USER SATISFACTION
PROMPT DELIVERIES



Redco

REDDAWAY MANUFACTURING CO., INC.

32 Euclid Avenue • Newark, New Jersey 07105 • U.S.A.
(201) 589-1410

Your local Warehouse Distributor for **REDCO FRICTION PRODUCTS** is:

tabbies

EXHIBIT

31


4-13-12





REDDAWAY MANUFACTURING COMPANY, Inc.

SINCE 1890



RBW BONDED WOVEN

Scientifically proportioned wire content dissipates heat rapidly and provides proper lubrication for the prevention of scoring and noise.
Braking action is exceptionally responsive and smooth.
RBW is FLEXIBLE. Can be used internally or externally.



WOVEN FLAT SHEETS

Made from REDDAWAY Bonded Woven Brake Lining.
Flat Sheets may be cut into segments, discs and many irregular shapes.

MOLDED FLAT SHEETS

Made in 2 types of mix compounds and various thicknesses suitable for segments, discs and irregular shapes.


REDDAWAY REFERENCE SHEET

USE (see note 1)			
LIGHT			
MEDIUM			
HEAVY			
TYPE SURFACE (see note 2)	Iron-Steel Ground	Iron-Steel Ground	Iron-Steel Ground
STRUCTURE - FLEXIBLE			
SEMI-FLEXIBLE			
RIGID			
COEFFICIENT OF FRICTION @350° F @50 P. S. I.	0.40	0.35	0.40
THICKNESS WIDTH - LENGTH	SEE PRICE LIST	SEE PRICE LIST	SEE PRICE LIST
TYPE OF SERVICE (see note 3)	DRY OIL	DRY	DRY OIL
MAXIMUM RUBBING SPEED, FT/MIN.	7500	5000	5000
Maximum Drum Temp. °F for Constant Operation	750	500	350
MAXIMUM PRESSURE P.S. I.	300	250	175

NOTE 1 - Each category overlaps in some cases. Special uses are also included.


NOTE 2 - Clutch plates and cone type drums are included.

NOTE 3 - Submerged in oil, sizes are subject to design application.




EBONY LIGHT DUTY WOVEN

For light duty service. Medium-high friction value.
Seats quickly and is suitable for use on steel or cast iron drums.
Conforms to small drum diameters. Excellent for use on external contracting bands in automotive and industrial service.




TYPE RFM INDUSTRIAL FLEXIBLE MOLDED

Used on either internal or external applications.
Seats fast, engages smoothly, has good wear factor and may be used on many applications where molded blocks are not available.



METALLIC BLOCKS

Designed for use on Well Servicing and Workover rigs with either air or water-cooled brake rims. Manufactured in all thicknesses up to and including 1-1/8 inch.



CLUTCH FACINGS

Heavy Duty Woven Clutch Facings suitable for industrial, automotive and special clutch and brake applications.

INDUSTRIAL MOLDED SETS

Special mix compounds made up in molded sets for industrial uses such as Cranes, Shovels, Tractors, etc.

Redco Brake Block Industrial Set Group Listing

Redco Brake Block Part No.	Grey Rock Part No.	S. K. Wellman Johns-Manville Part No.	Raybestos Part No.	Pcs. Per Set	SIZE	Drum Dia.	MAKE	APPLICATION	MODEL
R-29714	220804-6P	19923	9714	6	3-1/2x1/4x7-17/32 (all Plain)	Ext. 16½	Caterpillar	Steering Brakes	D-6, D-7, 977
R-29715	220805-6P	17102 17102AR	9715	6	4 x 3/8 x 7-21/32	Ext. 17¾	Caterpillar	Steering Brakes	D-8, RD-8, 583
	{ TO BACK FOR IND. FACINGS SHEET }		9716	2	18-5/8x11-1/2x1/4 (180° Setments) Molded	Disc	Manitowoc	Swing & Retract Frictions Retract Frictions	1500, 2000 3000, 3500, 3900
R-29717-D	221539-13D	19071-D 16502DR	9717D	13	6 x 1/2 x 3-37/64	Ext. 17⅝	Caterpillar	Steering Brakes	D-8, 14-A, & 15-A, 583
R-29718-D	221565-14D	19245-D 16500DR	9718-D	14	6 x 1/2 x 3-15/16	Ext. 19½	Caterpillar	Steering Brakes	D-9 (early)
R-29719	221867-16D	19015	9719D	8	3-1/2x3/8x4-11/16	Int. 18	American Hoist & Derrick	Swing Frictions	300-C Series
R-29720	30C13-15	17100-B	9720	3	3x5/16x 14	Ext. 15	Oliver Tractor	Steering Brakes	FD, FG
R-29721	221730-14D	19073	9721D	14	5 x 1/2 x 5	Ext. 36	American Hoist & Derrick	Hoist Frictions	700-C Series
R-29722	221561-20D	19068-D	9722D	20	5 x 1/2 x 5-11/16	Ext. 46	American Hoist & Derrick	Hoist Brakes	700-C Series
R-29723	221960-12D	19088 16560DR	9723D	12	8 x 5/8 x 7	Int. 36	American Hoist & Derrick	Swing Frictions	900 Series
R-29724	53D18-54	* 17353	9724A	(3 (5	5-3/4x3/8x18-5/8 5-3/4x3/8x16-1/2	Ext. 52½	Lima	Hoist Brake	801, 901, 1001, 1001A, 1201, 1601
R-29725	60E20-42	19893	9725	8	6 x 1/2 x 15	Int. 42	P & H	Hoist & Crowd Frictions	1055B & 1055BLC
R-29726	221935-9KL	19892	9726	9	8x3/4x15-3/4	Ext. 48	P & H	Hoist & Crowd Brakes	1056B & 1055BLC
R-29729	221809-P	19895	9729	10	4-3/4x5/8x9	Ext. 35	Hyster	Haulback Brake	98A
R-29730	221810-P	19894	9730	11	5x3/4x9-3/4	Ext. 41	Hyster	Mainline Brake	98A
R-29731		19876	9731	7	5x3/8x9	Ext. 26	Hyster	Haulback Brake	C.H.Y.
R-29732		19875	9732	6	4x3/4x9-1/4	Ext. 23	Hyster	Mainline Brake	C.H.Y.
R-29734	222009-8D		9734	12	4 x 1/2 x 8-3/16	Int. 24	Bucyrus-Erie	Swing Frictions	25B
R-29735-D	221968-D	19571-D	9735D	20	8x3/4x8-1/4	Ext. 66	Lima	Hoist Brake	1800
R-29736	221967-11P	19711-D	9736	(7 (4	6x1/2x12-1/4) 4-3/4x3/8x4-17/64	Ext. 56 Int. 19	Northwest Marion	Hoist Brake Swing & Travel Frictions	180D (early) 33M, 43M
R-29737		19861-D	9737	12	4-3/4x3/8x4-3/64	Int. 31	Marion	Hoist & Crowd Frictions Swing Frictions	83M 362, 372
R-29739	221852-12D	19897-D	9739	12	4-3/4x15/32x4-1/4	Int. 20	Marion	Swing & Propel Frictions	362, 372
R-29740	221898-16P	19877-D	9740	16	4-3/4x3/8x4-43/64	Int. 27	Marion	Swing Frictions	83M
R-29748-KL	221719-22KL		9748KL	22	6 x 1 x 7	Ext. 62	Marion	Hoist Friction	151M
R-29749-KL	221782-15KL	19817-KL	9749KL	15	12x7/8x11-7/8	Ext. 70	Marion	Hoist Brakes	183M
R-29750	222492-19P		9750	19	13x7/8x12	Ext. 84	Marion	Hoist & Drag Brakes	191M
R-29751	40720-24	*17232-B	9751	4	4 x 3/8x10-3/4	Int. 24	Link Belt	Swing & Travel Frictions	K-360, (-365, K-370, K-375, K-381
R-29753-KL	221137-11KL		9753KL	11			Marion	Hoist Brake	490, 490E
R-29754-D			9754D	20	5 x 3/4 x 8-1/4	Ext. 56	Bucyrus Monighan	Load Friction	5W

*= F.M.S.I. # Abex

SBGA&B2 1221370

EXHIBIT
tabbies
32
4-13-12

Redco Brake Block Industrial Set Group Listing

Redco Brake Block Part No.	Grey Rock Part No.	S. K. Wellman Johns-Manville Part No.	Raybestos Part No.	Pcs. Per Set	SIZE	Drum Dia.	MAKE	APPLICATION	MODEL
R-29755-KL	221387-14KL		9755KL	14	8 x 1-1/2 x 12	Ext. 70	Marion	Hoist & Drag Brakes.	7200
R-29756	221938-25P	19699	9756	25	12 x 1-1/2 x 13-1/2	Ext.138	Marion	Hoist Brake	7900
R-29757	221672		9757	22	14 x 7/8x13-7/8	Ext.120	Marion	Drag Brake	7900
R-29759	221939-12P	19503	9759	12	6x¾x12-7/16	Int. 54	P & H	Hoist & Crowd Friction	1855
R-29760		19501	9760	12	8x¾x14	Ext. 64	P & H	Hoist & Crowd Brake	1855
R-29761-D	221542-14D	19751-D	9761D	14	6x¾x12	Ext. 56	Page	Drag Friction	721
R-29761-AD	221542-12D	16205	9761AD	12	6x¾x12	Ext. 56	Page	Hoist Friction	721
R-29762-D	221477-14D	19837-D/16206	9762D	14	9x1⅛x12	Ext. 76	Page	Hoist & Drag Brakes	721
R-29763-D	222250-14D	19838-D	9763	14	16x1¼x12	Ext. 78	Page	Hoist & Drag Brakes	725
R-29764-D	221540-17D		9764D	17	10x¾x11-7/8	Ext. 64	Page	Hoist Friction	728
R-29764-AD	221540-15D	19836-D	9764AD	15	10x¾x11-7/8	Ext. 64	Page	Hoist & Drag Frictions	726
R-29765-D	221535-16D	19839-D	9765D	16	14x1¼x12	Ext. 80	Page	Hoist & Drag Brakes	726
R-29766-D	221550-16D	19845-D	9766D	16	16x1¼x12	Ext. 80	Page	Hoist & Drag Brakes	726
R-29767-D	221808-17D	19840-D	9767D	17	18x1¼x12	Ext. 84	Page	Hoist & Drag Brakes	728
R-29768	221606-16P		9768	6	8x5/8x14¾	Ext. 36	Bucyrus-Erie	Drag or Crowd Friction	120B
R-29769	221163-16D		9769D	16	8x5/8x8¾	Ext. 56	Bucyrus-Erie	Hoist, Crowd, & Drag Brake	120B
R-29771-D	221368-20D		9771D	20	8x5/8x9	Ext. 65	Bucyrus-Erie	Hoist, Crowd, & Drag Brakes	120B
R-29775	52E6-24	19586	9775	2	5½x½x6½	Int. 24	Lorain	Swing & Retract Frictions	L-85-A K1 Air
R-29776	222705-10D	19711-D	9776	12	6½x¾x12¼	Ext. 56	Northwest	Hoist Brakes	1800 (late)
R-29777	42D9-18		9777	4	4½x3/8x9-9-16	Int. 18	Link-Belt	Swing, Hoist, & Crowd Frictions	LS-78
				2	(2-5/8x3/8x2-11/16				
				16	(2-5/8x3/8x2-11/16				
R-29804	211886-36D	19925-D	9804D	2	(4½x3/8x2-11/16	Ext. 18½	Allis-Chalmers	Steering Brake	HD21
				16	(4½x3/8x2-11/16				
R-29805-D		19857	9805D	4	4x¾x15-3/8	Int. 20	Bay City	Swing Frictions	45, 450
R-29806			9806	4	4x3/4x10-7/8	Int. 29	Bay City	Hoist & Crowd Friction	60, 70, 72, 700
R-29807	221894-8D		9807D	8	4½x¾x9-5/32	Int. 24	Bay City	Swing Frictions	60, 70, 72, 700
R-29808	221900-6D	19898/16472DR	9808D	6	4x5/8x10-1/8		Bucyrus-Erie	Hoist & Crowd Frictions	30. 70, 72, 700 — 16472DR
R-29814	221532-8D		9814D	8	5x5/8x11½	Ext. 36	Bucyrus-Erie Spudders	Sand Reel	36L (late)
R-29815	222023-8D		9815D	8	6x5/8x10	Ext. 31	Bucyrus-Erie Spudders		
R-29816	222022-8D		9816D	8	5x5/8x11-5/8	Ext. 42	Bucyrus-Erie Spudders		

SBGA&B2 1221371

Redco Brake Block Industrial Set Group Listing

Redco Brake Block Part No.	Grey Rock Part No.	S. K. Wellman Johns-Manville Part No.	Raybestos Part No.	Pcs. Per Set	SIZE	Drum Dia.	MAKE	APPLICATION	MODEL
R-29817-D	220933-10D	19333	9817D	9	6x1-1/8x8¼	Ext. 30	Bucyrus-Monighan	Hoist Friction	3W
				1	6x1-1/8x8¼ Undrilled				
R-29818	220934-14D	19334	9818D	14	6x1-1/8x8¼	Ext. 43	Bucyrus-Monighan	Drag Friction	3W
R-29819	220935-8D	19335-8D	9819D	8	10x1x10	Ext. 36	Bucyrus-Monighan	Hoist Brake	3W
R-29820	220936-12D	19337	9820D	12	10x1x10	Ext. 45	Bucyrus-Monighan	Drag Brake	3W
R-29821	221458-14D	19338	9821D	14	6x1-1/8x8	Ext. 46	Bucyrus-Monighan	Hoist Friction	4W
R-29822	220923-17D	19339-D	9822D	17	6x1-1/8x8	Ext. 54	Bucyrus Monighan	Drag Friction	4W, 6W
R-29823-D	221150-11D		9823D	11	10x1-1/8x10	Ext. 46	Bucyrus Monighan	Hoist Brake	4W
R-29824	220926-20-D	17441-D	9824	(20	7x¾x8¼)	Ext. 68	Bucyrus Monighan	Hoist Brake	5W
				(1	7x¾x4-1/8)				
R-29825	221905-KL	19340	9825	18	5⅞ x 1⅛ x 8⅛	Ex. 64	Bucyrus Monighan	Hoist Friction	6W
R-29826	220924-18D	19043	9826D	18	6x1-1/8x8	Ext. 60	Bucyrus Monighan	Hoist & Drag Friction	6W
R-29827	321002	17475	9827	18	4x¾x5½	Int. 42	Link Belt	Hoist Friction	K-560, K-565, K-570, K-580, K-585, K-595
R-29829	220925-W	19341	9829D	40	6x1-1/8x8	Ext. 65	Bucyrus Monighan	Hoist Brake	6W
R-29830	221516-18D	19342	9830D	18	10x1-1/8x10	Ext. 64	Bucyrus Monighan	Drag Brake	6W
R-29831	221622-18P		9831	40	10x1-1/8x9	Ext. 65	Bucyrus Monighan	Drag Brake	6W
R-29832	221623-22KL	17443-D	9832	22	7x1-1/8x7½	Ext. 60	Bucyrus Monighan	Hoist Friction	7W
R-29833	221624-30KL	17444-D	9833	30	7x1-1/8x7½	Ext. 80	Bucyrus Monighan	Drag Friction	7W
R-29834	221624-24KL	17445-D	9834	24	10x1¼x8¼	Ext. 76	Bucyrus Monighan	Hoist & Loan Brake	7W
R-29835-D	221156-20D	17447-D	9835D	20	8x1-1/8x8	Ext. 60	Bucyrus Monighan	Hoist Friction	9W
R-29836-D	22157-28D	17446-D	9836D	28	8x1-1/2 x8	Ext. 84	Bucyrus Monighan	Drag Friction	9W
R-29837-D	221141-28D	17448-D	9837D	28	12x1¼x8	Ext. 80	Bucyrus Monighan	Hoist & Loan Brake	9W
R-29838-D	221140-21D	17558-D	9838D	21	15x1¼x10½	Ext. 80	Bucyrus Monighan	Drag Brake	9W
R-29839	221626-24O	19345	9839	24	7x1-1/8x8¼	Ext. 72	Bucyrus Monighan	Hoist Friction	10W
R-29840	221627-21P	19346	9840	21	8x1¼x8-1/16	Ext. 81	Bucyrus Monighan	Hoist Friction	10W
R-29841	221628-24P	19347	9841	24	8x1-1/8x8¼	Ext. 74	Bucyrus Monighan	Drag Friction	10W
R-29842	221629-24P	19348	9842	24	8x1¼x8-3/16	Ext. 88	Bucyrus Monighan	Drag Friction	10W
R-29843	221630-21P	19349	9843	21	10½ x 1⅛ x 10⅞	Ext. 80	Bucyrus Monighan	Hoist Brake	10W
R-29844	221631-21P		9844	21	10½x1¼x10½	Ext. 80	Bucyrus Monighan	Hoist Brake	10W
R-29845	221632-23-P	19350	9845	23	10½ x 1⅛ x 10⅞	Ext. 90	Bucyrus Monighan	Drag Brake	10W
R-29846	221633-23P		9846	23	10½x1¼x10½	Ext. 88	Bucyrus Monighan	Drag Brake	10W
R-29847	221428-20D	17571-D	9847D	20	7x1-1/8x7½	Ext. 54	Bucyrus Monighan	Hoist Friction	200W Diesel
R-29848	221429-26D	17572-D	9847D	26	7x1-1/8x7½	Ext. 70	Bucyrus Monighan	Load Friction	200W Diesel
R-29849	221430-20D	17573-D	9849D	20	12x1¼x9	Ext. 70	Bucyrus Monighan	Hoist & Load Brakes	200W Diesel
R-29850	221439-20D	19355-D	9850D	20	16x1¼x10¾	Ext. 94	Bucyrus Monighan	Load & Drag Brakes	450-W
R-29852	221440-21D	19804	9852D	21	10x1-1/8x9-7/8	Ext. 72	Bucyrus Monighan	Load Hoist Friction	450-W

SBGA&B2 1221372

Redco Brake Block Industrial Set Group Listing

Redco Brake Block Part No.	Grey Rock Part No.	S. K. Wellman Johns-Manville Part No.	Raybestos Part No.	Pcs. Per Set	SIZE	Drum Dia.	MAKE	APPLICATION	MODEL
R-29853	221441-25D	19805-D	9853D	25	10x1-1/8x9-7/8	Ext. 84	Bucyrus Monighan	Drag Friction	450-W
R-29854	220923-16D	19339-D	9854D	16	6x1-1/8x8	Ext. 54	Bucyrus Monighan	Hoist Friction	6160
R-29855	220924-18D	19043	9855D	18	6x1-1/8x8	Ext. 69	Bucyrus Monighan	Drag Frictions	6160
R-29856	221438-17D	19357	9856D	17	10x1-1/8x9¾	Ext. 65	Bucyrus Monighan	Hoist Brake	6160
R-29857	221796-D	19358	9857	17	5x1-1/8x9-3/4	Ext. 65	Bucyrus Monighan	Hoist Brake	6160
R-29858	220925-40D	19341	9858D	21	6x1-1/8x8	Ext. 65	Bucyrus Monighan	Drag Brake	6160
R-29860			9860D	4	4x9/32x18	Int. 17	Frank G. Hough	Front Wheel Brakes	H-70, H-90
R-29862-D		19569-D	9862D	8	8x¾x11-7/8	Int. 42	Lima	Swing Frictions	1800
R-29863	50D20-20		9863	4	5x3/8x14-1/8	Int. 20	Lima	Independent Propel & Third Drum Friction	1250
R-29864	40D21-20	19888	9864	4	4x3/8x16-3/8	Ext. 21	Lima	Steering Brakes	1250
R-29865	22D10-15		9865	4	2½x3/8x5-5/8	Ext. 15	Lima	Propel Brake	1250
R-29866			9866	8	7x1/2x13-1/8	Ext. 34	Lima	Propel Brake	1800
R-29867	221732-6P	19765	9867	6	5x¾x21¼	Int. 45	Lima	Retract Friction	2400
R-29868	221638-8P	19566 /6032	9868	8	6x¾x20¾	Int. 58	Lima	Hoist & Drag Frictions	2400
R-29869	60E10-50	19886	9869	7	6x½x19½	Ext. 50	Lima	Hoist & Crowd Brakes	1250
R-29870	221885-11D		9870D	11	4 x 3/8 x 7	Int. 34	Marion	Hoist Frictions	83M
R-29871	221763-18D		9871D	18	5x3/8x5¼	Ext. 40	Marion	Hoist & Crowd Brake	362, 372
R-29872	221785-16D		9872D	16	6x3/8x5¼	Ext. 40	Marion	Hoist Brakes	83M
R-29873-KL	221661-14KL	19670-KL	9873KL	14	10x1x12	Ext. 62	Marion	Hoist Brake	4161
R-29876	221662-21P	19680	9876	21	8x1¼x11-7/8	Ext. 96	Marion	Hoist Friction	5480
R-29877		19682	9877	26	8x1x11-7/8	Ext. 120	Marion	Hoist Friction	5560, 5561
R-29878	221667-22P	19683	9878	22	5x1x11-7/8	Ext. 96	Marion	Hoist Brake	5560, 5561
R-29879	221669-24P	19698	9879	24	14x1½x12	Ext. 120	Marion	Hoist & Drag Brakes	7800
	221672-19P			(19	14x7/8x14¼)				
R-29880	221671-2P	19697	9880	(2	14x7/8x8¾)	Ext. 120	Marion	Drag Friction	7800
	221670-1P			(1	14x7/8x7½)				
R-29881	70E14-32	19495	9881	6	7x½x14	Int. 32	P & H	Hoist Friction	1400
R-29882	221682-8P	19500	9882	8	9x¾x12¼	Ext. 40	P & H	Hoist Brake	1500
R-29883	220939-12D		9883	11	6x¾x12	Ext. 48	Page	Hoist & Drag Frictions	618
R-29884-D	220946-15D	19737-D	9884D	15	6x¾x12	Ext. 66	Page	Hoist & Drag Brakes	618
R-29887-D	221123-12D	19062-D /6203	9887D	12	7x¾x12-1/8	Ext. 66	Page	Hoist & Drag Brakes	618
R-29888	70E12-68	19741	9888	17	7x½x12	Ext. 68	Page	Hoist & Drag Brakes	620
R-29889-D	221381-12D		9889D	12	6x¾x12	Ext. 52	Page	Hoist & Drag Frictions	621
R-29890-D	221477-14D	19837-D	9890D	14	9x1¼x12	Ext. 76	Page	Hoist & Drag Brakes	621
R-29891-D	221360-21D	19062-D	9891D	21	7x¾x12	Ext. 70	Page	Hoist & Drag Brakes	621
R-29892-D	220937-14D	19064-D	9892D	14	9x¾x12-1/8	Ext. 70	Page	Hoist & Drag Brakes	621S

SBGA&B2 1221373

Redco Brake Block Industrial Set Group Listing

Redco Brake Block Part No.	Grey Rock Part No.	S. K. Wellman Johns-Manville Part No.	Raybestos Part No.	Pcs. Per Set	SIZE	Drum Dia.	MAKE	APPLICATION	MODEL
- 29893-D	220907-14D		9893D	14	8x5/8x12	Ext. 70	Page	Hoist & Drag Brakes	621S
- 29894-D	221839-13D		9894D	13	9x1x12	Ext. 70	Page	Hoist & Drag Brakes	621S
- 29895-D	221432-13D	19745-D	9895D	13	8x¾x12	Ext. 60	Page	Hoist Friction	625
- 29896-D	221431-12D	19744-D	9896D	(11	8x¾x12)	Ext. 54	Page	Hoist Friction	625
				(1	8x¾x4½)				
- 29898-D	221433-14D	19746-D	9898D	14	12x1¼x12¼	Ext. 76	Page	Hoist & Drag Brakes	625
- 29899-D	221466-14D	19747-D	9899D	14	14x1¼x12	Ext. 76	Page	Hoist & Drag Brakes	625
- 29900-D	221499-22D	19749-D	9900D	22	7x1-1/8x10½	Ext. 90	Page	Hoist & Drag Frictions	631 Electric
- 29900-AD	221499-18D	19750-D	9900AD	18	7x1-1/8x10½	Ext. 90	Page	Hoist & Drag Brakes	631 Electric
- 29919-KL	221280-14D	19063-D	9919KL	14	10x1¼x12	Ext. 70	Marion	Drag Brakes	7200 Walker
- 29919-AKL	221280-13D	19834-D	9919AKL	13	10x1¼x12	Ext. 70	Marion	Hoist Brakes	7200 Walker
- 29927-KL	221663-20P	19065-D	9927KL	20	10x1¾x11-7/8	Ext. 96	Marion	Drag Friction	5480
- 29928-KL	221664-4P	19066-D	9928KL	4	16x1¼x12	Ext. 96	Marion	Hoist & Drag Brakes	5480
	221665-8P			8	16x1¼x12½				
- 29929		19067 16318	9929	4	8x1/2x12-3/16	Ext. 30	Bucyrus-Erie	Crowd Brakes	950-B, 1050-B
- 29938-D	221319-15D	19031-D	9938D	15	10x1-1/8x10	Ext. 58	Bucyrus Monighan	Drag Brakes	4W
- 29946-KL	221401-15KL	19034-KL	9946KL	15	10x¾x9¾	Ext. 52	Manitowoc	Hoist & Drag Brakes	4500 — 16628K
- 29946-KL2X	221541-15KL	19034-KL2X	9946KL2X	15	10x7/8x9¾	Ext. 51¾	Manitowoc	Hoist & Drag Brakes	Late Model 4500
- 29946-KL8X		19034-KL8X	9946KL8X	15	10x1¼x9¾	Ext. 51	Manitowoc	Hoist & Drag Brakes	Late Model 4500
- 29947-KL	221400-14KL	19050-KL	9947KL	14	9x5/8x10	Int. 49	Manitowoc	Hoist & Drag Friction	4500
- 29948-KL	221399-8KL	19049-KL 16600K	9948KL	8	7½x¾x14¼	Int. 40	Manitowoc	Swing Frictions	4500 — 16600K
- 29948-KL2X	221506-8KL	19049-KL2X	9948-KL2X	8	7½x7/8x14-3/8	Int. 40¾	Manitowoc	Swing Frictions	Late Model 4500
- 29949-KL	221598-23KL		9949KL	23	10½x1x7	Ext. 64	Lima	Hoist & Drag Brake	2400
- 29950-KL	221813-KL			23	11x1x7	Ext. 64	Lima	Hoist & Drag Brake	2400
- 30101				6	8x5/8x23¾	Int. 49	Manitowoc	Hoist & Drag Friction	Late Model 4500
- 30102				6	8x¾x23¾	Int. 49	Manitowoc	Hoist & Drag Friction	Late Model 4500
- 30103				6	9x5/8x23¾	Int. 49	Manitowoc	Hoist & Drag Friction	Late Model 4500
- 30104				6	9x¾x23¾	Int. 49	Manitowoc	Hoist & Drag Friction	Late Model 4500

SBGA&B2 1221374

QUALITY **Redco** PRODUCTS

(201) 589-1410

10/23/73

YOUR DISCOUNT: LESS 80% East Paterson Machine Co.

EXHIBIT tabbies 28 4-13-12

LIST PRICES FOR MOLDED FLAT SHEET STOCK

REDDAWAY TYPE MFS-1

A rigid fully cured, high friction, heavy duty molded flat sheet containing brass chips with asbestos - rubber bonded base. Ideally suited for discs and segments of various dimensions.

25" wide x 3/16" thick x 25" long	$ 51.00	List per sheet
1/4"	60.80	"
5/16"	81.15	"
3/8"	95.90	"
1/2"	155.50	"

REDDAWAY TYPE MGP-1

A general purpose rigid, fully cured molded sheet suitable for service either dry or in oil. The coefficient of friction in dry service is .34 and .08 in oil.

20" wide x 1/16" thick x 20" long	$ 23.60	List per sheet
1/8"	31.55	"
5/32"	40.55	"
3/16"	49.55	"
1/4"	65.20	"
5/16"	81.90	"
3/8"	93.55	"

3 1/8 Lbs 7 3/4
2 7/8 Lbs 6

LIST PRICE SHEET NO. MFS 8172
EFFECTIVE: August 1, 1972