

STATE OF CALIFORNIA - HEALTH AND WELFARE AGENCY

RONALD REAGAN, Governor

DEPARTMENT OF PUBLIC HEALTH

Bureau of Occupational Health
1449 Temple St., Suite 106
Los Angeles, California 90026

RECEIVED EX



NOV 22 1968

November 22, 1968

California Zircalloy Company
758 Colorado Boulevard
Los Angeles, California 90041

Dear Sirs:

Enclosed is a copy of the report of our industrial hygiene study of exposures to asbestos dust at the Beverly Hills High School construction site. This study was made at the request of the California Division of Industrial Safety.

The operation studied involved the application of a cementitious fire retardant material, Monocote[®], to structural "I" beams by means of a pneumatic plaster gun assembly. Atmospheric concentrations of asbestos-containing dust were found to be low on a count basis. However, on a weight basis, exposures were found to exceed our suggested Threshold Limit Value for asbestos dust.

Therefore, because of the added carcinogenic properties of asbestos, recommendations for additional personal protection are offered in this report.

We wish to thank Messrs. Ray Rothfelder and Doyle D. Nigh for their cooperation during the conduct of this study.

Very truly yours,

Thomas H. Milby, M.D., Chief
Bureau of Occupational Health

H. P. Blejer, M.D.
Hector P. Blejer, M.D., D.I.H.
Medical Officer

HPB/ld
enc.

STATE OF CALIFORNIA—HEALTH AND WELFARE AGENCY

RONALD REAGAN, Governor

DEPARTMENT OF PUBLIC HEALTH

Bureau of Occupational Health
1449 Temple St., Suite 106
Los Angeles, California 90026

RECEIVED EX



NOV 22 1968

November 22, 1968

California Zirc-lite Company
758 Colorado Boulevard
Los Angeles, California 90041

Dear Sirs:

Enclosed is a copy of the report of our industrial hygiene study of exposures to asbestos dust at the Beverly Hills High School construction site. This study was made at the request of the California Division of Industrial Safety.

The operation studied involved the application of a cementitious fire retardant material, Monocote, to structural "I" beams by means of a pneumatic plaster gun assembly. Atmospheric concentrations of asbestos-containing dust were found to be low on a count basis. However, on a weight basis, exposures were found to exceed our suggested Threshold Limit Value for asbestos dust.

Therefore, because of the added carcinogenic properties of asbestos, recommendations for additional personal protection are offered in this report.

We wish to thank Messrs. Ray Rothfelder and Doyle D. Nigh for their cooperation during the conduct of this study.

Very truly yours,

Thomas H. Milby, M.D., Chief
Bureau of Occupational Health

H. P. Blejer, M.D.
Hector P. Blejer, M.D., D.I.H.
Medical Officer

HPB/ld
enc.