MD-3-A

PACKAGE TICKET (DRY AND PASTE ONLY)

CODE [illegible] LOT [illegible]

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PO
	1	[illegible]	[illegible]	
130 - 23 -	**STUMP**			

TOTAL NET WT. [illegible] PKG. N-CODE

PROD. SPVR. DATE WHSE. OPER.

[illegible] [illegible]



DUP050293605

N33196.01

33/106

CG 46 CODE YT-858-D PKG. ____

→ DEC 14 33317

EST. WGT. 2287 LBS.

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES	APPROVED BY
YT-858-D (A)	EWK 09-30-76
	DCG 05-30-78
TYPED BY	
emw080878	

MAKING NOTES

REMARKS

Stump press @ 60 cakes

Note: • take 1 qt mother liquor when filling

• take 1 qt wash water effluent at final ohms

AME: DALAMAR® YELLOW

BLEEDING

-PRESSING-

INSTRUCTIONS

AT		106			
ATE		12-14-79			
IME		10.20 PM			
ELEASED BY		[illegible]			
RESS	32	33	35		
O. OF CAKES	60	60	60		

RESS without AGITATION

ASH TO 4000 OHMS with 35-75°F water

EST AFTER 6 HOURS

OAD on 10 cars

DO NOT LOAD BOTTOM 2 ROWS OF CARS

• 1 qt mother liquor when filling

• 1 qt wash water effluent at final ohms

AMPLES 1 QT

DELIVER TO SH

RECORD

PRESSLOAD	1ST	2ND	3RD	4TH	5TH
STARTED	12 M				
CAKES USED	64				
WATER ON	330 AM				
HRS. WASHED	6 HRS			4	
OHMS	4000				
HRS. WASHED					
OHMS					
HRS. WASHED					
OHMS					
CAKE CONDITION					
NO. CARS LOADED	67	5			

EXPLAIN LOSSES

SAMPLED BY 1758 RELEASED BY S.K.

-DRYING-

Dry 12 hrs at 200°F

THEN DRY 12 HRS @ 160°F

LUMP: - ON - WET - SALTS - CONTAMINATE

ADDITIONAL DRYING HOURS REQUIRED

NO. DRUMS 16

AMPLES 1 QT

NO. CARS PULLED

LUMP WGT. 2282

DELIVER TO

SAMPLED BY

RELEASED BY SH

-GRINDING-

MILL 4 or 10 HSP 1/8" RP SCREEN 3500 RPM

SCREEN RPM

MAX. TEMP. °F

EXPLAIN LOSSES

AMPLE WITHOUT MIXING

AMPLES 1 Env & 1 Pt Can + 1 qt + 1 gallon

DELIVER TO C T L

DATE MIXED 12-16

SAMPLED BY 4411 RELEASED BY

DUP050293606

N33196.02



DUP050293607

N33196.03