PLAINTIFF'S
EXHIBIT
AL-1771

FROM J. L. DIEDERICH
METALS & CHEMICALS GROUP
PITTSBURGH OFFICE - 29

TO

1989 January 09

RE: ASBESTOS

With respect to the captioned, would you please advise me of the following for your plant:

1. Are we in violation of any regulations?

2. Are we proactive enough? 1989 should be a good year, and it will be a nice time to deal with asbestos issues before they become potential problems.

Please send me a brief summary on this subject when convenient.

Jack

J. L. DIEDERICH

JLD/vds

Distribution: T. W. Baugh, Jr. - Badin Works
H. W. Cooper - Pt. Comfort Operations
W. J. Drake - Rockdale Works
M. E. Goza - Wenatchee Works
R. G. Kuerner - Arkansas Operations
H. McLaughlin - Warrick Operations
D. F. Simonic - Tennessee Operations
G. F. Stephens - Northwest Alloys, Inc.
L. E. Tate - Massena Operations

cc: R. C. Rawe - 29
R. F. Slagle - 29
R. A. Schultz - Arkansas Operations
R. R. Taylor - 28

ALCOA

(6)

HAROLD S. EVANS

PITTSBURGH OFFICE

Draft

MR. B. R. BARSTOW
MR. ALAIN BELDA
MR. B. H. J. BEMELMANS
MR. K. L. MILLICAN
MR. W. A. SNADECKI
MR. N. F. STEPHEN

January 17, 1989

RE: ASBESTOS

Attached is a letter from Fred Fetterolf advising us of the need to deal more aggressively with asbestos.

I would appreciate your comments on the following:

1. Are we in violation of any local regulations concerning asbestos?

2. Are we dealing with asbestos issues before they become potential problems?

When convenient, please send me a brief summary on your situation.

HAROLD S. EVANS

mb
Attachment
cc: R. M. James
A. C. Roemhild

Feedback given to Martha Babick Concerning this letter

Please add to Item 1
"Please advise this office of the specific requirements of local asbestos regulations".

"Copy Pgh IH & Safety on responses"

FROM C. F. FETTEROLF

PITTSBURGH OFFICE - 30

TO MESSRS.
R. R. HOFFMAN - 29
J. L. DIEDERICH - 29
V. R. SCORSONE - 29
C. K. LIGON - 30
H. S. EVANS - 30

1989 January 04

RE: ASBESTOS

In a meeting this morning on a variety of environmental issues, the subject of asbestos was discussed.

We didn't have the knowledge in the meeting, but there were strong feelings that we need to deal more aggressively with eliminating asbestos.

Will you please insure yourself that:

1. The plants are aware of their asbestos situation.
2. We are not in violation of any regulation.
3. We are doing the right thing. 1989 is a good year to put problems behind us.
4. You are satisfied with our position.

I would like your feedback.

C. F. FETTEROLF

CFF/sam

C8

ALCOA

SF-4563 (REV 11-88)

LLK Chron 89/01/12

Linda

In response to your question about an overview of the asbestos regs I can offer the attached decision tree which explains removal much better than it explains the existence of asbestos in a plant facility.

Let me see if this is the decision tree for intact asbestos insulation?



ASBESTOS EXPOSURE DECISION TREE



ARD 007614

Charles F. DiMascio

To:

We can't wait for tomorrow

9-01-11

Laura,

Do you have a synopsis of asbestos Regs: what does it take to be in compliance

Inventory assessment

GOOD BAD

ENCASE REMODE

CFD

ALCOA

1501 Alcoa Building
Pittsburgh Pennsylvania 15219