MD-3-A

PACKAGE TICKET

CODE BP565 LOT K2H43

PO	NET WT/PKG.	NO. PKG.	PACK WT.	LOCATION
		11	1764	33
	STUMP			

TOTAL NET WT. 1764

LUMP WT. 1806 PKG. N-CODE

PROD. SUPV. DATE 10/29 OPERATOR

DUP050102485

	C
	1·67 +
	1·77 +
	1·88 +
	1·60 +
	1·72 +
	1·75 +
	1·51 +
	1·79 +
	2·00 +
	1·66 +
	0·29 +
011	
	17·64 ↳

DUP050102486

PRODUCT NAME = NON [illegible] CODE
(RESIN EXTENDED LPC FOR PLASTIC
CG 20 CODE BP-565-D PK

NON-BLEEDING

PROCESSES APPROVED BY
BP-565-D (A) BBK 11/20/81
XOC-23 TCP 02/02/82

LOT K2113 SEP 23 1982

EST. WT. ~~5000~~ 2079* LBS. (11)

MAKING NOTES

JOB NAME: 20BP565DPA

N-8575 LOT N-072 ABC

INSTRUCTIONS = PRESSING =		RECORD				
VAT	PRESSLOAD	1ST	2ND	3RD	4TH	5TH
DATE	STARTED					
TIME	CAKES USED					
RELEASED BY	WATER ON					
PRESS	HRS. WASHED					
NO. OF CAKES	OHMS					
PRESS WITH AGITATION	HRS. WASHED					
WASH TO OHMS -	OHMS					
TEST AFTER HOURS	HRS. WASHED					
LOAD ON 8 CARS	OHMS					
PANLOAD	CAKE CONDITION					
#3 CLEAN PANS + CARS (IF USED FOR	NO CARS LOADED	4+2				
OTHER CODES) REQ'D TO INSURE	EXPLAIN LOSSES					
HOSE OFF PANS BEFORE PANLOADING						
SAMPLES JAR	SAMPLED BY					
DELIVER TO	RELEASED BY BLL					

= DRYING =

DRY 36 HOURS AT ~~150~~ 160 DEG F.
DRY IN SECTIONS:

LUMP: - OK - WET - SALTS - CONTAMINATD

TAKE COMPOSITE SAMPLES FROM EACH DRYER CAR, NOTE CODE, LOT, DRYER #, DATE, TIME AND SUBMIT TO CTL FOR % MOISTURE

[redacted]

LEAVE IN DRYER WHILE MOISTURE RUN
IF 1% OR LESS MOISTURE - OK TO PULL

ADDITIONAL DRYING HOURS REQUIRED

DUMP IN NEW LIP'S WITH LINER (PAPER)

SAMPLES ~~[illegible]~~ 1PT + 1 GAL

DELIVER TO CTL

NO DRUMS 12
LUMP WGT 1806
NO CARS PULLED
SAMPLED BY
RELEASED BY BLL

[redacted]

DO 200 10.29.82

NOT

GRIND Ref T.P.

W.S
11/29/82

DUP050102487

43
51
16

0.00 *

1.61 +
0.14 -
1.68 +
0.14 -
1.66 +
0.14 -
1.78 +
0.14 -
1.66 +
0.14 -
1.77 +
0.14 -
1.75 +
0.14 -
1.51 +
0.14 -
12.30 *

12.30 +
1.54 +
0.14 -
1.55 +
0.14 -
15.11 *

43
124
51

1.44 +
0.14 -
1.79 +
0.14 -
15.11 +
18.06 *

DUP050102488