PACKAGE TICKET (DRY AND PASTE ONLY)

CODE BT695 LOT 37026

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PQ
	8	1301	14	
	STUMP	Lump wt	1395	

TOTAL NET WT. 1301 PKG. N-CODE

PROD. SPVR.	DATE	WHSE. OPER.
[signature]	10/1/	292

0.T

155.+
176.+
161.+
165.+
169.+
152.+
156.+
167.+
1301.T

36

CG 36 CODE RT-695-D PKG. ____

SEP·-5·80 37026

EST. WGT. 1350 LBS.

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES	APPROVED BY
RT-695-D (M)	DCG 1-12
	IHD 2-25
TYPED BY	
LG 5-15-72	

~~Retyped 2-27-80~~ MnM

MAKING NOTES

REMARKS

NAME: BON RED DARK

NON-BLEEDING

-PRESSING-

INSTRUCTIONS						RECORD					
VAT			100			PRESSLOAD	1ST	2ND	3RD	4TH	5TH
DATE			9-5-80			STARTED	5 AM				
TIME			3:30 PM			CAKES USED	[illegible]				
RELEASED BY			MP 36			WATER ON	4:30 PM				
PRESS	32	33	35	38	39	HRS. WASHED	16½				
NO. OF CAKES	60	60	60 30	60	60	OHMS	4000				
PRESS Without		AGITATION				HRS. WASHED					
WASH TO 4000		OHMS with 35-75F water				OHMS					
TEST AFTER 16		HOURS				HRS. WASHED					
LOAD on 8 cars						OHMS					
						CAKE CONDITION					
						NO. CARS LOADED	4				
						EXPLAIN LOSSES					

AK

SAMPLES

DELIVER TO

SAMPLED BY RELEASED BY AK

-DRYING-

HOURS Dry 24 hours at L.V. H.V.

TEMP. 180 °F °F

SE 15-30

Mn Color

LUMP: - OK - WET - SALTS - CONTAMINATED

ADDITIONAL DRYING HOURS REQUIRED

SAMPLES

DELIVER TO

NO. CARS PULLED Drums 7

LUMP WGT. 1395

SAMPLED BY RELEASED BY KH

-GRINDING-

MILL 5 HSP 1/8" RP SCREEN 4600 RPM

MAX. TEMP. °F

Mn Color

SCREEN RPM

MAX. TEMP. °F

EXPLAIN LOSSES

SAMPLE [redacted] / WITHOUT MIXING

SAMPLES Env & 2 pt cans

DELIVER TO C T L

DATE MIXED 9-30-80

SAMPLED BY 384 RELEASED BY

DUP050107256

37026

51
16

2.95 +
0.14 -
2.11 +
0.14 -
2.02 +
0.14 -
2.14 +
0.14 -
2.26 +
0.14 -
2.21 +
0.14 -
1.24 +
0.14 -
13.95 x

DUP050107257