

for photoionization detection can be useful for locating high concentration pockets, in leak detection, and continuous ambient air monitoring. Both portable and stationary gas chromatographs are available with various types of detectors, including photoionization detectors. A gas chromatograph with a photoionization detector retains the photoionization sensitivity, but minimizes or eliminates interferences. For several GC/FID units, the sensitivity is in the 0.1-0.2 ppm EtO range. The GC/FID with microprocessors can sample up to 20 sample points sequentially, calculate and record data, and activate alarms or ventilation systems. Many are quite flexible and can be configured to meet the specific analysis needs for the workplace.

DuPont presented their laboratory validation data of the accuracy of the Gas-Ketchem charcoal tube, the PCB charcoal tube, Mifan 103 IR analyzer, JM #3550 monitor and the Du Pont C-10 badge. Quoting Elbert V. Kring:

We also believe that OSHA's proposed accuracy in this standard is appropriate. At plus or minus 25 percent at one part per million, and plus or minus 35 percent below that. And, our data indicates there's only one monitoring method, right now, that we've tested thoroughly, that meets that accuracy requirements. That is the Du Pont Pro-Tek badge. . . . We also believe that this kind of data should be confirmed by another independent laboratory, using the same type dynamic chamber testing (Tr. 1479)

Additional data by an independent laboratory following their exact protocol was not submitted. However, information was submitted on comparisons and precision and accuracy of those monitoring procedures which indicate far better precision and accuracy of those monitoring procedures than that obtained by Du Pont (Ex. 4-20, 130, 11-60, 11-133, 130, 135A).

The accuracy of any method depends to a large degree upon the skills and experience of those who not only collect the samples but also those who analyze the samples. Even for methods that are collaboratively tested, some laboratories are closer to the true values than others. Some laboratories may meet the precision and accuracy requirements of the method; others may consistently far exceed them for the same method.

(Approved by the Office of Management and Budget under control number 1218-0108)

(49 FR 25796, June 22, 1984, as amended at 50 FR 9801, Mar. 12, 1985; 50 FR 41494, Oct. 11, 1985)

§ 1910.1200 Hazard communication.

(a) **Purpose.** (1) The purpose of this section is to ensure that the hazards of all chemicals produced or imported by chemical manufacturers or importers are evaluated, and that information concerning their hazards is transmitted to affected employers and employees within the manufacturing sector. This transmittal of information is to be accomplished by means of comprehensive hazard communication programs, which are to include container labeling and other forms of warning, material safety data sheets and employee training.

(2) This occupational safety and health standard is intended to address comprehensively the issue of evaluating and communicating chemical hazards to employees in the manufacturing sector; and to preempt any state law pertaining to this subject. Any state which desires to assume responsibility in this area may only do so under the provisions of section 18 of the Occupational Safety and Health Act (39 U.S.C. 651 et seq.) which deals with state jurisdiction and state plans.

(b) **Scope and application.** (1) This section requires chemical manufacturers or importers to assess the hazards of chemicals which they produce or import, and all employers in SIC Codes 20 through 39 (Division D, Standard Industrial Classification Manual) to provide information to their employees about the hazardous chemicals to which they are exposed, by means of a hazard communication program, labels and other forms of warning, material safety data sheets, and information and training. In addition, this section requires distributors to transmit the required information to employers in SIC Codes 20-39.

(2) This section applies to any chemical which is known to be present in the workplace in such a manner that employees may be exposed under normal conditions of use or in a foreseeable emergency.

(3) This section applies to laboratories only as follows:

(i) Employers shall ensure that labels on incoming containers of hazardous chemicals are not removed or defaced;

Occupational

(ii) Employers shall ensure that material safety data sheets are received with hazardous chemicals, and that they are readily accessible to employees.

(iii) Employers shall ensure that employees are trained in the hazards of chemicals in their workplaces.

(4) This section shall not apply to the following: (i) Any person who is not an employer, as defined in the Act, and 136 et seq.). (ii) Any person who is not a manufacturer, importer, distributor, or employer, as defined in the Act, and 136 et seq.). (iii) Any person who is not a manufacturer, importer, distributor, or employer, as defined in the Act, and 136 et seq.).

(iv) Any person who is not a manufacturer, importer, distributor, or employer, as defined in the Act, and 136 et seq.). (v) Any person who is not a manufacturer, importer, distributor, or employer, as defined in the Act, and 136 et seq.).

(vi) Any person who is not a manufacturer, importer, distributor, or employer, as defined in the Act, and 136 et seq.). (vii) Any person who is not a manufacturer, importer, distributor, or employer, as defined in the Act, and 136 et seq.).

(viii) Any person who is not a manufacturer, importer, distributor, or employer, as defined in the Act, and 136 et seq.). (ix) Any person who is not a manufacturer, importer, distributor, or employer, as defined in the Act, and 136 et seq.).

(x) Any person who is not a manufacturer, importer, distributor, or employer, as defined in the Act, and 136 et seq.). (xi) Any person who is not a manufacturer, importer, distributor, or employer, as defined in the Act, and 136 et seq.).

Employers shall maintain any material safety data sheets that are received with incoming shipments of hazardous chemicals, and ensure that they are readily accessible to laboratory employees; and,

(iii) Employers shall ensure that laboratory employees are apprised of the hazards of the chemicals in their workplaces in accordance with paragraph (h) of this section.

(4) This section does not require labeling of the following chemicals:

(i) Any pesticide as such term is defined in the Federal Insecticide, Fungicide, and Rodenticide Act (7 U.S.C. 136 et seq.), when subject to the labeling requirements of that Act and labeling regulations issued under that Act by the Environmental Protection Agency;

(ii) Any food, food additive, color additive, drug, or cosmetic, including materials intended for use as ingredients in such products (e.g., flavors and fragrances), as such terms are defined in the Federal Food, Drug, and Cosmetic Act (21 U.S.C. 301 et seq.) and regulations issued under that Act, when they are subject to the labeling requirements of that Act and labeling regulations issued under that Act by the Food and Drug Administration;

(iii) Any distilled spirits (beverage alcohols), wine, or malt beverage intended for nonindustrial use, as such terms are defined in the Federal Alcohol Administration Act (27 U.S.C. 201 et seq.) and regulations issued under that Act, when subject to the labeling requirements of that Act and labeling regulations issued under that Act by the Bureau of Alcohol, Tobacco, and Firearms; and,

(iv) Any consumer product or hazardous substance as those terms are defined in the Consumer Product Safety Act (15 U.S.C. 2051 et seq.) and Federal Hazardous Substances Act (15 U.S.C. 1261 et seq.) respectively, when subject to a consumer product safety standard or labeling requirement of those Acts, or regulations issued under those Acts by the Consumer Product Safety Commission.

(5) This section does not apply to:

(i) Any hazardous waste as such term is defined by the Solid Waste Disposal Act, as amended by the Re-

source Conservation and Recovery Act of 1976, as amended (42 U.S.C. 6901 et seq.), when subject to regulations issued under that Act by the Environmental Protection Agency;

(ii) Tobacco or tobacco products;

(iii) Wood or wood products;

(iv) Articles; and,

(v) Foods, drugs, or cosmetics intended for personal consumption by employees while in the workplace.

(c) **Definitions.** "Article" means a manufactured item: (i) Which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which does not release, or otherwise result in exposure to, a hazardous chemical under normal conditions of use.

"Assistant Secretary" means the Assistant Secretary of Labor for Occupational Safety and Health, U.S. Department of Labor, or designee.

"Chemical" means any element, chemical compound or mixture of elements and/or compounds.

"Chemical manufacturer" means an employer in SIC Codes 20 through 39 with a workplace where chemical(s) are produced for use or distribution.

"Chemical name" means the scientific designation of a chemical in accordance with the nomenclature system developed by the International Union of Pure and Applied Chemistry (IUPAC) or the Chemical Abstracts Service (CAS) rules of nomenclature, or a name which will clearly identify the chemical for the purpose of conducting a hazard evaluation.

"Combustible liquid" means any liquid having a flashpoint at or above 100°F (37.8°C), but below 200°F (93.3°C), except any mixture having components with flashpoints of 200°F (93.3°C), or higher, the total volume of which make up 99 percent or more of the total volume of the mixture.

"Common name" means any designation or identification such as code name, code number, trade name, brand name or generic name used to identify a chemical other than by its chemical name.

"Compressed gas" means:

(i) A gas or mixture of gases having, in a container, an absolute pressure exceeding 40 psi at 70°F (21.1°C); or

(ii) A gas or mixture of gases having, in a container, an absolute pressure exceeding 104 psi at 130°F (54.4°C) regardless of the pressure at 70°F (21.1°C); or

(iii) A liquid having a vapor pressure exceeding 40 psi at 100°F (37.8°C) as determined by ASTM D-323-72.

"Container" means any bag, barrel, bottle, box, can, cylinder, drum, reaction vessel, storage tank, or the like that contains a hazardous chemical. For purposes of this section, pipes or piping systems are not considered to be containers.

"Designated representative" means any individual or organization to whom an employee gives written authorization to exercise such employee's rights under this section. A recognized or certified collective bargaining agent shall be treated automatically as a designated representative without regard to written employee authorization.

"Director" means the Director, National Institute for Occupational Safety and Health, U.S. Department of Health and Human Services, or designee.

"Distributor" means a business, other than a chemical manufacturer or importer, which supplies hazardous chemicals to other distributors or to manufacturing purchasers.

"Employee" means a worker employed by an employer in a workplace in SIC Codes 20 through 39 who may be exposed to hazardous chemicals under normal operating conditions or foreseeable emergencies, including, but not limited to production workers, line supervisors, and repair or maintenance personnel. Office workers, grounds maintenance personnel, security personnel or non-resident management are generally not included, unless their job performance routinely involves potential exposure to hazardous chemicals.

"Employer" means a person engaged in a business within SIC Codes 20 through 39 where chemicals are either used, or are produced for use or distribution.

"Explosive" means a chemical that causes a sudden, almost instantaneous release of pressure, gas, and heat when subjected to sudden shock, pressure, or high temperature.

"Exposure" or "exposed" means that an employee is subjected to a hazardous chemical in the course of employment through any route of entry (inhalation, ingestion, skin contact or absorption, etc.), and includes potential (e.g., accidental or possible) exposure.

"Flammable" means a chemical that falls into one of the following categories:

(i) "Aerosol, flammable" means an aerosol that, when tested by the method described in 16 CFR 1500.45, yields a flame projection exceeding 18 inches at full valve opening, or a flashback (a flame extending back to the valve) at any degree of valve opening;

(ii) "Gas, flammable" means:
(A) A gas that, at ambient temperature and pressure, forms a flammable mixture with air at a concentration of thirteen (13) percent by volume or less; or

(B) A gas that, at ambient temperature and pressure, forms a range of flammable mixtures with air wider than twelve (12) percent by volume, regardless of the lower limit;

(iii) "Liquid, flammable" means any liquid having a flashpoint below 100°F (37.8°C), except any mixture having components with flashpoints of 100°F (37.8°C) or higher, the total of which make up 99 percent or more of the total volume of the mixture.

(iv) "Solid, flammable" means a solid, other than a blasting agent or explosive as defined in § 1910.109(a), that is liable to cause fire through friction, absorption of moisture, spontaneous chemical change, or retained heat from manufacturing or processing, or which can be ignited readily and when ignited burns so vigorously and persistently as to create a serious hazard. A chemical shall be considered to be a flammable solid if, when tested by the method described in 16 CFR 1500.44, it ignites and burns with a self-sustained flame at a rate greater than one-tenth of an inch per second along its major axis.

"Flashpoint" means the minimum temperature at which a liquid gives off

a vapor in
gnite when
Tagli
American
of Test for
Tester, Z11
for liquids
45 Saybolt
100°F (37.8°
pended soli
ency to for
or

(ii) Pens
(see Amer
Method of
Pensky-Ma
1979 (ASTM
a viscosity
SUS a 100°
suspended
ency to for
or

(iii) Set:
American
of Test fo
Closed Tes
Organic pe
toaccelerat
are exclus
point dese
above.

"Foresee
potential
limited to
of contain
equipment
uncontrol
chemical i

"Hazard
pictures,
thereof at
appropria
convey th
in the con

"Hazard
chemical
a health

"Health
for which
cant evid
study con
tablished
acute or
occur in
"health
which are
toxic age
tants, co
toxins.

means a chemical that almost instantaneously, gas, and heat to sudden shock, pressure.

"exposed" means that subjected to a hazard, the course of employment route of entry (in on, skin contact or absorption) and includes potential or possible exposure.

means a chemical that the following categories:

Flammable means as when tested by the method in 16 CFR 1500.44, projection exceeding 18 inch opening, or a flash-extending back to the degree of valve opening.

Flammable means at, at ambient temperature, forms a flammable vapor at a concentration of percent by volume or

at, at ambient temperature, forms a range of mixtures with air wider than 2 percent by volume, or lower limit:

Flammable means any flashpoint below 100°F, any mixture having flashpoints of 100°F or lower, the total of which percent or more of the mixture.

Flammable means a chemical which is an a blasting agent or defined in § 1910.109(a), to cause fire through ignition of moisture, spontaneous change, or retained manufacturing or process can be ignited readily, burns so vigorously as to create a serious hazard, or shall be considered a solid if, when tested as described in 16 CFR 1500.44, it ignites and burns with a flame at a rate greater than 1 inch per second axis.

means the minimum temperature at which a liquid gives off

a vapor in sufficient concentration to ignite when tested as follows:

(i) Tagliabue Closed Tester (See American National Standard Method of Test for Flash Point by Tag Closed Tester, Z11.24-1979 (ASTM D 56-79)) for liquids with a viscosity of less than 45 Saybolt Universal Seconds (SUS) at 100°F (37.8°C), that do not contain suspended solids and do not have a tendency to form a surface film under test;

(ii) Pensky-Martens Closed Tester (See American National Standard Method of Test for Flash Point by Pensky-Martens Closed Tester, Z11.7-1979 (ASTM D 93-79)) for liquids with a viscosity equal to or greater than 45 SUS at 100°F (37.8°C), or that contain suspended solids, or that have a tendency to form a surface film under test;

(iii) Setaflash Closed Tester (See American National Standard Method of Test for Flash Point by Setaflash Closed Tester (ASTM D 3278-78)).

Organic peroxides, which undergo auto-accelerating thermal decomposition, are excluded from any of the flashpoint determination methods specified above.

Foreseeable emergency means any potential occurrence such as, but not limited to, equipment failure, rupture of containers, or failure of control equipment which could result in an uncontrolled release of a hazardous chemical into the workplace.

Hazard warning means any words, pictures, symbols, or combination thereof appearing on a label or other appropriate form of warning which convey the hazards of the chemical(s) in the container(s).

Hazardous chemical means any chemical which is a physical hazard or a health hazard.

Health hazard means a chemical for which there is statistically significant evidence based on at least one study conducted in accordance with established scientific principles that acute or chronic health effects may occur in exposed employees. The term "health hazard" includes chemicals which are carcinogens, toxic or highly toxic agents, reproductive toxins, irritants, corrosives, sensitizers, hepatotoxins, nephrotoxins, neurotoxins,

agents which act on the hematopoietic system, and agents which damage the lungs, skin, eyes, or mucous membranes. Appendix A provides further definitions and explanations of the scope of health hazards covered by this section, and Appendix B describes the criteria to be used to determine whether or not a chemical is to be considered hazardous for purposes of this standard.

Identity means any chemical or common name which is indicated on the material safety data sheet (MSDS) for the chemical. The identity used shall permit cross-references to be made among the required list of hazardous chemicals, the label and the MSDS.

Immediate use means that the hazardous chemical will be under the control of and used only by the person who transfers it from a labeled container and only within the work shift in which it is transferred.

Importer means the first business with employees within the Customs Territory of the United States which receives hazardous chemicals produced in other countries for the purpose of supplying them to distributors or manufacturing purchasers within the United States.

Label means any written, printed, or graphic material displayed on or affixed to containers of hazardous chemicals.

Manufacturing purchaser means an employer with a workplace classified in SIC Codes 20 through 39 who purchases a hazardous chemical for use within that workplace.

Material safety data sheet (MSDS) means written or printed material concerning a hazardous chemical which is prepared in accordance with paragraph (g) of this section.

Mixture means any combination of two or more chemicals if the combination is not, in whole or in part, the result of a chemical reaction.

Organic peroxide means an organic compound that contains the bivalent -O-O- structure and which may be considered to be a structural derivative of hydrogen peroxide where one or both of the hydrogen atoms has been replaced by an organic radical.

"Oxidizer" means a chemical other than a blasting agent or explosive as defined in § 1910.109(a), that initiates or promotes combustion in other materials, thereby causing fire either of itself or through the release of oxygen or other gases.

"Physical hazard" means a chemical for which there is scientifically valid evidence that it is a combustible liquid, a compressed gas, explosive, flammable, an organic peroxide, an oxidizer, pyrophoric, unstable (reactive) or water-reactive.

"Produce" means to manufacture, process, formulate, or repackage.

"Pyrophoric" means a chemical that will ignite spontaneously in air at a temperature of 130° F (54.4° C) or below.

"Responsible party" means someone who can provide additional information on the hazardous chemical and appropriate emergency procedures, if necessary.

"Specific chemical identity" means the chemical name, Chemical Abstracts Service (CAS) Registry Number, or any other information that reveals the precise chemical designation of the substance.

"Trade secret" means any confidential formula, pattern, process, device, information or compilation of information that is used in an employer's business, and that gives the employer an opportunity to obtain an advantage over competitors who do not know or use it. Appendix D sets out the criteria to be used in evaluating trade secrets.

"Unstable (reactive)" means a chemical which in the pure state, or as produced or transported, will vigorously polymerize, decompose, condense, or will become self-reactive under conditions of shocks pressure or temperature.

"Use" means to package, handle, react, or transfer.

"Water-reactive" means a chemical that reacts with water to release a gas that is either flammable or presents a health hazard.

"Work area" means a room or defined space in a workplace where hazardous chemicals are produced or used, and where employees are present.

"Workplace" means an establishment at one geographical location containing one or more work areas.

(d) *Hazard determination.* (1) Chemical manufacturers and importers shall evaluate chemicals produced in their workplaces or imported by them to determine if they are hazardous. Employers are not required to evaluate chemicals unless they choose not to rely on the evaluation performed by the chemical manufacturer or importer for the chemical to satisfy this requirement.

(2) Chemical manufacturers, importers or employers evaluating chemicals shall identify and consider the available scientific evidence concerning such hazards. For health hazards, evidence which is statistically significant and which is based on at least one positive study conducted in accordance with established scientific principles is considered to be sufficient to establish a hazardous effect if the results of the study meet the definitions of health hazards in this section. Appendix A shall be consulted for the scope of health hazards covered, and Appendix B shall be consulted for the criteria to be followed with respect to the completeness of the evaluation, and the data to be reported.

(3) The chemical manufacturer, importer or employer evaluating chemicals shall treat the following sources as establishing that the chemicals listed in them are hazardous:

(i) 29 CFR Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA); or,

(ii) *Threshold Limit Values for Chemical Substances and Physical Agents in the Work Environment*, American Conference of Governmental Industrial Hygienists (ACGIH) (latest edition).

The chemical manufacturer, importer, or employer is still responsible for evaluating the hazards associated with the chemicals in these source lists in accordance with the requirements of the standard.

(4) Chemical manufacturers, importers and employers evaluating chemicals shall treat the following sources as establishing that a chemical is a

Occupation

carcinogen hazard con
(1) Natl
(NTP). An
(latest edit
(ii) Inte
search on
(latest edit
(iii) 29
Toxic and
cupational
istration.

NOTE: Th
Chemical
tional Inst
Health inc
been found
tial carcino

(5) The
porter o
the haza
as follow

(i) If a
whole to
sults of
determin
ardous;

(ii) If
as a wh
mixture
ture sh
same he
nents w
weight
mixture
be assu
hazard
concent
er whic
gen un
tion;

(iii) I
as a w
mixture
chemic
emplo
cally v
the p
mixture

(iv) I
indica
the m
than
cinog
be re
would
perm
Thre
prese

carcinogen or potential carcinogen for hazard communication purposes:

(i) National Toxicology Program (NTP), *Annual Report on Carcinogens* (latest edition);

(ii) International Agency for Research on Cancer (IARC) *Monographs* (latest editions); or

(iii) 29 CFR Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration.

NOTE: The *Registry of Toxic Effects of Chemical Substances* published by the National Institute for Occupational Safety and Health indicates whether a chemical has been found by NTP or IARC to be a potential carcinogen.

(5) The chemical manufacturer, importer or employer shall determine the hazards of mixtures of chemicals as follows:

(i) If a mixture has been tested as a whole to determine its hazards, the results of such testing shall be used to determine whether the mixture is hazardous;

(ii) If a mixture has not been tested as a whole to determine whether the mixture is a health hazard, the mixture shall be assumed to present the same health hazards as do the components which comprise one percent (by weight or volume) or greater of the mixture, except that the mixture shall be assumed to present a carcinogenic hazard if it contains a component in concentrations of 0.1 percent or greater which is considered to be a carcinogen under paragraph (d)(4) of this section;

(iii) If a mixture has not been tested as a whole to determine whether the mixture is a physical hazard, the chemical manufacturer, importer, or employer may use whatever scientifically valid data is available to evaluate the physical hazard potential of the mixture; and

(iv) If the employer has evidence to indicate that a component present in the mixture in concentrations of less than one percent (or in the case of carcinogens, less than 0.1 percent) could be released in concentrations which would exceed an established OSHA permissible exposure limit or ACGIH Threshold Limit Value, or could present a health hazard to employees

in those concentrations, the mixture shall be assumed to present the same hazard.

(6) Chemical manufacturers, importers, or employers evaluating chemicals shall describe in writing the procedures they use to determine the hazards of the chemical they evaluate. The written procedures are to be made available, upon request, to employees, their designated representatives, the Assistant Secretary and the Director. The written description may be incorporated into the written hazard communication program required under paragraph (e) of this section.

(e) *Written hazard communication program.* (1) Employers shall develop and implement a written hazard communication program for their workplaces which at least describes how the criteria specified in paragraphs (f), (g), and (h) of this section for labels and other forms of warning, material safety data sheets, and employee information and training will be met, and which also includes the following:

(i) A list of the hazardous chemicals known to be present using an identity that is referenced on the appropriate material safety data sheet (the list may be compiled for the workplace as a whole or for individual work areas);

(ii) The methods the employer will use to inform employees of the hazards of non-routine tasks (for example, the cleaning of reactor vessels), and the hazards associated with chemicals contained in unlabeled pipes in their work areas; and,

(iii) The methods the employer will use to inform any contractor employers with employees working in the employer's workplace of the hazardous chemicals their employees may be exposed to while performing their work, and any suggestions for appropriate protective measures.

(2) The employer may rely on an existing hazard communication program to comply with these requirements, provided that it meets the criteria established in this paragraph (e).

(3) The employer shall make the written hazard communication program available, upon request, to employees, their designated representatives, the Assistant Secretary and the

Director, in accordance with the requirements of 29 CFR 1910.20(e).

(f) *Labels and other forms of warning.* (1) The chemical manufacturer, importer, or distributor shall ensure that each container of hazardous chemicals leaving the workplace is labeled, tagged or marked with the following information:

- (i) Identity of the hazardous chemical(s);
- (ii) Appropriate hazard warnings; and
- (iii) Name and address of the chemical manufacturer, importer, or other responsible party.

(2) Chemical manufacturers, importers, or distributors shall ensure that each container of hazardous chemicals leaving the workplace is labeled, tagged, or marked in accordance with this section in a manner which does not conflict with the requirements of the Hazardous Materials Transportation Act (18 U.S.C. 1801 et seq.) and regulations issued under that Act by the Department of Transportation.

(3) If the hazardous chemical is regulated by OSHA in a substance-specific health standard, the chemical manufacturer, importer, distributor or employer shall ensure that the labels or other forms of warning used are in accordance with the requirements of that standard.

(4) Except as provided in paragraphs (f)(5) and (f)(6) the employer shall ensure that each container of hazardous chemicals in the workplace is labeled, tagged, or marked with the following information:

- (i) Identity of the hazardous chemical(s) contained therein; and
- (ii) Appropriate hazard warnings.

(5) The employer may use signs, placards, process sheets, batch tickets, operating procedures, or other such written materials in lieu of affixing labels to individual stationary process containers, as long as the alternative method identifies the containers to which it is applicable and conveys the information required by paragraph (f)(4) of this section to be on a label. The written materials shall be readily accessible to the employees in their work area throughout each work shift.

(6) The employer is not required to label portable containers into which

hazardous chemicals are transferred from labeled containers, and which are intended only for the immediate use of the employee who performs the transfer.

(7) The employer shall not remove or deface existing labels on incoming containers of hazardous chemicals, unless the container is immediately marked with the required information.

(8) The employer shall ensure that labels or other forms of warning are legible, in English, and prominently displayed on the container, or readily available in the work area throughout each work shift. Employers having employees who speak other languages may add the information in their language to the material presented, as long as the information is presented in English as well.

(9) The chemical manufacturer, importer, distributor or employer need not affix new labels to comply with this section if existing labels already convey the required information.

(g) *Material safety data sheets.* (1) Chemical manufacturers and importers shall obtain or develop a material safety data sheet for each hazardous chemical they produce or import. Employers shall have a material safety data sheet for each hazardous chemical which they use.

(2) Each material safety data sheet shall be in English and shall contain at least the following information:

(i) The identity used on the label, and, except as provided for in paragraph (f) of this section on trade secrets:

(A) If the hazardous chemical is a single substance, its chemical and common name(s);

(B) If the hazardous chemical is a mixture which has been tested as a whole to determine its hazards, the chemical and common name(s) of the ingredients which contribute to these known hazards, and the common name(s) of the mixture itself; or,

(C) If the hazardous chemical is a mixture which has not been tested as a whole:

(1) The chemical and common name(s) of all ingredients which have been determined to be health hazards, and which comprise 1% or greater of the composition, except that chemi-

are transferred
rs, and which are
e immediate use
10 performs the

shall not remove
bels on incoming
rdous chemicals,
r is immediately
ured information,
shall ensure that
s of warning are
and prominently
tainer, or readily
area throughout
oyers having em-
other languages
ation in their lan-
ial presented, as
on is presented in

manufacturer, im-
or employer need
; to comply with
ng labels already
information.

/ data sheets. (1)
rers and import-
develop a material
r each hazardous
ce or import. Em-
a material safety
hazardous chemi-

Safety data sheet
and shall contain
; information:
sed on the label
ided for in para-
ction on trade se-

ous chemical is a
ts chemical and

ous chemical is a
been tested as a
its hazards, the
on name(s) of the
ontribute to these
nd the common
re itself; or.
ous chemical is a
not been tested as

al and common
cients which have
be health hazards
1% or greater of
cept that chemi-

cals identified as carcinogens under
paragraph (d)(4) of this section shall
be listed if the concentrations are 0.1%
or greater; and.

(2) The chemical and common
name(s) of all ingredients which have
been determined to present a physical
hazard when present in the mixture;

(ii) Physical and chemical character-
istics of the hazardous chemical (such
as vapor pressure, flash point);

(iii) The physical hazards of the haz-
ardous chemical, including the poten-
tial for fire, explosion, and reactivity;

(iv) The health hazards of the haz-
ardous chemical, including signs and
symptoms of exposure, and any medi-
cal conditions which are generally rec-
ognized as being aggravated by expo-
sure to the chemical;

(v) The primary route(s) of entry;

(vi) The OSHA permissible exposure
limit, ACGIH Threshold Limit Value,
and any other exposure limit used or
recommended by the chemical manu-
facturer, importer, or employer pre-
paring the material safety data sheet,
where available;

(vii) Whether the hazardous chemi-
cal is listed in the National Toxicology
Program (NTP) *Annual Report on*
Carcinogens (latest edition) or has
been found to be a potential carcino-
gen in the International Agency for
Research on Cancer (IARC) *Mono-*
graphs (latest editions), or by OSHA;

(viii) Any generally applicable pre-
cautions for safe handling and use
which are known to the chemical man-
ufacturer, importer or employer pre-
paring the material safety data sheet,
including appropriate hygienic prac-
tices, protective measures during
repair and maintenance of contami-
nated equipment, and procedures for
clean-up of spills and leaks;

(ix) Any generally applicable control
measures which are known to the
chemical manufacturer, importer or
employer preparing the material
safety data sheet, such as appropriate
engineering controls, work practices,
or personal protective equipment;

(x) Emergency and first aid proce-
dures;

(xi) The date of preparation of the
material safety data sheet or the last
change to it; and.

(xii) The name, address and tele-
phone number of the chemical manu-
facturer, importer, employer or other
responsible party preparing or distrib-
uting the material safety data sheet,
who can provide additional informa-
tion on the hazardous chemical and
appropriate emergency procedures, if
necessary.

(3) If no relevant information is
found for any given category on the
material safety data sheet, the chemi-
cal manufacturer, importer or employ-
er preparing the material safety data
sheet shall mark it to indicate that no
applicable information was found.

(4) Where complex mixtures have
similar hazards and contents (i.e. the
chemical ingredients are essentially
the same, but the specific composition
varies from mixture to mixture), the
chemical manufacturer, importer or
employer may prepare one material
safety data sheet to apply to all of
these similar mixtures.

(5) The chemical manufacturer, im-
porter or employer preparing the ma-
terial safety data sheet shall ensure
that the information recorded accu-
rately reflects the scientific evidence
used in making the hazard determina-
tion. If the chemical manufacturer,
importer or employer becomes newly
aware of any significant information
regarding the hazards of a chemical,
or ways to protect against the hazards,
this new information shall be added to
the material safety data sheet within
three months. If the chemical is not
currently being produced or imported
the chemical manufacturer or import-
er shall add the information to the
material safety data sheet before the
chemical is introduced into the work-
place again.

(6) Chemical manufacturers or im-
porters shall ensure that distributors
and manufacturing purchasers of haz-
ardous chemicals are provided an ap-
propriate material safety data sheet
with their initial shipment, and with
the first shipment after a material
safety data sheet is updated. The
chemical manufacturer or importer
shall either provide material safety
data sheets with the shipped contain-
ers or send them to the manufacturing
purchaser prior to or at the time of
the shipment. If the material safety

data sheet is not provided with the shipment, the manufacturing purchaser shall obtain one from the chemical manufacturer, importer, or distributor as soon as possible.

(7) Distributors shall ensure that material safety data sheets, and updated information, are provided to other distributors and manufacturing purchasers of hazardous chemicals.

(8) The employer shall maintain copies of the required material safety data sheets for each hazardous chemical in the workplace, and shall ensure that they are readily accessible during each work shift to employees when they are in their work area(s).

(9) Material safety data sheets may be kept in any form, including operating procedures, and may be designed to cover groups of hazardous chemicals in a work area where it may be more appropriate to address the hazards of a process rather than individual hazardous chemicals. However, the employer shall ensure that in all cases the required information is provided for each hazardous chemical, and is readily accessible during each work shift to employees when they are in their work area(s).

(10) Material safety data sheets shall also be made readily available, upon request, to designated representatives and to the Assistant Secretary, in accordance with the requirements of 29 CFR 1910.20(e). The Director shall also be given access to material safety data sheets in the same manner.

(h) *Employee information and training.* Employers shall provide employees with information and training on hazardous chemicals in their work area at the time of their initial assignment, and whenever a new hazard is introduced into their work area.

(1) *Information.* Employees shall be informed of:

(i) The requirements of this section;

(ii) Any operations in their work area where hazardous chemicals are present; and,

(iii) The location and availability of the written hazard communication program, including the required list(s) of hazardous chemicals, and material safety data sheets required by this section.

(2) *Training.* Employee training shall include at least:

(i) Methods and observations that may be used to detect the presence or release of a hazardous chemical in the work area (such as monitoring conducted by the employer, continuous monitoring devices, visual appearance or odor of hazardous chemicals when being released, etc.);

(ii) The physical and health hazards of the chemicals in the work area;

(iii) The measures employees can take to protect themselves from these hazards, including specific procedures the employer has implemented to protect employees from exposure to hazardous chemicals, such as appropriate work practices, emergency procedures, and personal protective equipment to be used; and,

(iv) The details of the hazard communication program developed by the employer, including an explanation of the labeling system and the material safety data sheet, and how employees can obtain and use the appropriate hazard information.

(i) *Trade secrets.* (1) The chemical manufacturer, importer or employer may withhold the specific chemical identity, including the chemical name and other specific identification of a hazardous chemical, from the material safety data sheet, provided that:

(i) The claim that the information withheld is a trade secret can be supported;

(ii) Information contained in the material safety data sheet concerning the properties and effects of the hazardous chemical is disclosed;

(iii) The material safety data sheet indicates that the specific chemical identity is being withheld as a trade secret; and,

(iv) The specific chemical identity is made available to health professionals, employees, and designated representatives, in accordance with the applicable provisions of this paragraph.

(2) Where a treating physician or nurse determines that a medical emergency exists and the specific chemical identity of a hazardous chemical is necessary for emergency or first-aid treatment, the chemical manufacturer, importer, or employer shall immediately disclose the specific chemical

identity of a trade secret chemical to that treating physician or nurse, regardless of the existence of a written statement of need or a confidentiality agreement. The chemical manufacturer, importer, or employer may require a written statement of need and confidentiality agreement, in accordance with the provisions of paragraphs (1) (3) and (4) of this section, as soon as circumstances permit.

(3) In non-emergency situations, a chemical manufacturer, importer, or employer shall, upon request, disclose a specific chemical identity, otherwise permitted to be withheld under paragraph (1)(1) of this section, to a health professional (i.e. physician, industrial hygienist, toxicologist, or epidemiologist) providing medical or other occupational health services to exposed employee(s), and to employees or designated representatives, if:

(i) the request is in writing;

(ii) The request describes with reasonable detail one or more of the following occupational health needs for the information:

(A) To assess the hazards of the chemicals to which employees will be exposed;

(B) To conduct or assess sampling of the workplace atmosphere to determine employee exposure levels;

(C) To conduct pre-assignment or periodic medical surveillance of exposed employees;

(D) To provide medical treatment to exposed employees;

(E) To select or assess appropriate personal protective equipment for exposed employees;

(F) To design or assess engineering controls or other protective measures for exposed employees; and,

(G) To conduct studies to determine the health effects of exposure.

(iii) The request explains in detail why the disclosure of the specific chemical identity is essential and that, in lieu thereof, the disclosure of the following information to the health professional, employee, or designated representative, would not satisfy the purposes described in paragraph (1)(3)(ii) of this section:

(A) The properties and effects of the chemical;

(B) Measures for controlling workers' exposure to the chemical;

(C) Methods of monitoring and analyzing worker exposure to the chemical; and,

(D) Methods of diagnosing and treating harmful exposures to the chemical;

(iv) The request includes a description of the procedures to be used to maintain the confidentiality of the disclosed information; and,

(v) The health professional, and the employer or contractor of the services of the health professional (i.e. downstream employer, labor organization, or individual employee), employee, or designated representative, agree in a written confidentiality agreement that the health professional, employee, or designated representative, will not use the trade secret information for any purpose other than the health need(s) asserted and agree not to release the information under any circumstances other than to OSHA, as provided in paragraph (1)(6) of this section, except as authorized by the terms of the agreement or by the chemical manufacturer, importer, or employer.

(4) The confidentiality agreement authorized by paragraph (1)(3)(iv) of this section:

(i) May restrict the use of the information to the health purposes indicated in the written statement of need;

(ii) May provide for appropriate legal remedies in the event of a breach of the agreement, including stipulation of a reasonable pre-estimate of likely damages; and,

(iii) May not include requirements for the posting of a penalty bond.

(5) Nothing in this standard is meant to preclude the parties from pursuing non-contractual remedies to the extent permitted by law.

(6) If the health professional, employee, or designated representative receiving the trade secret information decides that there is a need to disclose it to OSHA, the chemical manufacturer, importer, or employer who provided the information shall be informed by the health professional, employee, or designated representative prior to, or at the same time as, such disclosure.

(7) If the chemical manufacturer, importer, or employer denies a written request for disclosure of a specific chemical identity, the denial must:

(i) Be provided to the health professional, employee, or designated representative, within thirty days of the request;

(ii) Be in writing;

(iii) Include evidence to support the claim that the specific chemical identity is a trade secret;

(iv) State the specific reasons why the request is being denied; and,

(v) Explain in detail how alternative information may satisfy the specific medical or occupational health need without revealing the specific chemical identity.

(8) The health professional, employee, or designated representative, whose request for information is denied under paragraph (i)(3) of this section may refer the request and the written denial of the request to OSHA for consideration.

(9) When a health professional, employee, or designated representative refers the denial to OSHA under paragraph (i)(8) of this section, OSHA shall consider the evidence to determine if:

(i) The chemical manufacturer, importer, or employer has supported the claim that the specific chemical identity is a trade secret;

(ii) The health professional, employee, or designated representative, has supported the claim that there is a medical or occupational health need for the information; and

(iii) The health professional, employee, or designated representative, has demonstrated adequate means to protect the confidentiality.

(10)(i) If OSHA determines that the specific chemical identity requested under paragraph (i)(3) of this section is not a *bona fide* trade secret, or that it is a trade secret, but the requesting health professional, employee, or designated representative has a legitimate medical or occupational health need for the information, has executed a written confidentiality agreement, and has shown adequate means to protect the confidentiality of the information, the chemical manufacturer, importer,

or employer will be subject to citation by OSHA.

(ii) If a chemical manufacturer, importer, or employer demonstrates to OSHA that the execution of a confidentiality agreement would not provide sufficient protection against the potential harm from the unauthorized disclosure of a trade secret specific chemical identity, the Assistant Secretary may issue such orders or impose such additional limitations or conditions upon the disclosure of the requested chemical information as may be appropriate to assure that the occupational health services are provided without an undue risk of harm to the chemical manufacturer, importer, or employer.

(11) If, following the issuance of a citation and any protective orders, the chemical manufacturer, importer, or employer continues to withhold the information, the matter is referable to the Occupational Safety and Health Review Commission for enforcement of the citation. In accordance with Commission rules, the Administrative Law Judge may review the citation and supporting documentation *in camera* or issue appropriate protective orders.

(12) Notwithstanding the existence of a trade secret claim, a chemical manufacturer, importer, or employer shall, upon request, disclose to the Assistant Secretary any information which this section requires the chemical manufacturer, importer, or employer to make available. Where there is a trade secret claim, such claim shall be made no later than at the time the information is provided to the Assistant Secretary so that suitable determinations of trade secret status can be made and the necessary protections can be implemented.

(13) Nothing in this paragraph shall be construed as requiring the disclosure under any circumstances of process or percentage of mixture information which is trade secret.

(j) *Effective dates.* Employers shall be in compliance with this section within the following time periods:

(1) Chemical manufacturers and importers shall label containers of hazardous chemicals leaving their workplaces, and provide material safety

data sheets with initial shipments by November 25, 1985.

(2) Distributors shall be in compliance with all provisions of this section applicable to them by November 25, 1985.

(3) Employers shall be in compliance with all provisions of this section by May 25, 1986, including initial training for all current employees.

APPENDIX A TO § 1910.1200—HEALTH HAZARD DEFINITIONS (MANDATORY)

Although safety hazards related to the physical characteristics of a chemical can be objectively defined in terms of testing requirements (e.g. flammability), health hazard definitions are less precise and more subjective. Health hazards may cause measurable changes in the body—such as decreased pulmonary function. These changes are generally indicated by the occurrence of signs and symptoms in the exposed employees—such as shortness of breath, a non-measurable, subjective feeling. Employees exposed to such hazards must be apprised of both the change in body function and the signs and symptoms that may occur to signal that change.

The determination of occupational health hazards is complicated by the fact that many of the effects or signs and symptoms occur commonly in non-occupationally exposed populations, so that effects of exposure are difficult to separate from normally occurring illnesses. Occasionally, a substance causes an effect that is rarely seen in the population at large, such as angiosarcoma caused by vinyl chloride exposure, thus making it easier to ascertain that the occupational exposure was the primary causative factor. More often, however, the effects are common, such as lung cancer. The situation is further complicated by the fact that most chemicals have not been adequately tested to determine their health hazard potential, and data do not exist to substantiate these effects.

There have been many attempts to categorize effects and to define them in various ways. Generally, the terms "acute" and "chronic" are used to delineate between effects on the basis of severity or duration. "Acute" effects usually occur rapidly as a result of short-term exposures, and are of short duration. "Chronic" effects generally occur as a result of long-term exposure, and are of long duration.

The acute effects referred to most frequently are those defined by the American National Standards Institute (ANSI) standard for Precautionary Labeling of Hazardous Industrial Chemicals (Z129.1-1982)—irritation, corrosivity, sensitization and lethal dose. Although these are important health

effects, they do not adequately cover the considerable range of acute effects which may occur as a result of occupational exposure, such as, for example, narcosis.

Similarly, the term chronic effect is often used to cover only carcinogenicity, teratogenicity, and mutagenicity. These effects are obvious a concern in the workplace, but again, do not adequately cover the area of chronic effects, excluding, for example, blood dyscrasias (such as anemia), chronic bronchitis and liver atrophy.

The goal of defining precisely, in measurable terms, every possible health effect that may occur in the workplace as a result of chemical exposures cannot realistically be accomplished. This does not negate the need for employees to be informed of such effects and protected from them.

Appendix B, which is also mandatory, outlines the principles and procedures of hazard assessment.

For purposes of this section, any chemicals which meet any of the following definitions, as determined by the criteria set forth in Appendix B are health hazards:

1. **Carcinogen:** A chemical is considered to be a carcinogen if:

(a) It has been evaluated by the International Agency for Research on Cancer (IARC), and found to be a carcinogen or potential carcinogen; or

(b) It is listed as a carcinogen or potential carcinogen in the *Annual Report on Carcinogens* published by the National Toxicology Program (NTP) (latest edition); or,

(c) It is regulated by OSHA as a carcinogen.

2. **Corrosive:** A chemical that causes visible destruction of, or irreversible alterations in, living tissue by chemical action at the site of contact. For example, a chemical is considered to be corrosive if, when tested on the intact skin of albino rabbits by the method described by the U.S. Department of Transportation in Appendix A to 49 CFR Part 173, it destroys or changes irreversibly the structure of the tissue at the site of contact following an exposure period of four hours. This term shall not refer to action on inanimate surfaces.

3. **Highly toxic:** A chemical falling within any of the following categories:

(a) A chemical that has a median lethal dose (LD₅₀) of 50 milligrams or less per kilogram of body weight when administered orally to albino rats weighing between 200 and 300 grams each.

(b) A chemical that has a median lethal dose (LD₅₀) of 200 milligrams or less per kilogram of body weight when administered by continuous contact for 24 hours (or less if death occurs within 24 hours) with the bare skin of albino rabbits weighing between two and three kilograms each.

(c) A chemical that has a median lethal concentration (LC₅₀) in air of 200 parts per million by volume or less of gas or vapor, or 2 milligrams per liter or less of mist, fume, or dust, when administered by continuous inhalation for one hour (or less if death occurs within one hour) to albino rats weighing between 200 and 300 grams each.

4. **Irritant:** A chemical, which is not corrosive, but which causes a reversible inflammatory effect on living tissue by chemical action at the site of contact. A chemical is a skin irritant if, when tested on the intact skin of albino rabbits by the methods of 16 CFR 1500.41 for four hours exposure or by other appropriate techniques, it results in an empirical score of five or more. A chemical is an eye irritant if so determined under the procedure listed in 16 CFR 1500.42 or other appropriate techniques.

5. **Sensitizer:** A chemical that causes a substantial proportion of exposed people or animals to develop an allergic reaction in normal tissue after repeated exposure to the chemical.

6. **Toxic:** A chemical falling within any of the following categories:

(a) A chemical that has a median lethal dose (LD₅₀) of more than 50 milligrams per kilogram but not more than 500 milligrams per kilogram of body weight when adminis-

tered orally to albino rats weighing between 200 and 300 grams each.

(b) A chemical that has a median lethal dose (LD₅₀) of more than 200 milligrams per kilogram but not more than 1,000 milligrams per kilogram of body weight when administered by continuous contact for 24 hours (or less if death occurs within 24 hours) with the bare skin of albino rabbits weighing between two and three kilograms each.

(c) A chemical that has a median lethal concentration (LC₅₀) in air of more than 200 parts per million but not more than 2,000 parts per million by volume of gas or vapor, or more than two milligrams per liter but not more than 20 milligrams per liter of mist, fume, or dust, when administered by continuous inhalation for one hour (or less if death occurs within one hour) to albino rats weighing between 200 and 300 grams each.

7. **Target organ effects.** The following is a target organ categorization of effects which may occur, including examples of signs and symptoms and chemicals which have been found to cause such effects. These examples are presented to illustrate the range and diversity of effects and hazards found in the workplace, and the broad scope employers must consider in this area, but are not intended to be all-inclusive.

a. Hepatotoxic:	Chemicals which produce liver damage.
Signs and Symptoms:	Jaundice; liver enlargement.
Chemicals:	Carbon tetrachloride; nitrobenzene.
b. Nephrotoxic:	Chemicals which produce kidney damage.
Signs and Symptoms:	Edema; proteinuria.
Chemicals:	Halogenated hydrocarbons; uranium.
c. Neurotoxic:	Chemicals which produce their primary toxic effects on the nervous system.
Signs and Symptoms:	Narcolepsy; behavioral changes; decrease in motor functions.
Chemicals:	Mercury; carbon disulfide.
d. Agents which act on the blood or hematopoietic system:	Decrease hemoglobin function; deprive the body tissues of oxygen.
Signs and Symptoms:	Cyanosis; loss of consciousness.
Chemicals:	Carbon monoxide; cyanides.
e. Agents which damage the lung:	Chemicals which irritate or damage the pulmonary tissue.
Signs and Symptoms:	Cough; tightness in chest; shortness of breath.
Chemicals:	Silica; asbestos.
f. Reproductive toxic:	Chemicals which affect the reproductive capabilities including chromosomal damage (mutations) and effects on fetuses (teratogenesis).
Signs and Symptoms:	Birth defects; sterility.
Chemicals:	Lead; DBCP.
g. Cutaneous hazards:	Chemicals which effect the dermal layer of the body.
Signs and Symptoms:	Defatting of the skin; rashes; irritation.
Chemicals:	Ketones; chlorinated compounds.
h. Eye hazards:	Chemicals which effect the eye or visual capacity.
Signs and Symptoms:	Conjunctivitis; corneal damage.
Chemicals:	Organic solvents; acids.

APPENDIX B to § 1900.1200—HAZARD DETERMINATION (MANDATORY)

The quality of a hazard communication program is largely dependent upon the adequacy and accuracy of the hazard determination. The hazard determination require-

ment of this standard is performance-oriented. Chemical manufacturers, importers, and employers evaluating chemicals are not required to follow any specific methods for determining hazards, but they must be able to demonstrate that they have adequately ascertained the hazards of the chemicals pro-

duced or imported in accordance with the criteria set forth in this Appendix.

Hazard evaluation is a process which relies heavily on the professional judgment of the evaluator, particularly in the area of chronic hazards. The performance-orientation of the hazard determination does diminish the duty of the chemical manufacturer, importer or employer to conduct a thorough evaluation, examining all relevant data and producing a scientifically defensible evaluation. For purposes of this standard, the following criteria shall be used in making hazard determinations that meet the requirements of this standard.

1. *Carcinogenicity.* As described in paragraph (d)(4) and Appendix A of this section, a determination by the National Toxicology Program, the International Agency for Research on Cancer, or OSHA that a chemical is a carcinogen or potential carcinogen will be considered conclusive evidence for purposes of this section.

2. *Human data:* Where available, epidemiological studies and case reports of adverse health effects shall be considered in the evaluation.

3. *Animal data:* Human evidence of health effects in exposed populations is generally not available for the majority of chemicals produced or used in the workplace. Therefore, the available results of toxicological testing in animal populations shall be used to predict the health effects that may be experienced by exposed workers. In particular, the definitions of certain acute hazards refer to specific animal testing results (see Appendix A).

4. *Adequacy and reporting of data:* The results of any studies which are designed and conducted according to established scientific principles, and which report statistically significant conclusions regarding the health effects of a chemical, shall be a sufficient basis for a hazard determination and reported on any material safety data sheet. The chemical manufacturer, importer, or employer may also report the results of other scientifically valid studies which tend to refute the findings of hazard.

APPENDIX C TO § 1900.1200—INFORMATION SOURCES (ADVISORY)

The following is a list of available data sources which the chemical manufacturer, importer, or employer may wish to consult to evaluate the hazards of chemicals they produce or import

- Any information in their own company files such as toxicity testing results or illness experience of company employees.
- Any information obtained from the supplier of the chemical, such as material safety data sheets or product safety bulletins.

- Any pertinent information obtained from the following source list (latest editions should be used):

- Condensed Chemical Dictionary*
Van Nostrand Reinhold Co., 135 West 50th Street, New York, NY 10020
 - The Merck Index: An Encyclopedia of Chemicals and Drugs*
Merck and Company, Inc., 126 E. Lincoln Avenue, Rahway, NJ 07065
 - IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man*
Geneva: World Health Organization, International Agency for Research on Cancer, 1972-1977. (Multivolume work), 49 Sheridan Street, Albany, New York
 - Industrial Hygiene and Toxicology*, by F. A. Patty
John Wiley & Sons, Inc., New York, NY (Five volumes)
 - Clinical Toxicology of Commercial Products*
Gleason, Gosselin and Hodge
 - Casaretti and Doull's Toxicology; The Basic Science of Poisons*
Doull, Klaassen, and Amdur, Macmillan Publishing Co., Inc., New York, NY
 - Industrial Toxicology*, by Alice Hamilton and Harriet L. Hardy
Publishing Sciences Group, Inc., Acton, MA
 - Toxicology of the Eye*, by W. Morton Grant
Charles C. Thomas, 301-327 East Lawrence Avenue, Springfield, IL
 - Recognition of Health Hazards in Industry*
William A. Burgess, John Wiley and Sons, 605 Third Avenue, New York, NY 10158
 - Chemical Hazards of the Workplace*
Nick H. Proctor and James P. Hughes, J. P. Lipincott Company, 6 Winchester Terrace, New York, NY 10022
 - Handbook of Chemistry and Physics*
Chemical Rubber Company, 18901 Cranwood Parkway, Cleveland, OH 44128
 - Threshold Limit Values for Chemical Substances and Physical Agents in the Workroom Environment with Intended Changes*
American Conference of Governmental Industrial Hygienists, 6500 Glenway Avenue, Bldg. D-5, Cincinnati, OH 45211
- NOTE: The following documents are on sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.
- Occupational Health Guidelines*
NIOSH/OSHA (NIOSH Pub. No. 81-123)
 - NIOSH/OSHA Pocket Guide to Chemical Hazards*
NIOSH Pub. No. 78-210
 - Registry of Toxic Effects of Chemical Substances*
U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control, National Institute

§ 1910.1200

for Occupational Safety and Health
(NIOSH Pub. No. 80-102)
The Industrial Environment—Its Evaluation and Control
U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health (NIOSH Pub. No. 74-117)
Miscellaneous Documents—National Institute for Occupational Safety and Health
1. Criteria for a recommended standard
* * * Occupational Exposure to "—"
2. Special Hazard Reviews
3. Occupational Hazard Assessment
4. Current Intelligence Bulletins

BIBLIOGRAPHIC DATA BASES

Service Provider and File Name

Bibliographic Retrieval Services (BRS), Corporation Park, Bldg. 702, Scotia, New York 12302
AGRICOLA
BIOSIS PREVIEWS
CA CONDENSATES
CA SEARCH
DRUG INFORMATION
MEDLARS
MEDOC
NTIS
POLLUTION ABSTRACTS
SCIENCE CITATION INDEX
SSIE
Lockheed—DIALOG, Lockheed Missiles & Space Company, Inc., P.O. Box 44481, San Francisco, CA 94144
AGRICOLA
BIOSIS PREV. 1972-PRESENT
BIOSIS PREV. 1969-71
CA CONDENSATES 1970-71
CA SEARCH 1972-76
CA SEARCH 1977-PRESENT
CHEMNAME
CONFERENCE PAPERS INDEX
FOOD SCIENCE & TECH. ABSTR.
FOODS ADLIBRA
INTL. PHARMACEUTICAL ABSTR.
NTIS
POLLUTION ABSTRACTS
SCISEARCH 1978-PRESENT
SCISEARCH 1974-77
SSIE CURRENT RESEARCH
SDC—ORBIT, SDC Search Service, Department No. 2230, Pasadena, CA 91051
AGRICOLA
BIOCODES
BIOSIS/BIO6973
CAS6771/CAS7276
CAS77
CHEMDEX
CONFERENCE
ENVIROLINE
LABORDOC
NTIS
POLLUTION
SSIE

29 CFR Ch. XVII (7-1-86 Edition)

Chemical Information System (CIS), Chemical Information Systems Inc., 7215 Yorke Road, Baltimore, MD 21212
Structure & Nomenclature Search System
Acute Toxicity (RTECS)
Clinical Toxicology of Commercial Products
Oil and Hazardous Materials Technical Assistance Data System
National Library of Medicine, Department of Health and Human Services, Public Health Service, National Institutes of Health, Bethesda, MD 20209
Toxicology Data Bank (TDB)
MEDLIN
TOXLINE
CANCERLIT
RTECS

APPENDIX D TO § 1910.1200—DEFINITION OF "TRADE SECRET" (MANDATORY)

The following is a reprint of the *Restatement of Torts* section 757, comment b (1939):

b. *Definition of trade secret.* A trade secret may consist of any formula, pattern, device or compilation of information which is used in one's business, and which gives him an opportunity to obtain an advantage over competitors who do not know or use it. It may be a formula for a chemical compound, a process of manufacturing, treating or preserving materials, a pattern for a machine or other device, or a list of customers. It differs from other secret information in a business (see § 759 of the *Restatement of Torts* which is not included in this Appendix) in that it is not simply information as to single or ephemeral events in the conduct of the business, as, for example, the amount or other terms of a secret bid for a contract or the salary of certain employees, or the security investments made or contemplated, or the date fixed for the announcement of a new policy or for bringing out a new model or the like. A trade secret is a process or device for continuous use in the operations of the business. Generally it relates to the production of goods, as, for example, a machine or formula for the production of an article. It may, however, relate to the sale of goods or to other operations in the business, such as a code for determining discounts, rebates or other concessions in a price list or catalogue, or a list of specialized customers, or a method of

bookkeeping or other office management.

Secrecy. The subject matter of a trade secret must be secret. Matters of public knowledge or of general knowledge in an industry cannot be appropriated by one as his secret. Matters which are completely disclosed by the goods which one markets cannot be his secret. Substantially, a trade secret is known only in the particular business in which it is used. It is not requisite that only the proprietor of the business know it. He may, without losing his protection, communicate it to employees involved in its use. He may likewise communicate it to others pledged to secrecy. Others may also know of it independently, as, for example, when they have discovered the process or formula by independent invention and are keeping it secret. Nevertheless, a substantial element of secrecy must exist, so that, except by the use of improper means, there would be difficulty in acquiring the information. An exact definition of a trade secret is not possible. Some factors to be considered in determining whether given information is one's trade secret are: (1) The extent to which the information is known outside of his business; (2) the extent to which it is known by employees and others involved in his business; (3) the extent of measures taken by him to guard the secrecy of the information; (4) the value of the information to him and his competitors; (5) the amount of effort or money expended by him in developing the information; (6) the ease or difficulty with which the information could be properly acquired or duplicated by others.

Novelty and prior art. A trade secret may be a device or process which is patentable; but it need not be that. It may be a device or process which is clearly anticipated in the prior art or one which is merely a mechanical improvement that a good mechanic can make. Novelty and invention are not requisite for a trade secret as they are for patentability. These requirements are essential to patentability because a patent protects against unlicensed use of the patented device or process even by one who discovers it properly through independent research. The

patent monopoly is a reward to the inventor. But such is not the case with a trade secret. Its protection is not based on a policy of rewarding or otherwise encouraging the development of secret processes or devices. The protection is merely against breach of faith and reprehensible means of learning another's secret. For this limited protection it is not appropriate to require also the kind of novelty and invention which is a requisite of patentability. The nature of the secret is, however, an important factor in determining the kind of relief that is appropriate against one who is subject to liability under the rule stated in this Section. Thus, if the secret consists of a device or process which is a novel invention, one who acquires the secret wrongfully is ordinarily enjoined from further use of it and is required to account for the profits derived from his past use. If, on the other hand, the secret consists of mechanical improvements that a good mechanic can make without resort to the secret, the wrongdoer's liability may be limited to damages, and an injunction against future use of the improvements made with the aid of the secret may be inappropriate.

Information not a trade secret. Although given information is not a trade secret, one who receives the information in a confidential relation or discovers it by improper means may be under some duty not to disclose or use that information. Because of the confidential relation or the impropriety of the means of discovery, he may be compelled to go to other sources for the information. As stated in Comment a, even the rule stated in this Section rests not upon a view of trade secrets as physical objects of property but rather upon abuse of confidence or impropriety in learning the secret. Such abuse or impropriety may exist also where the information is not a trade secret and may be equally a basis for liability. The rules relating to the liability for duties arising from confidential relationships generally are not within the scope of the Restatement of this Subject. As to the use of improper means to acquire information, see § 759.

§ 1910.1499

[48 FR 53340, Nov. 25, 1983, as amended at
50 FR 48758, Nov. 27, 1985]

§ 1910.1499 Source of standards.

Section 1910.1000 41 CFR 50-204.50, except for
Table Z-2, the source of which
is American National Stand-
ards Institute, Z37 series.

[40 FR 23073, May 28, 1975]

§ 1910.1500 Standards organizations.

Specific standards of the following
organizations have been referred to in

29 CFR Ch. XVII (7-1-86 Edition)

this subpart. Copies of the standards
may be obtained from the issuing or-
ganization.

American Conference of Governmental
Industrial Hygienists

1014 Broadway
Cincinnati, Ohio 45202

American National Standards Institute
1430 Broadway

New York, New York 10018

[40 FR 23073, May 28, 1975, as amended at
43 FR 57603, Dec. 8, 1978]