


SHERWIN-WILLIAMS PRODUCTS

PRICE LIST

No. 62

EFFECTIVE JANUARY 24, 1921

Prices Subject to Change Without Notice



FEB 10 1921



THE SHERWIN-WILLIAMS CO.

SALES OFFICES AND WAREHOUSES
IN PRINCIPAL CITIES

SHERWIN-WILLIAMS

PRICE LIST

No. 62

EFFECTIVE JANUARY 24, 1921

Prices Subject to Change Without Notice



TERMS

On Paints, Varnishes and ODP Lead—sixty days net; 2% for cash within ten days from date of invoice

On Turpentine, Linseed Oil, Dry Colors, Insecticide Material, and goods not of our own manufacture—thirty days net; 1% for cash within ten days from date of invoice

IMPORTANT

Shortages or errors in billing must be reported within ten days from receipt of shipment to secure proper adjustment

In making all shipments our responsibility ceases when we receive a signed bill of lading from the transportation company. Claims for losses and damage in transit must be filed with the transportation company by our customers. If shipments are received in a damaged condition, or short in the number of packages, be sure to have the freight agent make such notation on the paid expense bill. This will enable you to file and collect claim without affidavit.

WHERE TO REACH US

FACTORIES AND OFFICES

CLEVELAND, 601 Canal Road, N. W.
CHICAGO, Pullman Station, E. 5th Street
NEWARK, Brown Street and Lester Avenue
SAN FRANCISCO (Emeryville)

WAREHOUSES AND OFFICES

ALBANY, 447-449 Broadway.
ATLANTA, 20 Glenn Street, West.
BALTIMORE, 8 West Fayette Street.
BINGHAMTON, N. Y., 162 Washington Street.
BIRMINGHAM, 2009 Third Avenue, North.
BOSTON, 11-13-15 Stillings Street.
BROOKLYN, N. Y., 102 Flatbush Avenue.
BUFFALO, 102 Pearl Street and 66-68 Erie Street.
CHATTANOOGA, TENN., 924 Market Street.
CHICAGO, City Office, 1101 People's Gas Building.
CHICAGO, Warehouse, 2355-57 LaSalle Street.
CINCINNATI, Sixth, corner Main Street.
COLUMBUS, 205 South High Street.
DALLAS, 1613-21 Wall Street.
DENVER, 1629-31 Arapahoe Street.
DETROIT, 103 Woodward Avenue.
EL PASO, 216 North Stanton Street.
FORT WORTH, 700 Houston Street.
HOUSTON, 2108-12 Preston Avenue.
INDIANAPOLIS, 34 South Meridian Street.
JOHNSON CITY, 256 Main Street.
KANSAS CITY, 1400 St. Louis Avenue.
KNOXVILLE, 506 Gay Street.
LITTLE ROCK, ARK., 720 Main Street.
LONDON, ENGLAND, 7 Well Court, Queen Street, E. C.
LOS ANGELES, 816-822 Traction Avenue.
MINNEAPOLIS, 701-705 Third Street, North.
NASHVILLE, Fifth Avenue, corner Union Street.
NEW ORLEANS, 317 Camp Street.
NEW YORK, 52 Thompson Street.
NORFOLK, VA., Southgate Terminal Warehouse.
OKLAHOMA CITY, OKLA., 20 West California Avenue.
OMAHA, Corner Tenth and Dodge Streets.
PASADENA, 177 East Colorado Street.
PEORIA, 318 South Adams Street.
PHILADELPHIA, Delaware Avenue and Chestnut Street.
PITTSBURGH, 927 Liberty Avenue.
PORTLAND, ORE., 469-741 Everett Street.
RICHMOND, VA., 15-17 South Seventeenth Street.
ROCHESTER, 389-391 East Main Street.
SAGINAW, MICH., 118-120 Lapeer Avenue.
SAN ANTONIO, 135-137 West Commerce Street.
SAN FRANCISCO, 454-466 Second Street.
SAVANNAH, 745 Wheaton Street.
SCHENECTADY, 326 State Street.
SEATTLE, 510 First Avenue, South.
SPOKANE, 157 South Post Street.
ST. LOUIS, Second and Clinton Streets.
TORONTO, 1 Leslie Street.
TULSA, OKLA., 118 South Cheyenne.
UTICA, 49 Franklin Square.
VANCOUVER, 1 Lester Street.
WACO, 720 Austin Street.
WASHINGTON, D. C., 547 Munsey Building.
WICHITA, KANS., 135-137 Rock Island Avenue.
WICHITA FALLS, TEXAS, 813 Ohio Avenue.

SHERWIN-WILLIAMS PRODUCTS

ANTYDAMP 01326

Foundation Damp-Proofing

A very heavy black paint of asphalt type which is applied to the exterior of concrete and masonry foundations below ground level, to damp-proof basement walls. For ordinary damp-proofing, two coats should be applied. Will cover approximately 40 square feet, two coats to the gallon. Is applied cold in original consistency except in very cold weather, when it is necessary to warm slightly before applying. Remains in an elastic condition indefinitely.

	gals.	5 gal. cans	bbis.
Less than 250 gal. lots.....	1 20	1 05	95
250 gal. lots or over.....	1 10	95	85
500 gal. lots or over.....	1 00	85	75

Net Prices per Gallon

MASTER PAINTERS OIL COLORS

A line of high grade colors in oil, put up net weight for master painter trade. The contents of the can is all "Color"—no inert pigments.

	prices per pound			
	1 lb. can	5 lb. cans	12 1/2 lb. cans	25 lb. cans
Ivory Drop Black.....	40	38	36	35
English Coach Black.....	40	38	36	35
Sign Writers' Black.....	55	53	51	50
Lamp Black.....	55	53	51	50
Chinese Blue.....	1 35	1 33	1 31	1 30
Prussian Blue.....	1 35	1 33	1 31	1 30
Cobalt Blue.....	95	93	91	90
Ultramarine Blue.....	80	78	76	75
Raw Umber.....	40	38	36	35
Burnt Umber.....	40	38	36	35
Raw Sienna.....	44	42	40	39
Burnt Sienna.....	44	42	40	39
Vandyke Brown.....	48	46	44	43
Paris Green.....	90	88	86	85
Bronze Green.....	40	38	36	35
Chrome Green, Light.....	43	41	39	38
Chrome Green, Medium.....	43	41	39	38
Chrome Green, Dark.....	43	41	39	38
Bulletin Red.....	65	63	61	60
American Vermilion.....	64	62	60	59
English Rose Lake.....	85	83	81	80
Tuscan Red.....	60	58	56	55
Turkey Red.....	60	58	56	55
Indian Red.....	55	53	51	50
English Venetian Red.....	32	30	28	27
Chrome Yellow, Light.....	63	61	59	58
Chrome Yellow, Medium.....	63	61	59	58
Chrome Yellow, O.....	63	61	59	58
Chrome Yellow, D O.....	63	61	59	58
Golden Ochre.....	40	38	36	35
Yellow Ochre.....	33	31	29	28

Trade Discount 25%

PLASTER BOND

For damp-proofing interior walls above grade

A specially prepared paint of asphalt type which is applied without heating on inside brick, building tile or concrete walls above grade, before plaster is applied, to serve as a damp-proofing. Does away with the necessity for furring or lathing. May be applied by brush or spray method. One coat only required. Covers approximately 100 square feet to the gallon, varying with the porosity of the wall. Plaster should be applied anywhere from 24 to 72 hours after plaster bond has been applied to wall.

	gals.	5 gal. cans	bbis.
Less than 250 gal. lots.....	1 20	1 05	95
250 gal. lots or over.....	1 10	95	85
500 gal. lots or over.....	1 00	85	75

Net Prices per Gallon

A21 454

9a

INDEX

SHERWIN-WILLIAMS PRODUCTS

	Page
Acid Stains.....	50
Aluminum Paint.....	10
American White.....	10
Arsenate of Calcium, Dry.....	61
Arsenate of Lead, Dry.....	61
Asphaltum.....	55, 58
Auto and Buggy Paint.....	11
Auto Enamels.....	11
Auto Seat Dressing.....	10
Auto Soap.....	67
Auto Top Dressing.....	10
Automobile Varnishes.....	57
Barn Paints.....	14
Bath Enamel.....	11
Blackboard Paint.....	48
Bras-Brite.....	12
Brick Red.....	22
Brighten-Up Stain.....	12
Bronzing Liquids.....	12
Buggy Paint.....	11
Canoe Enamels.....	13
Carbolic-Oil.....	65
Carbolic-Oil Shingle Stain.....	66
Carbon Paint, Red Diamond Brand.....	13
Colors, Distemper.....	19
Colors, Dry.....	17-18
Colors, Quick Drying.....	45-47
Colors in Oil (First Quality).....	23
Colors in Japan, Quick Drying.....	45-47
Commonwealth Barn Gray.....	14
Commonwealth Barn Red.....	14
Commonwealth Paint.....	14
Concrete and Cement Hardener.....	14
Concrete Floor Paint.....	15
Concrete Wall Finish.....	15
Copper Paint.....	15
Cornish Eureka Gold Size.....	13
Crack and Seam Filler.....	15
Cresol (50%).....	64
Cycle Enamel.....	16
Dancing Floor Wax.....	16
Deco-Paste (White).....	16
Decotint Wall Colors.....	16
Decotint Wall Finish.....	17
Disinfectant (S-W).....	64
Distemper Colors (Fresco).....	19
Driers and Japans.....	57
Dry Colors.....	17-18
Dry Dusting Materials.....	68
Dry Dusting Sulfur.....	68
Duster, The Springfield.....	68
Ebolic Roof Cement.....	66
Ebonol.....	66
Ebonol (Quick-Drying).....	66
Ebonol Reducer.....	66
Egg-Shell Mill White.....	19
Empress Liquid Gold.....	20
Enamel.....	20
Enamel, Bath.....	11
Enamel, Canoe.....	13
Enamel, Cycle.....	16
Enamel, Gas Engine.....	36
Enamel, Leather Dressing.....	20
Enamel, Old Dutch.....	41
Enamel, Porch and Lawn Furniture.....	44
Enamel, Screen.....	48
Enamel Undercoater No. 12.....	21
Enameloid.....	21
Engine Enamels, Gas.....	36
English Patent Drier.....	20
English Venetian Red (Paste).....	20

INDEX

SHERWIN-WILLIAMS PRODUCTS—Contd.

	Page
Family Paint.....	21
Filler, Liquid.....	55, 58
Filler, Paste.....	22
First Quality Oil Colors.....	23
Flat Black.....	22
Flat Brick Red.....	22
Flat-Tone (Liquid).....	24
Flat-Tone Glaze and Stencil Colors.....	25
Flat-Tone Glazing Liquid.....	25
Flat-Tone Mixing Size.....	24, 55, 58
Flat-Tone Multi-Color Stipple Effects.....	27
Flat-Tone System Effects.....	26
Flaxoap.....	67
Floorlac.....	35
Floor Paint, Concrete.....	15
Floor Paint, Inside.....	38
Floor Paint, Porch.....	44
Floor Wax—see Prepared Wax.....	44
Floor Wipe.....	35
Fluid Wax, High Polish.....	38
Fly Spray.....	64
French Crown Green (Paste).....	22
French Yellow Ochre (Paste).....	52
French Zinc in Varnish.....	52
Fresco Colors.....	19
Fungi-Bordo.....	62
Furniture Polish.....	43
Galvanized Iron Primer.....	35
Gas Engine Enamels.....	36
Glaze and Stencil Colors (Flat-Tone).....	25
Glazing Liquid (Flat Tone).....	25
Golden Oak Stain.....	49
Gold Paint and Gold Enamels.....	20, 38, 39
Gold Size.....	36
Graining Colors in Oil.....	36
Graining Colors in Distemper.....	37
Graining Preparation.....	36
Graphite Pipe Joint and Gasket Compound.....	37
Graphite (Black Lead) Ground in Oil.....	37
Handcraft Stains.....	50
Hard Auto Soap.....	68
Harmless Sheep Marking Liquid.....	65
Hat Brite.....	37
High Polish Fluid Wax.....	38
House Paint.....	9
Imperial Gold Enamel (Lustroline).....	39
Inside Floor Paint.....	38
Japan Colors (Quick Drying).....	45-47
Kalso.....	38
Klik D.....	65
Lead in Oil.....	42
Leather Dressing.....	20
Lime-Sulfur, Dry.....	61
Linseed Oil (Medicinal).....	39
Linseed Oil Soap.....	67
Liquid Gold.....	38
Liquid Roof Cement.....	67
Liquor Cresolis Compositus, U. S. P.....	64
Lustroline Imperial Gold Enamel.....	39
Machine Paint and Filler.....	39
Master Painters' Flat White.....	39
Mechanic's Hand Soap.....	68
Medicinal Linseed Oil.....	39
Metal Polish (Bras-Brite).....	12
Metal Protective Paints.....	40
Metallastic (Liquid).....	40
Metallic Brown (Ground in Oil).....	39
Mill White Egg-Shell.....	19
Mill White, Reducer No. 83.....	19
Mine, Mill and Factory Colors.....	40
Mohair Top Finish—see Auto Top Dressing.....	10
Multi-Color Stipple Effects.....	27

INDEX


SHERWIN-WILLIAMS PRODUCTS—Contd.

	Page
Non-Corrodible Graphite.....	40
Ochre (Paste).....	52
Oil Colors (First Quality).....	23
Oil Stains.....	50
Old Dutch Enamel.....	41
Old Dutch Process White Lead.....	42
Outside Gloss White, SWP.....	9
Oylapine (Oil-a-Pine).....	63
Paint and Varnish Remover.....	51
Paris Green.....	62
Paste Colored Paint (P. C. P.).....	43
Paste Filler.....	22
Paste Paint.....	43
Permanent Mahogany Stains.....	49-50
Permento.....	43
Pestroy.....	63
Phenolene.....	63
Polish, Furniture.....	43
Polish, Metal.....	12
Polish-oil.....	43
Porch and Deck Paint.....	44
Porch and Lawn Furniture Enamel.....	44
Powdered Floor Wax.....	16
Prepared Graining Colors.....	36-37
Prepared Wax.....	44
Preservative Shingle Stains.....	49
Pruning Compound.....	63
Quick Drying Colors (in Japan).....	45-47
Quick Drying Ebonol.....	66
Red Lead (in Oil).....	44
Reducer No. 83, Mill White.....	19
Roof and Bridge Paint.....	48
Roof Cements.....	66-67
Schoolboard Slating.....	48
Screen Enamel.....	48
Seat Dressing, Auto.....	10
Semi-Paste Paint.....	48
Sheep Dip (S-W).....	64
Sheep Marking and Branding Paints.....	65
Shellacs (See Varnish Section).....	49
Shingle Stains, Preservative.....	49
Size, Gold.....	36
Size, Flat-Tone Mixing.....	55, 58
Size, Wall.....	55, 58
Soaps, Linseed Oil.....	67
Springfield Duster.....	68
Stains.....	49-50
Stencils.....	28-34
Stencil Colors.....	25
Stipple Effects (Flat-Tone Multi-Color).....	27
Stove-Pipe and Iron Enamel.....	51
Sulfur, Dry Dusting.....	68
S-W Disinfectant.....	64
SWP.....	9
Structural Paint.....	51
Taxite (Paint and Varnish Remover).....	51
Thinner, Universal.....	51
Tick Dips (Kiltik D).....	65
Top Dressing (Auto).....	10
Tractor Paint (see Wagon & Implement Paint).....	52
Tuber-Tonic.....	62
Universal Thinner.....	51
Undercoaters, Enamel.....	21
Varnishes.....	53-58
Varnish Stain (Brighten-up Stain, Floorlac).....	12-35
Venetian Red, English (Paste).....	20
Verdelite.....	51

INDEX

SHERWIN-WILLIAMS PRODUCTS—Contd.

	<i>Page</i>
Wagon and Implement Paint.....	52
Wall Finish, Concrete.....	15
Wall Finish, (Flat-Tone).....	24
Wall Finish, Water Paint.....	16-17, 38-43
Water Stains. (see Acid Stains, page 50).....	50
Wax, Dancing Floor.....	16
Wax, Floor.....	44
Wax, High Polish Fluid.....	38
Wax, Prepared.....	44
White Lead (in Oil).....	42
White Zinc (in Oil).....	52
 Yellow Ochre French (Paste).....	 52
 Zinc in Oil, White.....	 52
Zinc in Varnish, French.....	52



THE LARGEST PAINT AND VARNISH MAKERS IN THE WORLD

The paints, varnishes, colors and specialties listed in the following pages include everything demanded in modern finishing. They will satisfactorily supply the paint and varnish needs of the painter and decorator, the sign-writer, the contractor and builder, the architect, the carriage custom and repair shop, the property owner, the farmer and the housewife.

We offer our line of products to the trade with the knowledge that they will fulfill every claim we make for them and, when used as intended, will always prove satisfactory.

Controlling as we do, the supply of nearly all important raw materials used in our products and maintaining chemical laboratories and testing-rooms where they are carefully examined for quality, we are able to offer goods of higher quality, which are more reliable and uniform than those made by less favorably situated makers. When pushed by a live, wide-awake merchant, Sherwin-Williams Paints and Varnishes will overcome competition, bring good trade and profits and give the dealer a reputation for reliable goods that will be one of his most valuable trade assets.

The Sherwin-Williams Co. was founded in 1866. Ever since that time we have held strictly to the highest standard of quality in paint and varnish making. We believed that the best goods would sell the best and our splendid success has proved we were right. Today we are the largest concern of the kind and expanding rapidly. Our facilities include:

Factories in Cleveland, Chicago, Montreal, Newark, Bound Brook, N. J., San Francisco and London, England.

Warehouses and offices in principal cities from Atlantic to Pacific Ocean.

Representatives covering every important paint and varnish field in the world.

Linseed oil mills, where we make, treat and age strictly pure linseed oil for our products.

Lead and zinc mines and smelters, where we employ large forces of men to mine and convert these ores.

Intermediate, dye and chemical plants where we produce base materials for use in the manufacture of paints, stains, enamels, etc.

White lead plants, where we corrode white lead by the Old Dutch Process, and manufacture other lead products.

Acid manufacturing plants, producing great quantities of Acetic and other acids.

Dry color factories, the largest and best equipped in America, where our dry colors are made.

Lithopone plant, where the highest grade of lithopone is produced for use in Flat-Tone and kindred products.

Dry Lime-Sulfur, Arsenate of Lead and Paris Green factories, where we make a complete line of insecticides and fungicides.

Varnish, japan and drier works, where these products are made exclusively. Tin can factories, that make the tin cans we use.

Printing plant, with modern presses, bindery, sampling and finishing department, etc., where our advertising and printing are economically handled. Machine shops, that make mills and machinery of our exclusive design.

These facilities enable us to make sure our goods are right from the foundation up and save us much in cost of manufacture that is put into the quality of the goods and the maintenance of a strict standard of service.

SWP

SHERWIN-WILLIAMS PAINT, PREPARED

For Painting Buildings



The most durable and economical paint that can be made. There is no other material, either prepared or hand-mixed, that will give such uniformly good results. SWP is made from carefully selected materials possessing best paint qualities, thoroughly mixed in most scientific proportions to insure best results, and very finely ground in machinery of our own design.

On comparative test with lead and oil or cheaper materials, SWP will prove to cost less by the job, because it spreads more easily under the brush, saves the painter's time, covers the greatest number of square feet to the gallon, and wears the longest possible time. It will cover 360 square feet of average surface two coats to the gallon. Briefly, a given surface can be properly painted with SWP for a less average cost per annum than any other paint made, including pure white lead and oil.

SWP is made in one quality only, and that the very best that our long experience in high-grade paint-making indicates will give best results. SWP has been on the market for nearly 60 years and enjoys a higher reputation and larger sale than any other paint in the world.

SWP WHITES

OUTSIDE GLOSS WHITE

The most durable and economical white paint for general use on all exposed surfaces in all climates. S-W Outside Gloss White is a pure paint made from pure carbonate of lead, sulphate of lead, pure oxide of zinc and pure linseed oil, with the necessary drier and turpentine. There is no outside white paint made that will cover more surface per gallon, look as white and retain its whiteness and give such general satisfaction over a long period of time as S-W Outside Gloss White.

CHINA GLOSS WHITE

Slower drying and not quite so white as Inside Varnish White, but a very satisfactory finish on interiors where economy is of first importance.

FLAT WHITE

For finishing without a gloss or as a ground coat for S-W Inside Varnish White. The best paint for such purposes ever prepared for the market. Extensively used by contracting painters and decorators instead of lead, for flat coating.

INSIDE VARNISH WHITE

For producing a white, varnish finish on inside work. It dries better, works freer, and is more economical than the varnish whites under various names generally found on the market. Apply over two or more coats of Flat White.

SHERWIN-WILLIAMS PRODUCTS

SWP

**SHERWIN-WILLIAMS PAINT
PREPARED**

	½ pts.	pts.	qts.	½ gals.	gals.	5s and bbls.
Antique Brown, 499.....						
Apple Green, 460.....						
Black, 467.....						
Blue (for inside work), 369.....						
Bottle Green, 484.....						
Bronze Green, 475.....						
Canary Yellow, 387.....						
Colonial Yellow, 375.....						
Cream, 462.....						
Cream Gray, 360.....						
Golden Brown, 486.....						
Golden Yellow, 470.....						
Ivory, 496.....						
Light Lead, 353.....						
Modern Brown, 388.....	26	45	83	1 58	3 00	2 95
Pea Green, 383.....						
Pearl Gray, 479.....						
Primrose Yellow, 394.....						
Quaker Drab, 391.....						
Red, 367.....						
Rich Maroon, 382.....						
Sage Green, 355.....						
Sea Green, 354.....						
Silver Blue, 357.....						
Sky Blue, 464.....						
Slate, 363.....						
Stone, 351.....						
Straw, 385.....						
Tobacco Brown, 393.....						
Warm Drab, 485.....						
Willow Green, 461.....						
Flat White.....						
Outside Gloss White.....	28	48	89	1 70	3 25	3 20
China Gloss White.....						
Inside Varnish White.....	29	51	95	1 83	3 50	3 45
Moss Green No. 498.....						
French Crown Green, No. 362.....	29	50	93	1 78	3 40	3 35

Net Prices

Half-pints, 48 in case. Pints, 24 in case. Quarts, 24 in case.
Half-gallons, 12 in case. Gallons, 6 in case.

SHERWIN-WILLIAMS PRODUCTS

ALUMINUM PAINT

Bright as Silver—Ready for Use

A lasting silver finish for use on radiators, ranges, water-boilers, gas, steam and water pipes, gas stoves, machinery, engines, etc. Also adapted for outside use on gas engines, boats, metal work, cornices, cupolas, etc. Gives most satisfactory results, because it is perfectly mixed and finely ground, works freely under the brush, has great spreading capacity, is fast in color, stands longest on outside exposure. Extreme heat and cold does not crack, peel, blister or discolor it. One coat covers a clean black surface. It has no disagreeable banana-like odor found in many other Aluminum paints.

List Price per Package

$\frac{1}{8}$ pts.	$\frac{1}{4}$ pts.	$\frac{1}{2}$ pts.	pts.	qts.	gals.
25	41	70	1 25	2 30	8 50

Trade Discount 40%

One-eighth pints, 48 in case. Quarter pints, 48 in case. Half pints, 48 in case.
Pints, 24 in case. Quarts, 24 in case. Gallons, 6 in case.

AMERICAN WHITE

Paste form, ground in oil

A combination paste white made especially for plumbers' use and for general utility purposes.

1s	5s
14	12

Net Prices per Pound

One-pound cans, 50 in case. Five-pound cans, 10 in case.

AUTO SEAT DRESSING

Revives the appearance of scratched or old leather cushions and upholstery, removing old marks or stains readily. Dries perfectly hard in an hour or two, with a rich, dull black finish. Is not affected by the heat of the body and will not soften or stick to clothing. It can be easily washed and kept clean.

Friction top cans

$\frac{1}{2}$ pts.	pts.	qts.
60	1 05	1 95

Trade Discount 40%

Half-pints, 48 in case. Pints, 24 in case. Quarts, 24 in case.

AUTO TOP DRESSING

Ready for Use

An excellent dense black dressing for renewing finish on mohair, pantasote and similar tops, side curtains and upholstery of automobiles. Can also be used on leather furniture, traveling bags and other leather or imitation leather surfaces. On mohair it dries with a dull black finish, while on leather, pantasote and other imitation leathers it dries with an eggshell gloss. Dries perfectly hard in three or four hours; is easy to apply and does not show laps or streaks. (Put up in friction top cans.)

$\frac{1}{2}$ pts.	pts.	qts.	gals.
60	1 00	1 75	6 25

Trade Discount 40%

Half-pints, 48 in case. Pints, 24 in case. Quarts, 24 in case
Gallons, 6 in case.

SHERWIN-WILLIAMS PRODUCTS

AUTO ENAMEL

Ready for Use

A line of enamels made especially for refinishing motor cars by the car owner himself. S-W Auto Enamels are very durable, elastic and waterproof, and on account of their easy working qualities, it is possible for one inexperienced in painting to secure a high-class finish on his car without the loss of time attending the usual paint-shop job. Dries in about 48 hours, depending upon atmospheric conditions. Outside exposure or repeated washing will not harm the finish.

	$\frac{1}{2}$ pts.	pts.	qts.
Black.....	60	1 00	1 80
Everglade Green.....	70	1 25	2 25
Russet Tan.....			
Royal Blue.....			
English Brewster Green.....			
Clear.....			
Rubber Finish.....	75	1 35	2 50
White.....			
Virginia Cream.....			
Battleship Gray.....			
Motor Red.....			
Rich Wine.....			

Trade Discount 40%

Half-pints, 48 in case

Pints, 24 in case.

Quarts, 24 in case.

AUTO AND BUGGY PAINT

Ready for Use

A varnish gloss paint of great durability and elasticity for painting and varnishing in one operation, automobiles, carriages, wagons, sleighs, carts, tractors, farm implements, etc. Will retain its bright color and high gloss in all kinds of weather. Repeated washing does not injure its lustre or durability. Dries in 24 to 48 hours.

	$\frac{1}{2}$ pts.	pts.	qts.	$\frac{1}{2}$ gals.	gals.
Black.....	60	1 00	1 75	3 30	6 25
Blue.....	65	1 10	1 95	3 70	7 25
Brewster Green.....					
Clear.....					
Light Green.....					
Rubber Finish.....					
Gray.....	70	1 25	2 25	4 30	8 25
Yellow.....					
Cart Red.....					
Wine.....					
Vermillion.....	75	1 45	2 80	5 15	10 00

Trade Discount 40%

Half-pints, 48 in case

Pints, 24 in case.

Quarts, 24 in case.

Half-gallons, 12 in case.

Gallons, 6 in case.

BATH ENAMEL

A high quality and thoroughly satisfactory enamel for zinc bath tubs. Being ground in specially treated liquids, it produces a porcelain-like finish that successfully withstands hot and cold water. Is tough and tenacious and will not chip, flake or discolor. On new work, use Bath Enamel Ground for undercoats.

	$\frac{1}{4}$ pts.	$\frac{1}{2}$ pts.	pts.	qts.	gals.
Porcelain.....	40	70	1 20	2 20	8 00
Ground.....	60	1 00	1 80	6 25	

Trade Discount 40%

Quarter-pints, 48 in case.

Half-pints, 48 in case.

Pints, 24 in case.

Quarts, 24 in case.

Gallons, 6 in case.

SHERWIN-WILLIAMS PRODUCTS

BRAS-BRITE

Liquid Metal Polish

A liquid preparation for cleaning and polishing brass and other polished metals. By repeated tests and comparisons, Bras-Brite has proved to polish more quickly and easily, requiring but little rubbing. Will not harden in the package and will keep in perfect condition in any climate. Non-explosive and can be used practically anywhere with perfect safety.

½ pts.	pts.	qts.	½ gals.	gals.
17	26	45	80	1 40

Net Prices

Half-pints, 48 in case.	Pints, 48 in case.	Quarts, 24 in case.
Half-gallons, 12 in case.	Gallons, 6 in case.	

BRIGHTEN-UP STAIN

A Stain and Varnish Combined

Produces a stained and varnished finish in one operation on old or new furniture, floors or woodwork. Is easily applied and does not show laps or brushmarks. Surfaces previously painted may be changed to imitate any of the woods represented in this list by first applying a coat of Brighten Up Stain Ground, and after thoroughly dry, follow with the color selected.

	¼ pts.	½ pts.	pts.	qts.	½ gals.	gals.
Cherry.....						
Dark Oak.....						
Ebony.....						
Green.....						
Light Oak.....						
Mahogany.....			30	50	80	1 45 2 70 5 00
Rosewood.....						
Walnut.....						
Ground.....						

Trade Discount 40%

Quarter pints, 48 in case.	Half pints, 48 in case.	Pints, 24 in case.
Quarts, 24 in case.	Half gallon, 12 in case.	Gallons, 6 in case.

BRONZING LIQUID

Three satisfactory bronzing liquids for mixing with gold, aluminum and brass bronzes. These liquids are unexcelled for decorative work, for when mixed with bronze they dry with a high gloss finish, and due to their splendid heat-resisting qualities, may be used on radiators, steam pipes, etc., without discoloring, peeling or blistering.

	pts.	qts.	½ gals.	gals.	5s
No. 1.....	30	1 40	2 60	4 80	4 75
No. 2.....	65	1 10	1 95	3 55	3 50
No. 3.....	60	1 00	1 80	3 20	3 15
1-ounce bottles, per dozen.....					2 75
2-ounce bottles, per dozen.....					3 15
3-ounce bottles, per dozen.....					4 00

Trade Discount 33¼%

Bottles put up in fancy cartons, containing one dozen, any size.

Half pints, 48 in case.	Pints, 24 in case.	Quarts, 24 in case.
Half gallons, 12 in case.	Gallons, 6 in case.	

SHERWIN-WILLIAMS PRODUCTS

CANOE ENAMELS

A line of bright distinctive colors for painting canoes, rowboats and other water craft. Permanent in color, finely ground in high-class waterproof varnish, it successfully withstands exposure to fresh or salt water and sunshine. Dries hard enough to launch in 36 hours.

	½ pts	pts.	qts.
Black.....	60	1 00	1 80
Blue.....	70	1 25	2 25
Light Green.....			
Brewster Green.....			
Gray.....	70	1 35	2 50
Yellow.....			
Orange.....			
Wine.....			
Carmine.....			
White.....			

Trade Discount 40%

Half pints, 48 in case.

Pints, 24 in case.

Quarts, 24 in case.

CARBON PAINT

Red Diamond Brand

A chemically inert paint made on a charcoal base, combined with the purest of linseed oil. This paint produces a thick film which affords wonderful protection against rust and decay to the metal surface to which it is applied. Especially adapted for use on bridges and all other structural work where good drying and extreme durability are necessary. This is a metal protective paint of the very highest type.

	qts.	½ gals.	gals.	5s	bbls.
Black.....	83	1 58	3 00	2 95	2 90

Net Prices

Quarts, 24 in case.

Half gallons, 12 in case.

Gallons, 6 in case.

CORNISH EUREKA GOLD SIZE

A standard high-grade gold size manufactured under a secret process from high-grade materials. Used principally by carriage, car and sign painters and decorators for gold leaf, silver leaf, aluminum leaf, Florentine leaf, Dutch metal, or any other leaf known to the gilder's art. Is extensively used for gilding decorative work on interiors of churches, banks, theatres, passenger coaches, automobiles, sign painting, japanning, etc. Gilds splendidly over a flat color the same as over varnish color or rubbing varnish. Will not sag or run to an edge. Its durability is unsurpassed. Can be varnished over without danger of cracking. For directions see pamphlet, Form E-442.

	¼ pts.	½ pts.	pts.	qts.	½ gals.	gals.
Extra Quick.....	40	70	1 20	2 20	4 20	8 00
Quick.....						
Slow.....						

Trade Discount 33⅓%

Quarter pints, 48 in case.

Half pints, 48 in case.

Pints, 24 in case.

Quarts, 24 in case. Half gallons, 12 in case. Gallons, 6 in case.

SHERWIN-WILLIAMS PRODUCTS

COMMONWEALTH BARN GRAY

An extremely popular gray paint for painting barns, sheds, corn cribs, roofs, silos, fences, etc. This paint shares the enviable reputation of Commonwealth Barn Red. It works easily, dries with a good gloss, has good covering capacity and great durability. It is an exceptional value for the price.

½ gal.	gal.	5s	bbls.
1 30	2 45	2 40	2 35

Net Prices

Half gallons, 12 in case.

Gallons, 6 in case.

COMMONWEALTH BARN RED

A bright, handsome, true-toned red paint of quality, for barns, sheds, corn cribs, roofs, fences, etc. It works easily, covers solid with two coats, has good spreading capacity, and exceptionally long life, all of which makes it more economical to use than other barn paints on the market. Possesses splendid wood preserving qualities in addition to improving the appearance of building.

½ gal.	gal.	5s	bbls.
1 00	1 85	1 80	1 75

Net Prices

Half gallons, 12 in case.

Gallons, 6 in case.

COMMONWEALTH PAINT

A line of bright, handsome colors for painting garages, fences, arbors, barns and other buildings where a durable and serviceable paint is desired at a moderate price. These paints are easily applied, have splendid covering capacity and dry with a handsome uniform oil gloss finish. When trimmed with white, these colors present a very pleasing appearance.

	½ gal.	gal.	5s	bbls.
Red.....	1 00	1 85	1 80	1 75
Gray.....	1 30	2 45	2 40	2 35
Green.....	1 33	2 50	2 45	2 40
Orange Yellow.....	1 38	2 60	2 55	2 50
White.....	1 45	2 75	2 70	2 65

Net Prices

Half gallons, 12 in case.

Gallons, 6 in case.

CONCRETE AND CEMENT HARDENER

An Effective Preparation for Hardening and Waterproofing Concrete and Cement

Fills up the pores, greatly strengthening and hardening the cement or concrete thus insuring better wearing qualities. Prevents the dusting of cement floors and makes the surface thoroughly and permanently waterproof. Neutralizes the alkaline salts which may be present in the cement, making it much safer for painting. Can be applied with a brush or successfully sprayed. For directions see pamphlet, Form E-440.

1-gal. jug	5-gal. carboy	30 and 50-gal. bbls.
2 10	2 00	1 70

Net Price per Gallon

SHERWIN-WILLIAMS PRODUCTS

CONCRETE FLOOR PAINT

Made especially for use on concrete and cement floors. The surface must be dry and free from dust and grease before application. Under ordinary conditions this material will dry over night and can be walked upon next day. Dries with a good gloss and will withstand hard wear. On new floors it is always best to first apply at least one coat of Concrete and Cement Hardener.

	qts.	½ gals.	gals.
Dust Color.....			
Gray.....			
Light Brown.....			
Light Tan.....	76	1 45	2 75
Maroon.....			
Orange.....			
Slate.....			
Yellow.....			

Net Prices

Quarts, 24 in case.

Half gallons, 12 in case.

Gallons, 6 in case.

CONCRETE WALL FINISH

A high quality oil paint manufactured especially for exterior use on concrete cement, brick and stucco walls. Possesses extra heavy body, permitting reduction with linseed oil or turpentine, according to the porosity of the surface. Under ordinary circumstances two coats will produce a first-class job, and it is not necessary to use a primer or sealer first to obtain a satisfactory and waterproof surface. This material dries with a flat finish.

	gals.	5 gals.	bbls.
Buff.....			
Colonial Yellow.....			
Cream.....			
Dark Brown.....			
Dark Gray.....			
Extra Light Gray.....	2 90	2 85	2 80
Green Stone.....			
Light Brown.....			
Light Gray.....			
Tan.....			
Terra Cotta.....			
Venetian Red.....			
White.....	3 15	3 10	3 05

Net Prices per Gallon

Gallons, six in case.

COPPER PAINT

Made to protect wooden bottoms of vessels, launches and other craft from barnacles, worms, seaweed, etc. Contains more copper per gallon than other paints of this character, and is the most reliable and economical anti-fouling paint on the market. Freshly painted hulls can be put in the water while the paint is still wet.

	qts.	gals.	5 gals.
Red.....	75	2 75	2 70
Brown.....	75	2 75	2 70
Green.....	75	2 75	2 70

Net Prices

Quarts, 12 in case.

Gallons, 6 in case.

CRACK AND SEAM FILLER

Ready for Use

An elastic composition for filling cracks, crevices and seams in old and new floors. Will not shrink or dry up like putty or other so-called Crack and Seam Fillers on the market. Gives a smooth surface over which to apply paint or varnish. Has considerably more bulk to the pound than the average competitive product and consequently goes much further. Apply with putty knife or palm of hand.

1-lb. cans	5-lb. cans
32	30

Net Prices per Pound

1-pound cans, 50 in case. 5-pound cans, 10 in case.

SHERWIN-WILLIAMS PRODUCTS

CYCLE ENAMEL

Air Drying

An enamel for refinishing bicycles, motorcycles, velocipedes, toys, etc. It dries quickly with a high gloss and retains this finish for the longest time under hard wear and exposure. Does not crack or check from heat, cold or vibration. Is unaffected by moisture.

	quarter pints each
Black.....	35
Motor Gray.....	
Robin's Egg Blue.....	
White.....	
Yellow.....	45
U. S. Olive Drab.....	
Green.....	
Blue.....	
Maroon.....	
Vermilion.....	55

Trade Discount 40%

Quarter pints, 48 in case.

DANCING FLOOR WAX

Powdered

An excellent preparation for waxing ball-room floors. Put up in sprinkler top cans, which makes application easy. Is used by the largest hotels, dancing academies amusement parks, etc.

½-lb. cans	1-lb. cans
55	90

Trade Discount 40%

Half-pound cans, 25 in case. One-pound cans, 48 in case.

DECO-PASTE

Deco-Paste is a specially prepared pigment, ground in carefully treated oils to a semi-paste consistency. Should be thinned for use by adding sufficient water to produce a proper brushing consistency. The film is formed by the evaporation of the water and oxidation of the oil. Does not have a tendency to chalk, crack or peel. Is not affected by heat or humidity.

	gals	5 gals.	bbls.
White.....	2 40	2 35	2 30

Net Prices per Gallon

Gallons, 6 in case.

DECOTINT WALL COLORS

Are carefully prepared from selected materials in exactly the same manner as Decotint Wall Finish, and are intended for use in connection with same. They can be used either straight, or else as tinting colors for mixing with Decotint Wall Finish. They can also be intermixed to produce other deep colors. Ready for immediate use when mixed with cold water.

	350 280-lb. bbls.	100 50-lb. kegs	25-lb. boxes	5-lb. pkgs.	2 ½-lb. pkgs.
No. 20.....	22	23	24	25	26
No. 21.....	34	35	36	37	38
No. 22.....	28	29	30	31	32
No. 23.....	22	23	24	25	26
No. 24.....	66	67	68	69	70
No. 25.....	1 31	1 32	1 33	1 34	1 35
No. 26.....	46	47	48	49	50
No. 27.....	46	47	48	49	50
No. 28.....	46	47	48	49	50
No. 29.....	36	37	38	39	40
No. 30.....	36	37	38	39	40
No. 31.....	53	54	55	56	57

Trade Discount 40%

2 ½ pound package, 40 in case. 5-pound package, 20 in case.
25-pound package, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

DECOTINT WALL FINISH

A Cold Water Paint

Manufactured in dry, powdered form from carefully selected materials, and is so compounded that it requires only mixing with cold water to be ready for instant use. Is non-poisonous, contains no alkali, acid, or anything injurious to the health. Decotint produces a good sanitary wall finish, has splendid covering capacity, one pound covering from 60 to 100 square feet. A second coat can safely be applied as soon as first coat has become thoroughly dry.

	5-lb pkgs.	per pound 100-lb. kegs	bbis.
White.....	15	14	13
Tints, except No. 6.....	17	16	15
No. 6.....	24	23	22

5-pound pkgs. packed 20 to case.

per box containing
10 1-lb. cartons
5 00

Decotint Wall Size (in dry form).....

Trade Discount 40%

DRY COLORS

Our splendid facilities for the manufacture of Intermediates, Dyes and Chemicals used in producing Dry Colors places us in the foremost position for supplying Dry Colors of the highest quality for use in paints, stains, enamels, etc.

The Dry Colors listed here are, with few exceptions, the same as we use in the manufacture of our own high grade products, the majority being the product of our own dry color factories, and as such will be found vastly superior in color, tone strength and fineness to the jobbing grade offered on the market.

Germantown Lamp Black

One-pound papers.....	24
One half-pound papers.....	30
One quarter-pound papers.....	36

Ivory Black

	6s	kegs	bbis.
Powdered.....	19	15	13

Blues

Chemically Pure Chinese.....	1 08	1 03	98
Chemically Pure Milori.....	1 08	1 03	98
Chemically Pure Prussian.....	1 08	1 03	98
No. 1 Prussian.....	23	19	17
Ultramarine (C. U.).....	39	35	33

Browns

Imp. Raw Turkey Umber.....	15	11	09
Imp. Burnt Turkey Umber.....	15	11	09
Imp. Raw Italian Sienna.....	24 1/2	20 1/2	18 1/2
Imp. Burnt Italian Sienna.....	19 1/2	15 1/2	13 1/2
Vandyke.....	---	---	---

Greens

Chemically Pure Chrome Light.....	57	53	51
Chemically Pure Chrome, Medium.....	58	54	52
Chemically Pure Chrome, Dark.....	67	63	61
French Crown, Extra Light.....	24	20	18
French Crown, Light.....	25	21	19
French Crown, Medium.....	26	22	20
French Crown, Dark.....	27	23	21
No. 1 Chrome, Light.....	19 1/2	15 1/2	13 1/2
No. 1 Chrome, Medium.....	21	17	15
No. 1 Chrome, Dark.....	22	18	16
No. 5 Chrome, Light.....	17	13	11
No. 5 Chrome, Medium.....	18	14	12
No. 5 Chrome, Dark.....	19	15	13

SHERWIN-WILLIAMS PRODUCTS

DRY COLORS—Continued

Reds			
	6s	kegs	bbis.
Imp. English Indian.....	29	25	23
Imp. English Tuscan.....	28	24	22
Genuine English Rose Pink.....	54	50	48
Non-Fading Red Lake.....	29	25	23
Premier Non-Fading, Light.....	31	27	25
Premier Non-Fading, Medium.....	31	27	25
Premier Non-Fading, Dark.....	31	27	25
American Vermilion, L & D.....	47	43	41
Turkey, Dark.....	69	65	63
Orange Mineral.....	--	--	--
Red Lead.....	--	--	--

	78&15 lb. bags	30&50 lb. bags	100&500 lb. kegs
English Vermilion.....	--	--	--

Yellows			
	6s	kegs	bbis.
Chem. Pure Chrome, Light.....	47	43	41
Chem. Pure Chrome, Medium.....	47	43	41
Chem. Pure Chrome, Orange.....	47	43	41
Extra Chrome, Light.....	39	35	33
Extra Chrome, Medium.....	39	35	33
Extra Chrome, Orange.....	39	35	33
No. 1 Chrome, Light.....	28	24	22
No. 1 Chrome, Medium.....	28	24	22
No. 1 Chrome, Orange.....	28	24	22
No. 5 Chrome, Light.....	22	18	16
No. 5 Chrome, Medium.....	22	18	16
No. 5 Chrome, Orange.....	22	18	16

Ochres			
Genuine Dutch Pink.....	--	15 ½	13 ½
Golden Ochre.....	--	12 ½	10 ½
Imp. French Ochre.....	--	12	10
Domestic Ochre.....	--	06 ½	04 ½

Whites			
Strictly Pure White Lead.....	--	--	--
Genuine Green Seal French Zinc.....	--	--	--
English Cliff Paris White.....	--	06 ½	04 ½
Extra Bolted Gilders Whiting.....	--	06	04
Plaster Paris.....	--	06	04

Fillers			
Keystone.....	--	05 ½	03 ½
English.....	--	05 ½	03 ½

Metallic Paints			
English Venetian Red.....	--	07 ½	05 ½
Iron Ore Red.....	--	06	04
Prince's Metallic.....	--	06	04

Net Prices

SHERWIN-WILLIAMS PRODUCTS

DISTEMPER FRESCO COLORS

Ground in Water Without Size

Made especially for show card painting and for scenic work, interior decorating, etc. Are very finely ground and are true in tone; hence are more desirable for fine work than colors mixed from dry materials. The patent sealed glass jars save waste and prevent drying out.

Filled in patent sealed glass jars of uniform size, varying in weight according to gravity.

	per jar
Ivory Drop Black.....	60
Lamp Black.....	60
Cobalt Blue.....	88
Prussian Blue.....	85
Ultramarine Blue.....	78
Raw Turkey Umber.....	55
Burnt Turkey Umber.....	55
Raw Italian Sienna.....	60
Burnt Italian Sienna.....	60
Vandyke Brown.....	65
Black Walnut Stippling.....	65
French Crown Green, M.....	80
Emerald Green.....	95
Chrome Green, L. M. D.....	90
Ultramarine Green.....	80
French Carmine.....	3 75
English Vermilion.....	6 00
Rose Pink.....	85
Dutch Pink.....	70
Indian Red.....	75
Venetian Red.....	55
Turkey Red.....	90
Orange Mineral.....	1 05
Red Lead.....	1 40
Naples Yellow.....	88
Chrome Yellow, L.....	70
Chrome Yellow, M.....	70
Chrome Yellow, O.....	70
Chrome Yellow, DO.....	70
Golden Ochre.....	70
Yellow Ochre.....	48
Cremnitz White.....	65
Carmine Lake.....	2 25
Rose Lake.....	90
Scarlet Lake.....	2 35
Florentine Lake.....	95

Trade Discount 25%

Jars, 24 in case

EGG-SHELL MILL WHITE

Ready for Use

An intensely white finish for interior walls, ceilings and woodwork of factories, mills, dairies, stores, etc. Dries with an egg-shell gloss and is particularly desirable for its light-diffusing qualities, without the objectionable glare reflected by a high gloss paint. On account of its heavy body it has splendid hiding qualities, covering dark or poorly painted surfaces perfectly with two coats. The first coat should be reduced 25% with Reducer No. 83, which serves as a size and scaler. Second coat should be applied as it comes from the can.

	qts.	½ gals.	gals.	5 gal. cans	bbls.
Egg-Shell White.....	76	1 45	2 75	2 70	2 65
Reducer No. 83.....	65	1 20	2 20	2 15	2 10

Net Prices

Quarts, 24 in case. Half gallons, 12 in case.
Gallons, 6 in case.

SHERWIN-WILLIAMS PRODUCTS

EMPRESS LIQUID GOLD

Prepared Ready for Use

For decorating picture frames, mouldings, chairs, household novelties, etc. Put up in fancy cardboard boxes containing a bottle of Empress Liquid Gold and a brush, and packed in handsome cartons each containing one dozen outfits.

Per dozen boxes..... 3 65

Trade Discount 40%

12 bottles in carton.

12 cartons in case.

ENGLISH PATENT DRIER

Paste Form

Used principally in drying whites. Does not interfere with the elasticity of the liquids, as it does not act as a thinner like liquid driers. Used by practical painters.

One-pound cans..... per lb. 25c

Net Price per Pound

50 pounds in case.

ENGLISH VENETIAN RED

Ground in Oil

	12 1/2-lb. pails	25-lb. pails	100-lb. kegs
F.....	21	20	19
A.....	11 1/2	10 1/2	09 1/2
H.....	10	09	08

Net Prices per Pound

12 1/2, 4 in case.

25, 4 in case.

ENAMEL LEATHER DRESSING

For renewing the finish on leather and imitation leather automobile and carriage tops, side curtains and similar surfaces where a high gloss enamel-like finish is desired. Will not crack when top is let down. Is elastic and durable and quite suitable for refinishing harness, leather upholstery, travelling bags and similar surfaces. Put up in tin cans.

1/2 pts.	pts.	qts.	1/2 gals.	gals.
45	70	1 20	2 20	4 00

Trade Discount 40%

Half pints, 48 in case.

Pints, 24 in case.

Quarts, 24 in case

Half gallons, 12 in case.

Gallons 6 in case.

ENAMEL

A high-quality damer gum enamel for interior woodwork, walls, furniture, metal and wooden bedsteads, etc. Sold in a variety of beautiful tints which are fast and durable; also Snow White, which is particularly popular with the master painters, due to its extreme whiteness, easy flowing and proper drying qualities. For best results use over S-W Enamel Ground or Enamel Undercoater No. 12.

	1/2 pts.	1/2 pts.	pts.	qts.	1/2 gals.	gals.
French Gray.....						
Forest Green.....						
Gloss Black.....						
Golden Brown.....						
Ground.....						
Ivory White.....	40	70	1 25	2 30	4 45	8 50
Light Blue.....						
Light Sage.....						
Gray.....						
Shell Pink.....						
Snow White.....						
Vermilion.....	45	80	1 40	2 55	4 90	9 50

Trade Discount 40%

Quarter pints, 48 in case.

Half pints, 48 in case.

Pints, 24 in case.

Quarts, 24 in case.

Half gallons, 12 in case.

Gallons, 6 in case.

SHERWIN-WILLIAMS PRODUCTS

ENAMELOID

A long oil enamel of unusual quality and popularity with master painters. Particularly adapted for use on interior walls, ceilings and woodwork of kitchens, bath rooms, creameries, etc. Is absolutely waterproof and is not affected by steam, heat or cold. Is unusually easy to apply, covers well and can be cleaned repeatedly with soap and water.

	¼ pts.	½ pts.	pts.	qts.	½ gals.	gals.
Black.....						
French Gray.....						
Gray.....						
Grass Green.....						
Ivory.....	35	65	1 15	2 05	3 90	7 50
Pink.....						
Satin Green.....						
Sky Blue.....						
Tan.....						
White.....						

Trade Discount 40%

Quarter pints, 48 in case. Half pints, 48 in case. Pints, 24 in case.
Quarts, 24 in case. Half gallons, 12 in case. Gallons, 6 in case.

ENAMEL UNDERCOATER No. 12

A splendid Enamel Undercoater for use under Old Dutch Enamel, S-W Enamels, Enameloid, etc. Owing to its careful combination of selected white pigments and the pains taken in manufacture to secure fine grinding, it is ideal for building up a suitable surface over which to enamel. Is easy to apply, works well under the brush, dries uniformly flat, possesses splendid covering capacity and unusual hiding power. Requires minimum amount of sanding.

½ pts.	pts.	qts.	½ gals.	gals.	5 gals.
55	90	1 60	3 05	5 75	5 65

Trade Discount 40%

Half pints, 48 in case. Pints, 24 in case. Quarts, 24 in case.
Half gallons, 12 in case. Gallons, 6 in case.

FAMILY PAINT

A prepared paint for buildings outside and inside, where a moderate price paint is desired. Is ideal for general household use, cupboards, shelving, chairs, window-boxes, etc. Produces an oil gloss finish which will give uniform satisfaction.

	¼ pts.	½ pts.	pts.	qts.	½ gals.	gals.	5 & bbls.
Ash Gray.....							
Black.....							
Bottle Green.....							
Brown.....							
Buff.....							
Cream.....							
French Gray.....							
Ivory.....							
Light Brown.....	15	23	38	68	1 28	2 40	2 35
Light Gray.....							
Light Lead.....							
Medium Brown.....							
Olive Brown.....							
Pea Green.....							
Red.....							
Sky Blue.....							
Straw.....							
Yellow.....							
Exterior White, gloss.....	16	24	40	71	1 35	2 55	2 50
Interior White, gloss.....							
Interior White, flat.....							
Dark Blue.....	17	26	44	81	1 55	2 95	2 90
Green.....							
Scarlet Vermillion.....	21	34	60	1 13	2 18	4 20	4 15

Net Prices

Quarter pints, 48 in case. Half pints, 48 in case. Pints, 24 in case.
Quarts, 24 in case. Half gallons, 12 in case. Gallons, 6 in case.

SHERWIN-WILLIAMS PRODUCTS

FILLER

Paste

For filling all open-grain hardwoods.

	1-lb. cans	5-lb. cans	12 1/2-lb. pails	25-lb. pails	100-lb. kegs
Antique Oak.....					
Golden Oak.....					
Oak.....					
Red Oak.....	24	21	19	18	17
Transparent.....					
Walnut.....					
Mahogany.....					

Net Prices per Pound

1-pound cans, 50 in case. 5-pound cans, 10 in case.
12 1/2-lb. cans, four in case.

FLAT BLACK

For producing a dull dead black wrought iron finish on wood or metal. Particularly suited for picture frames, mouldings, ornamental iron work, lamps, gas fixtures, etc. Is easily applied, has good covering capacity and splendid hiding power, covering solid with one coat. It is very durable.

1/4 pts.	1/2 pts.	pts.	qts.	gals.
30	50	80	1 45	5 00

Trade Discount 40%

Quarter pints, 48 in case. Half pints, 48 in case.
Pints, 24 in case. Quarts, 24 in case.

FLAT BRICK RED

Paste

For use on old and new brick walls to imitate the color of pressed brick or terracotta work. Although red is the only color carried in stock, special colors will be furnished on orders where quantity is sufficiently large to justify special grinding. Write for special prices in each case.

5-lb. cans	12 1/2-lb. pails	25-lb. pails
15 1/2	12 1/2	11 1/2

Net Prices per Pound

5-pound cans, 10 in case. 12 1/2-pound pails, 4 in case.
25-pound pails, 4 in case.

FRENCH CROWN GREEN

Ground in Oil

A chrome green of very high quality, ground in linseed oil. This line of greens is unusually bulky, ground to an intensely fine texture, and possesses exceptional tinting strength. No better green can be found for window blinds, roofs, fences or any kind of painting where an intensely bright, permanent green is essential.

	per pound	1-lb. cans	5-lb. cans	12 1/2-lb. pails	25-lb. pails
French Crown Green, Light.....					
French Crown Green, Medium.....					
French Crown Green, Dark.....					
French Crown Green, Double Dark.....					
		42	39	36	35

Trade Discount 25%

1-pound cans, 50 in case. 5-pound cans, 10 in case.
12 1/2-pound pails, 4 in case. 25-pound pails, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

FIRST QUALITY COLORS IN OIL

Paste Form

Used largely by master painters for tinting White Lead and other paints. Also used quite extensively for sign-writing purposes. S.W. First Quality Colors in Oil represent the highest quality of colors ground in pure linseed oil. Are stronger in tinting power than any other oil colors on the market.

Cans and pails—prices per pound. Tubes—prices per dozen.

Blacks

	large tubes	1 lb. cans	5 lb. cans	12 1/2 lb. pails	25-lb pails
Ivory Drop.....	4 25	50	49	47	---
English Coach.....	4 25	50	49	47	---
Sign Painters.....	4 50	65	64	---	---
Lamp.....	4 75	70	69	67	---

Blues

*Chinese.....	6 75	1 50	1 49	---	---
*Prussian.....	6 75	1 50	1 49	---	---
Cobalt.....	8 50	1 10	1 09	---	---
*Ultramarine.....	6 50	85	84	82	---

Browns

Raw and Burnt Turkey Umber.....	5 00	50	49	47	46
Raw and Burnt Italian Sienna.....	5 00	60	59	57	56
Vandyke.....	5 50	65	64	62	---

Greens

Paris.....	6 75	90	89	---	---
Bronze.....	4 50	45	44	42	41
Chrome, L., M. and D.....	6 00	50	49	47	46

Reds

Dragon Bulletin Red.....	14 50	1 75	1 74	1 72	1 71
Premier Non-Fading.....	5 50	75	74	72	71
English Vermillion.....	37 00	3 25	3 24	---	---
American Vermillion.....	7 25	65	64	---	---
English Rose Lake.....	6 75	90	89	---	---
English Rose Pink.....	6 75	90	89	---	---
Bright Tuscan.....	5 75	70	69	67	66
Tuscan.....	5 25	65	64	62	61
Turkey.....	6 25	60	59	---	---
Indian.....	5 50	55	54	52	51
English Venetian.....	4 50	40	39	37	36

Yellows

Chrome—L. M. O. and D. O. (C.P.).....	7 00	80	79	77	76
Chrome, L. M. O. and D. O.....	6 00	65	64	62	61
Golden Ochre.....	5 00	45	44	42	41
Yellow Ochre.....	4 50	35	34	32	31

Note: Colors marked (*) filled in 1/2-lb. cans add 16c to 1-lb. price, filled in 1/4-lb. cans add 26c to 1-lb. price.

Tubes are sold according to bulk, not weight

On account of their large bulk it is impossible to furnish Blacks, Prussian Blue and Browns in 25-pound pails.

Trade Discount 25%

1-pound cans, 50 in case. 5-pound cans, 10 in case.
12 1/2-pound pails, 4 in case. 25-pound pails, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

Flat-Tone

THE PERFECT FLAT WASHABLE OIL PAINT

The ideal flat wall finish for artistic decoration of interior plastered walls, ceilings and woodwork of residences, office buildings, schools, hotels, theatres, churches, etc. It is durable, sanitary and artistic, lending itself readily to the most pleasing combinations, and is truly economical because the original beauty of the newly-decorated wall can be kept ever fresh and attractive, as Flat-Tone can be washed with soap and water. For this reason, Flat-Tone costs no more in the long run than an ordinary calcimine or tint, because it will easily outwear several such coats. Highly satisfactory jobs can be obtained with two coats. The first coat should be thinned 50% with Flat-Tone Mixing Size, and the second coat applied as it comes from the can. Flat-Tone is also ideal for renewing and refinishing window shades.

	½ pts.	pts.	qts.	½ gals.	gals.	5 gals.	bbls.
White.....	25	43	78	1 48	2 80	2 75	2 70
Bright Sage.....							
Buff.....							
Buff Stone.....							
Caen Stone.....							
Cocoanut Brown.....							
Cream.....							
Forest Green.....							
Ivory.....			78	1 48	2 80	2 75	2 70
Ivory Tan.....							
Ivory White.....							
Lichen Gray.....							
Pale Azure.....							
Pearl Gray.....							
Shell Pink.....							
Silver Gray.....							
Tan.....							

Net Prices

Half pints, 48 in case	Pints, 24 in case.
Quarts, 24 in case.	Half gallons, 12 in case.
	Gallons, 6 in case.

FLAT-TONE MIXING SIZE

Especially designed for mixing with Flat-Tone. For the average unpainted surface, Flat-Tone Mixing Size should be mixed with equal parts of Flat-Tone for the first coat, thereby giving a coat of size and a first color coat in one operation. On hard sealed surfaces, or surfaces that have been previously painted, one quart of Flat-Tone Mixing Size to a gallon of Flat-Tone is sufficient.

qts.	½ gals.	gals.	5 gal. cans	bbls.
1 00	1 80	3 25	3 15	3 00

Trade Discount 33⅓%

Quarts, 24 in case.	Half gallons, 12 in case.
	Gallons, 12 in case.

SHERWIN-WILLIAMS PRODUCTS

FLAT-TONE GLAZE AND STENCIL COLORS

Blues		large tubes each
Cobalt.....	-----	95
Prussian.....	-----	90
Italian.....	-----	90
Ultramarine.....	-----	85
Deep Cerulean.....	-----	1 00

Browns		
Raw Sienna.....	-----	60
Burnt Sienna.....	-----	60
Raw Umber.....	-----	60
Burnt Umber.....	-----	60
Vandyke.....	-----	65
Japanese Brown.....	-----	85
Golden Brown.....	-----	90
Sepia Brown.....	-----	90
Persian Brown.....	-----	90
Brown Sienna.....	-----	80

Greens		
Vert Emeraude.....	-----	1 55
Alizarine, L.....	-----	1 35
Verdigris.....	-----	1 25
Sap Green.....	-----	1 00
Olive Lake.....	-----	90
Emerald.....	-----	1 20
Moss Green.....	-----	1 15
Myrtle.....	-----	1 10
Deep Olive.....	-----	90
Peacock Green.....	-----	1 25
Sage Gray.....	-----	1 10
Steel Green.....	-----	1 05

Reds		
Florentine Lake.....	-----	1 35
Vienna Rose Lake.....	-----	1 00
Mauve.....	-----	2 00
Scarlet Lake.....	-----	2 00

Yellows		
Indian Yellow.....	-----	1 10
Royal Golden Lake.....	-----	1 20
Italian Pink.....	-----	1 25
Yellow Lake, D.....	-----	1 10
Orange Lake.....	-----	1 10
Chrome Yellow, L. & M.....	-----	1 10
Golden Ochre.....	-----	60

Trade Discount 33 1/4%

FLAT-TONE GLAZING LIQUID

A clear liquid specially made for mixing with Flat-Tone Glaze and Stencil Colors, to carry out S-W Flat-Tone System Effects of interior decoration.

pts.	qts.	gals.
90	1 55	5 50

Trade Discount 33 1/4%

Pints, 24 in case. Quarts, 24 in case. Gallons, 6 in case.

SHERWIN-WILLIAMS PRODUCTS

COLORS FOR FLAT-TONE SYSTEM EFFECTS

Flat-Tone Glaze Colors are especially prepared for use on walls, ceilings and relief work to produce rich, transparent glaze effects over a suitable groundwork of opaque color. By using these colors in connection with Flat-Tone Glazing Liquid over a suitable groundwork, such as S-W Flat-Tone or ODP White Lead, the experienced decorator or painter can obtain an infinite variety of shades, with tones of great depth and beauty of color, and of a character impossible with any other finish. Owing to the variety of effects obtained, it is always possible to finish walls and ceilings in perfect harmony with the rest of the color-scheme, not only in an endless variety of colors, but also in effects, ranging from the simple transparent glaze to a two or three-color mottled and blended effect. Flat-Tone Glaze Colors are ground in oil to impalpable fineness, and by the addition of Flat-Tone Glazing Liquid can be reduced to the most delicate tones, yet always retaining their brilliancy, no matter what the reduction. They are extremely transparent, lack any tendency to clouding and blend admirably with suitable groundwork, giving a depth of color usually found only in rich fabrics. They are adapted for use in the most elaborate stencil decorations on walls and ceilings—both for application of the stencil itself and for "tinting in" the design.

SYSTEM	GROUND COLOR	GLAZE COLOR
No. 1	Flat-Tone Ivory	Orange Lake
No. 3	Flat-Tone Ivory	Japanese Brown
No. 4	Flat-Tone Old Gold	Brown Sienna
No. 11	Flat-Tone Lichen Gray	Moss Green
No. 12	Flat-Tone Ivory	Golden Brown and Olive Lake
No. 13	Flat-Tone Lichen Gray	Sepia Brown
No. 14	Flat-Tone Cream	Myrtle
No. 16	Flat-Tone Lichen Gray	Deep Olive
No. 18	Flat-Tone Cream	Deep Cerulean
No. 20	Flat-Tone Old Gold	Persian Brown
No. 23	Flat-Tone Gold Size and Aluminum Bronze	Peacock Green
No. 24	Flat-Tone Gold Size and Aluminum Bronze	Brown Sienna
No. 25	Flat-Tone White	Sage Gray
No. 26	Flat-Tone White	Steel Green
No. 27	Flat-Tone Ivory	Cobalt Blue
No. 29	Flat-Tone Caen Stone	Cobalt Blue and Japanese Brown
No. 30	Flat-Tone French Gray	Stencil-White
No. 31	Flat-Tone Cream	Orange Lake and Cobalt Blue
No. 32	Flat-Tone Holland Blue	Stencil-White
No. 33	Flat-Tone Ivory	Raw Sienna and Cobalt Blue
No. 35	Flat-Tone Caen Stone	Rose Lake
No. 36	Flat-Tone Caen Stone	Ivory-Drop Black and Burnt Sienna
No. 37	Flat-Tone Ivory-Tan	Japanese Brown and Cobalt Blue
No. 38	Flat-Tone Caen Stone	Sage Gray
No. 39	Flat-Tone Buff	Persian Brown
No. 40	Flat-Tone Caen Stone	Steel Green
No. 41	Flat-Tone Buff	Rose Lake
No. 42	Flat-Tone Pearl Gray	Ivory Drop Black
No. 43	Flat-Tone Shell Pink	Italian Blue
No. 44	Flat-Tone Shell Pink and Cream equal parts	Italian Blue
No. 45	Flat-Tone Coconut Brown	Italian Blue reduced with White
No. 46	Flat-Tone Silver Gray	Peacock Green
No. 47	Flat-Tone Ivory Tan	Cobalt Blue
No. 48	Flat-Tone Caen Stone	Ivory Drop Black and Raw Sienna
No. 49	Flat-Tone Silver Gray and Cream equal parts	Ivory Drop Black

Flat-Tone Glaze and Stencil Colors are furnished in large tubes only; for prices, see page 25.

SHERWIN-WILLIAMS PRODUCTS

FLAT-TONE MULTI-COLOR STIPPLE EFFECTS



There is a well defined demand for a decorated wall which shall have an interesting and pleasing texture to relieve the severity of the wall painted in a simple plain color. While there are at present beautiful mottled effects which can be produced with S-W Glazing Materials, the demand has been for a stippled wall effect, which should require no special tinting colors, and which should be simple to produce.

The Flat-Tone Multi-Color process requires no special colors, only the regular colors of Flat-Tone shown in our color card, CC 10. A sponge is used to apply the stipple colors over the foundation color effect. This is done by rubbing the sponge into a small quantity of Flat-Tone which has been poured out on a board, being careful that the sponge does not take up too much paint so as to blur when applied to the wall. The sponge acts just like a rubber stamp, and makes a print of its own texture upon the wall. The more interesting the texture of the sponge, the more interesting will be the print upon the wall. Choose a sponge, therefore, with this in mind, selecting one of good size. Slice the bottom off with a large knife before wetting, and wash the sponge out in clean warm water. It is then ready to use.



For full directions, see Form S-1678.

Effect No.	FOUNDATION COLOR	STIPPLE COLOR
2	Flat-Tone Coconut Brown	Flat-Tone Tan
3	Flat-Tone Tan and Silver Gray	Flat-Tone Forest Green and Tan, equal parts.
4	Flat-Tone Pale Azure	Flat-Tone Pale Azure and White, equal parts.
7	Flat-Tone Shell Pink and White	Flat-Tone Shell Pink, 1 part and White, 2 parts.
9	Flat-Tone Bright Sage	Flat-Tone 1st mixture, Shell Pink 2 parts and Pale Azure 1 part. 2nd mixture, Buff and Shell Pink, equal parts. 3rd mixture, Ivory and Silver Gray, equal parts.
10	Flat-Tone Silver Gray	Flat-Tone 1st mixture, Shell Pink. 2nd mixture, Ivory.
14	Flat-Tone Silver Gray	Flat-Tone 1st mixture, Shell Pink. 2nd mixture, Ivory Tan.
17	Flat-Tone Caen Stone	Flat-Tone Pale Azure and White, equal parts.
22	Flat-Tone Buff Stone	Flat-Tone Bright Sage and Buff, equal parts.
23	Flat-Tone Bright Sage	Flat-Tone Bright Sage and Buff, equal parts.
24	Flat-Tone Silver Gray	Flat-Tone 1st mixture, Bright Sage and Ivory Tan. 2nd mixture, Buff and Shell Pink.
25	Flat-Tone Silver Gray	Flat-Tone Silver Gray and Ivory.
26	Flat-Tone Silver Gray and Caen Stone	Flat-Tone Silver Gray and Cream.
27	Flat-Tone Silver Gray & Pale Azure	Flat-Tone Silver Gray and Cream.
28	Flat-Tone Ivory	Flat-Tone Silver Gray, 1 part and Ivory, 2 parts.
29	Flat-Tone Silver Gray and Shell Pink	Flat-Tone Silver Gray 2 parts, and Ivory, 1 part.
30	Flat-Tone Cream	Flat-Tone Ivory.
31	Flat-Tone Shell Pink and Cream	Flat-Tone Silver Gray, 1 part and Ivory, 2 parts.
32	Flat-Tone Cream	Flat-Tone 1st mixture, Ivory. 2nd mixture, Silver Gray 1 part and Cream, 2 parts.
33	Flat-Tone Lichen Gray	Flat-Tone Ivory.
34	Flat-Tone Pearl Gray	Flat-Tone Caen Stone.
35	Flat-Tone Pale Azure	Flat-Tone Silver Gray and Cream.
36	Flat-Tone Caen Stone	Flat-Tone 1st mixture, Silver Gray and Cream. 2nd mixture, Ivory.
39	Flat-Tone Buff Stone and Pale Azure equal parts	Flat-Tone 1st mixture, Buff and Bright Sage, equal parts. 2nd mixture, Silver Gray and Cream, equal parts.
40	Flat-Tone Ivory Tan	Flat-Tone Silver Gray, 2 parts and Cream 1 part.
41	Flat-Tone Shell Pink and Cream	Flat-Tone 1st mixture, Silver Gray and Cream. 2nd mixture, Ivory.
42	Flat-Tone Buff Stone and Pale Azure equal parts	Flat-Tone Buff and Bright Sage, equal parts.



SHERWIN-WILLIAMS PRODUCTS



SHERWIN-WILLIAMS PRODUCTS



These Stencils are all carried regularly in stock by our Decorative Department in Cleveland, Ohio.




— 30 —



0007-SWP-000011609

These Stencils are all carried regularly in stock by our Decorative Department in Cleveland, Ohio.

SHERWIN-WILLIAMS PRODUCTS




These Stencils are all carried regularly in stock by our Decorative Department in Cleveland, Ohio.



These Stencils are all carried regularly in stock by our Decorative Department in Cleveland, Ohio.

SHERWIN-WILLIAMS PRODUCTS



These Stencils are all carried regularly in stock by our Decorative Department in Cleveland, Ohio. Warehouses do not stock stencils. Prices are f. o. b. Cleveland. Shipping expense charged to customer. For prices, see pages 33-34.

STENCILS

Designs shown on pages 28 to 33.
No designs other than these will be supplied.

Number	Number of Parts	in. high	Price
2-R	Two	5	\$ 75
4-R	Two	11	75
5	Two	5	95
008	One	1 1/2	40
8	Two	7 1/4	1 30
009	Two	8	75
9	Two	6	80
10	Two	6	95
13	One	13 1/2	1 35
18-R	Outline	15	1 50
18-Y	Two	4	75
19-Y	Two	3 1/2	75
20-Y	Two	3	1 15
21-Y	Two	15	1 15
39-Y	Two	3	95
41-Y	Two	6	95
43	One	3 1/2	50
44	Two	10	1 90
47	Three	14	3 75
47-R	One	6	75
48	One	3	30
65	One	3	30

TS62 (B) A21

SHERWIN-WILLIAMS PRODUCTS

STENCILS—Continued

Number	Number of Parts	in. high	Price
92	Outline.....	5 1/2	\$.95
96	Two.....	4 1/2	1 .80
98-Y	Two.....	15	1 .50
100-R	Outline.....	13 1/2	1 .15
104-R	Outline.....	6	1 .90
107-R	Two.....	4 1/2	.95
108-R	Outline.....	9	1 .90
109	Two.....	5	.95
113	Two.....	3	.60
116	One.....	1 1/2	.40
118	Two.....	5 1/2	.60
124	Two.....	3 1/2	.40
125-R	Two.....	6	1 .25
127	One.....	7	.30
131	One.....	10	1 .90
155-R	Outline.....	6 3/4	1 .15
409	Two.....	4 1/2	.60
500	One.....	6	.75
511	One.....	3	.60
512	One.....	6 1/4	.75
517	Outline.....	24 1/2	1 .90
701	One.....	2 1/2	.30
822	Outline.....	11 1/2	1 .90
900-Y	Outline.....	6	1 .15
1041-Y	Outline.....	4	.75
1047	One.....	14 1/2	1 .35
1048	Outline.....	7 1/2	1 .20
1052	Two.....	6 1/4	1 .30
1054	Two.....	4	.75
1057	Two.....	12 1/2	1 .90
1097	Outline.....	10 1/2	.95
2607	Two.....	2 1/2	.40
3005	Two.....	12	1 .00
3009	Outline.....	11	1 .90
3017	One.....	8	1 .00
3028	Outline.....	5 3/4	1 .25
3043	Two.....	10	.95
3077	Two.....	11	1 .90
3111	Outline.....	15	.60
4008	Three.....	2 1/2	.75
4012	Three.....	7	2 .25
4019	Two.....	16	1 .90
4020	Two.....	2 3/4	.40
5002	Two.....	9	.60
5002-Y	Two.....	6 1/2	.60
5003	One.....	8	.95
5011	Outline.....	18	5 .50
5015	Two.....	12	1 .90
7000	One.....	3 1/2	.75
7002	Outline.....	6 1/2	1 .90
7003	Outline.....	4 3/4	1 .30
7004	Outline.....	4 1/4	.95
7006	Three.....	3	.95
7007	Two.....	3	.95
7008	One.....	2 1/2	.40
7009	Two.....	2 3/4	.75
7010	Two.....	1 1/2	.60
7012	One.....	5 1/2	.95
7020	Outline.....	4	.95
7050	Two.....	6	2 .25
7051	Two.....	5 1/2	.90
7052	One.....	3	.60
7053	Two.....	2	.65
7054	Two.....	2 1/2	.60
7055	Outline.....	5 1/2	1 .20
7056	One.....	1 1/2	.50
7057	One.....	1 1/2	.60
7058	Outline.....	6	1 .20
7059	One.....	2 1/2	.45
7060	Two.....	5 1/2	.75
7061	Three.....	3 1/2	1 .15
7062	Two.....	4 1/2	.90
7071	Three.....	18 1/2	3 .75
7071	Three.....	15 1/2	4 .50
7073	Four.....	14 1/2	4 .50
7074	Two.....	2 1/2	.75
7075	Outline.....	15 1/2	2 .65
7076	Two.....	15 1/2	2 .65
7078	Outline.....	9 1/2	1 .05
7079	Outline.....	3 1/2	.75

Trade Discount 33 1/3%

SHERWIN-WILLIAMS PRODUCTS



FLOORLAC

The All-Around Varnish Stain

Floorlac produces a beautiful stained and varnished effect in one operation on furniture, floors and woodwork, in fact, on any kind of a surface where a finish of this kind is desired. Floorlac represents the highest quality of stain scientifically combined with S-W Mar-not, a waterproof varnish. On new work it preserves to the greatest extent the beauty of the natural grain of the wood. Old work or surfaces previously painted can be changed to closely imitate the hardwoods represented in this list by first applying a coat of Floorlac Ground. Floorlac dries with a high varnish gloss, is tough, elastic and durable, and will not show scratches or heel marks. The permanent dyes used in Floorlac make it sunfast.

	¼ pta.	½ pta.	pta.	qts.	½ gals.	gals.
Cherry.....						
Clear.....						
Dark Mahogany.....						
Dark Oak.....						
Golden Oak.....	35	60	1 00	1 85	3 45	6 50
Green.....						
Light Oak.....						
Light Mahogany.....						
Walnut.....						
Ground.....	30	50	85	1 50	2 85	5 25

Trade Discount 40%

Floorlac Brushes..... 1 08 per dozen Net
(1 inch flat varnish brush, black bristles)

Quarter pints, 48 in case. Half pints, 48 in case. Pints, 24 in case.
Quarts, 24 in case. Half gallons, 12 in case. Gallons, 6 in case.

Ask about the FLOORLAC FREE SAMPLE PLAN!

FLOOR-WIPE

Prepared Ready for Use

A special preparation for cleaning and renewing the finish of waxed and varnished floors, waxed and varnished woodwork, furniture, etc. Makes old waxed or varnished surfaces look like new. A cloth should simply be dampened with the material and the floor wiped up just as an ordinary cleaning—no rubbing or polishing necessary. Works splendidly with any floor mop.

pta.	qts.	½ gals.	gals.
30	50	90	1 60

Net Prices

Pints, 24 in case. Quarts, 24 in case. Half gallons, 12 in case.
Gallons, 6 in case.

GALVANIZED IRON PRIMER

For first coat on galvanized iron. A perfect undercoater for subsequent coats of paint, which prevent peeling or scaling, so common where ordinary oil paints are applied directly to galvanized iron. Absolutely dependable on interior or exterior surfaces, store-fronts, roofs, pinnacles, etc. Dries hard in 12 to 24 hours. For best results the succeeding coat of paint should be applied within 24 to 48 hours. Made only in one color—Gray.

qts.	½ gals.	gals.	5 gals.	bbls.
83	1 58	3 00	2 95	2 90

Net Prices

Quarts, 24 in case. Half gallons, 12 in case.
Gallons, 6 in case.

SHERWIN-WILLIAMS PRODUCTS

GAS ENGINE ENAMEL

Air Drying

A line of high-grade, oil-proof enamels particularly adapted for finishing gas engines, automobile engines, tractors, pumps, farm implements, etc. Made to successfully withstand outside exposure and intense heat of the engines without cracking, checking or losing their gloss. Are easily applied, have long life and permanency of color. Not affected by lubricating oils or gasoline.

	$\frac{1}{2}$ pts.	pts.	qts.	gals.
Black (Dull).....	30	55	1 05	3 75
Black (Gloss).....				
Blue.....				
Brewster Green.....	35	65	1 15	4 35
Clear.....				
Light Green.....				
Cart Red.....				
Gray.....	40	70	1 35	5 00
Wine.....				
Yellow.....				
Vermilion.....	45	85	1 60	6 00

Net Prices

Half pints, 48 in case.

Pints, 24 in case.
Gallons, 6 in case.

Quarts, 24 in case.

GOLD SIZE

(See Cornish Eureka Gold Size—page 13)

GRAINING PREPARATION

Ground in Water

A special preparation for producing the effect of the natural grain of woods on disfigured floors, interior woodwork, etc. For directions and more complete information, see label on package. Usually used in connection with Floorlac or Brighten Up Stain.

$\frac{1}{2}$ -pt. glass jars	pt. glass jars	qt. glass jars
45	70	1 25

Trade Discount 40%

Half pint jars, 48 in case.

Pint jars, 24 in case.
Quart jars, 24 in case.

GRAINING COLORS—PREPARED

Paste Form, in Oil

Used principally by Master Painters to imitate the grained effects of popular hardwoods. Colors should always be used over Prepared Graining Color Ground or Floorlac Ground.

	1-lb. cans
Ash.....	
Chestnut.....	
Dark Oak.....	
Light Oak.....	
Maple.....	
Walnut.....	
Ground, L. and D.....	60
Mahogany.....	
Cherry.....	

Trade Discount 25%

Fifty in case.

— 36 —

0007-SWP-000011615

SHERWIN-WILLIAMS PRODUCTS

GRAINING COLORS—IN DISTEMPER

Paste Form

Used for the same purpose as Prepared Graining Colors in Oil. Ground in water without size. Preferred by some decorators on account of their quick drying qualities. Should be reduced to the desired consistency with a solution of water and cabinet-makers' glue in proportion of one-fourth pound of glue to the gallon of water.

Ash.....		
Chestnut.....		
Dark Oak.....		
Light Oak.....		
Maple.....		
Walnut.....		
Mahogany.....		
Cherry.....		

per jar

57

Trade Discount 25%

Twenty-four in case.

GRAPHITE—BLACK LEAD

Ground in Oil

12 1/2-lb pails	25-lb .pails
16	15

Net Prices per Pound

12 1/2-pound pails, 4 in case. 25-pound pails, 4 in case.

GRAPHITE PIPE-JOINT AND GASKET COMPOUND

Ground in Oil

Makes a perfectly tight joint with less labor and cost than red lead or other materials, and in addition allows the various fittings on which it has been used to be uncoupled with very little labor and without loss or breakage, characteristic of red lead, cement or rust-set joints. No waste through growing hard in the package like red lead or other similar materials.

1-lb. cans	5-lb. cans	12 1/2-lb. pails	25-lb pails
25	22	19	18

Net Prices per Pound

1-pound cans, 50 in case. 5-pound cans, 10 in case
12 1/2-pound pails, 4 in case. 25-pound pails, 4 in case.

HAT-BRITE

For producing a finish on ladies' straw hats, palm leaf fans, wickerwork, basketry, leather bags, novelties, etc. Very easy to apply and dries uniform with a good gloss that is not affected by moisture and will not fade. Put up in 2 1/2-ounce bottle and packed in carton containing brush for applying and booklet of directions. Cartons are packed 12 to a container.

Dull Black.....		
Gloss Black.....		
Violet.....		
Light Green.....		
Gray.....		
Straw.....		
Seal Brown.....		
Clear.....		
Gold.....		
Rose.....		
Liberty Red.....		
Dark Green.....		
Light Blue.....		
Navy Blue.....		
Orchid.....		
Fawn Gray.....		

per dozen

2 1/2-ounce bottles

\$ 50

Trade Discount 40%

12 bottles to carton, 12 cartons to case (1 gross)

SHERWIN-WILLIAMS PRODUCTS

HIGH POLISH FLUID WAX

Ready for use

A liquid wax for finishing woodwork, floors, bowling alleys, furniture, etc. The application of our Fluid Wax is a great time and labor-saver, and produces dependable results. This material can be applied with a brush, levels out smooth and covers a great area of surface per gallon.

½ pts.	pts.	qts.	½ gals.	gals.
50	90	1 55	2 95	5 50

Trade Discount 40%

Half pints, 48 in case.	Pints, 24 in case.	Quarts, 24 in case.
Half gallons, 12 in case.	Gallons, 6 in case.	

INSIDE FLOOR PAINT

A varnish gloss paint made to walk on. Quality is our first consideration in manufacture of our Inside Floor Paint, and for durability and satisfaction our colors have no equal. Under ordinary atmospheric conditions Inside Floor Paint will dry over night. Will stand repeated scrubbing with soap and water.

	qts.	½ gals.	gals.
✓ No. 469 Dust Color.....			
✓ No. 487 Gray.....			
✓ No. 466 Light Brown.....			
✓ No. 488 Light Tan.....			
✓ No. 378 Maroon.....			
✓ No. 452 Orange.....			
✓ No. 468 Slate.....			
✓ No. 376 Yellow.....			
	76	1 45	2 75

Net Prices

Quarts, 24 in case.	Half gallons, 12 in case.
	Gallons, 6 in case.

KALSO

A Hot Water Paint

A hot water kalsomine, manufactured in dry powdered form from carefully selected materials, including the right proportion of glue size, and only requiring to be mixed with boiling water. Is non-poisonous, contains no alkali or acids, or other harmful ingredients. Kalso can be applied to any clean interior surfaces such as plastered walls and ceilings, stone or brickwork, wood, hurlap, etc. Covers well with one coat.

	5-lb. pkgs.	100-lb. kegs	per pound bbls.
Tints, Nos. 70 to 81.....	17	16	15
White.....	15	14	13

Trade Discount 40%

Twenty-five pound packages to case.

LIQUID GOLD

Ready for Use

A liquid gold paint for use on radiators, hot air registers, steam and water pipes, sprinkler systems, also for picture frames, wickerwork, basketry and other decorative uses. Is not affected by heat, cold or moisture, and retains its brightness indefinitely.

½ pts.	¼ pts.	½ pts.	pts.	qts.	gals.
30	55	90	1 75	3 30	12 50

Trade Discount 40%

Eighth pints, 48 in case.	Quarter pints, 48 in case.	Half pints, 48 in case.
Pints, 24 in case.	Quarts, 24 in case.	Gallons, 6 in case.

SHERWIN-WILLIAMS PRODUCTS

LUSTROLINE IMPERIAL GOLD ENAMEL

Bronze and Liquid Separate

A high-grade gold enamel for picture frames, mouldings, bedsteads, and other decorative purposes. Put up in fancy cardboard boxes containing a vial of the finest gold bronze powder, a bottle of bronzing liquid, a brush for application and a dish for mixing the bronze with the liquid. These outfits are packed in handsome display cartons of one dozen each.

Per dozen..... 4 00

Trade Discount 40%

12 bottles to carton. 12 cartons to case.

MACHINE PAINT AND FILLER

Paste Form

Finely ground for filling and first coating rough castings.

Machine Paint, Shades A, B, C, D, E. }
Machine Paint, Red. }
Machine Filler, Dark. }

25-lb. pails.

14

Net Prices per Pound

Four pails in case.

MASTER PAINTERS' FLAT WHITE

A flat washable wall paint for plastered walls, ceilings, etc. Works freely and can be applied with a five or six-inch brush. Is durable and economical. Is also a splendid undercoater for all kinds of enamel work.

qts.	½ gals.	gals.	5 gals.	bbls.
70	1 33	2 50	2 45	2 40

Net Prices

Quarts, 24 in case. Half gallons, 12 in case.
Gallons, 6 in case.

MEDICINAL LINSEED OIL

Veterinarians and stock raisers endorse S-W Medicinal Linseed Oil for its absolute purity and effectiveness. It is crushed from the finest selected Northwestern flaxseed, free from all impurities and remarkably clear in color. It is a useful remedy for stock raisers to have on hand.

per dozen	
pt. bottles	qt. bottles
5 00	8 50

Net Prices

Pints, 24 in case. Quarts, 12 in case.

METALLIC BROWN

Ground in Oil

For use on metal or wood surfaces.

	12 ½-pound pails	25-pound pails	100-pound kegs
F.....	13	12	11
H.....	11 ½	10 ½	09 ½

Net Prices per Pound

Pails packed in 100-pound cases.

SHERWIN-WILLIAMS PRODUCTS

METALASTIC

A strictly high-grade liquid metal protective paint, finely ground, with good body and a covering capacity from 1,000 to 1,200 square feet on structural steel. This is a metal protective paint made from the best graphite, ground in pure linseed oil, and has no equal for preventing rust and corrosion of all metal surfaces. It is exceedingly elastic and yields readily to expansion and contraction.

	qts.	½ gals.	gals.	5 gals.	bbis.
Black, Brown.....	70	1 33	2 50	2 45	2 40
Gray, Green.....	79	1 50	2 85	2 80	2 75

Net Prices

Quarts, 24 in case. Half gallons, 12 in case.
Gallons, 6 in case

MINE, MILL AND FACTORY COLORS

A well selected line of colors made especially for decorating and preserving exteriors and interiors of employes' homes and other buildings around mines, mills and factories where a durable oil paint is required at a moderate cost.

	½ gals.	gals.	5 gals.	bbis.
Black.....				
Bright Red.....				
Dark Green.....	1 03	1 90	1 85	1 80
Light Yellow.....				
Metallic Brown.....				
Drab.....				
Ivy Green.....	1 33	2 50	2 45	2 40
Olive Green.....				
Slate.....				
Colonial Yellow.....				
French Gray.....	1 38	2 60	2 55	2 50
Moss Green.....				
Orange Yellow.....				
White.....	1 45	2 75	2 70	2 65

Net Prices

Quarts, 24 in case. Half gallons, 12 in case.
Gallons, 6 in case.

NON-CORRODIBLE GRAPHITE PAINT

A splendid anti-rust paint for metal surfaces, with graphite for its pigment base. Produces an absolute self-sealing, non-porous film, is very elastic and durable.

qts.	½ gals.	gals.	5 gals.	bbis.
76	1 45	2 75	2 70	2 65

Net Prices

Quarts, 24 in case. Half gallons, 12 in case.
Gallons, 5 in case.

SHERWIN-WILLIAMS PRODUCTS



OLD DUTCH ENAMEL

"Beats the Dutch for Whiteness"

Here we have an enamel equal in every sense of the word to the best imported enamels. There is no other enamel made in America today that possesses the same high qualities of many of the imported enamels in durability and appearance. Old Dutch Enamel is not a varnish enamel and consists only of the highest quality finely ground zinc—ground in processed linseed oil. For this reason Old Dutch Enamel will not turn yellow with age nor "alligator" like varnish enamels. This is one of the nicest enamels to apply, as it flows remarkably free, does not "set up" quickly and can be worked over large panels without showing laps or streaks. Old Dutch Enamel comes in three shades: White, Ivory, and French Gray, approved and selected by the nation's leading architects and decorators. It is supplied in two finishes—gloss and egg-shell. Old Dutch Enamel can be used for both interior and exterior work.


For undercoats use either S-W ODP White Lead or S-W Enamel Undercoater No. 12.

	¼ pts.	½ pts.	pts.	qts.	½ gals.	gals.
White (Gloss).....						
White (Dull Finish).....						
Ivory White (Gloss).....	45	80	1 40	2 65	4 90	9 00
Ivory White (Dull Finish).....						
French Gray (Gloss).....						
French Gray (Dull Finish).....						

Trade Discount 33⅓%

Quarter pints, 48 in case. Half pints, 48 in case. Pints, 24 in case.
 Quarts, 24 in case. Half gallons, 6 in case. Gallons, 6 in case.

SHERWIN-WILLIAMS PRODUCTS



SHERWIN-WILLIAMS ODP WHITE LEAD

A strictly pure white lead manufactured on the Old Dutch Process of corrosion. It is ground in strictly pure refined linseed oil and is actually finer in texture than any other white lead on the market. ODP White Lead is soft in the package and easy to work up, yet it preserves a covering capacity and a wearing consistency which is unexcelled. ODP White Lead is of the same high quality that is found in every other Sherwin-Williams product, whether it be a paint, varnish, stain or enamel.

ODP White Lead is put up in strong steel kegs that keep out the moisture and air and do not absorb the oil, hence the lead is always fresh and in as good condition as when it left the mill. When empty, the steel packages are easily cleaned and may be put to many different uses in the paint shop or around the house.

This guarantee appears on every package:

This package is warranted to contain nothing but Strictly Pure White Lead, ground in Strictly Pure Linseed Oil, and we will pay one ounce of gold for every ounce of adulteration that it may be found to contain.

	per pound
300 and 500-pound casks.....	
100-pound steel kegs.....	
25 and 30-pound steel kegs.....	
12 1/2-pound steel kegs.....	
1 and 5-pound tins.....	

(See Special Price Card, Form E-356)

SHERWIN-WILLIAMS PRODUCTS

PASTE COLORED PAINT

(P. C. P.)

This line of paste paints in white and colors is a composite paint manufactured from high quality pigments ground in pure linseed oil to a paste form. On account of its additional bulk and unusually fine grinding, it will take one gallon more oil per hundred pounds than a similar quantity of white lead. For this reason it is more economical than lead, and on account of its zinc content will cover more surface per gallon and outwear a paint made from lead alone.

	12 1/2s	25s	50-lb. kegs	100-lb. kegs
White and Colors.....	13	12	11 3/4	11 1/4
Greens, Nos. 61 and 62.....	24 1/2	23 1/2	23 1/4	23

Net Prices per Pound

12 1/2s, 4 to case.

25s, 4 to case.

PERMENTO

Cold-Water Paint for Outside Use

Permento is designed especially for use on the exterior of buildings, air-shafts, fences, sawmills and other similar structures. Owing to its great disinfecting qualities, it is an ideal coating for cattle barns, pens, chicken-coops, etc.

Five pounds of Permento, when mixed with cold water to the proper consistency, will make one gallon of paint which will cover about 200 square feet of an average surface.

For colors and more complete information, see color card.

	5-lb. pke.	50-lb. kegs	100-lb. kegs	200-lb. bbls.	400-lb. bbls.
White.....	24	23	22	21	20
Color Nos. 2, 3, 4, 5, 6, 7, 9, 10, 11, 12, 13, 17, 18, 19, 20, 21.....	26	25	24	23	22
Nos. 1, 8, 14, 22.....	27	26	25	24	23
Nos. 15, 16.....	29	28	27	26	25
Black.....	30	29	28	27	26
No. 23.....	36	35	34	33	32

Trade Discount 40%

POLISH-OL

A Polish of Quality

Polish-ol is more than a furniture and woodwork polish; it is a paint and varnish "food" or reviving agent that brings out and intensifies the original finish, produces a handsome gloss and is not harmful to the finish. Being primarily manufacturers of highest grade paints, enamels and varnishes, we are interested in prolonging the life of finishes obtained with these materials and offer Polish-ol as the best polish we can produce for furniture, woodwork, floors, pianos, victrolas, automobiles, etc.

The automobile owner will find it most effective for cleaning and polishing automobile bodies, fenders, radiators, in fact all finished parts.

bottles—per dozen	tin cans—per gallon
4-oz. 12-oz.	1s 5s
3 60 7 20	3 00 2 90

Trade Discount 40%

4 oz. bottles, 48 in case.

12 oz. bottles, 24 in case.

Gallons, 12 in case

SHERWIN-WILLIAMS PRODUCTS

PORCH AND DECK PAINT

Especially prepared to withstand outside exposure and hard wear on porch floors, steps, decks of boats, etc. Is the best insurance against the elements and is not affected by repeated cleaning and scrubbing. Spreads easily and dries with a full gloss.

	qts.	½ gals.	gals.
No. 47 Deep Buff.....			
No. 48 Gray Stone.....			
No. 49 Light Gray.....	83	1 53	3 00
No. 50 Brown Stone.....			
No. 51 Dark Slate.....			
No. 69 Dark Gray.....			

Net Prices

Quarts, 24 in case. Half gallons, 12 in case.
Gallons, 6 in case.

PORCH AND LAWN FURNITURE ENAMEL

Made expressly for porch and lawn furniture and similar surfaces exposed to the elements. Made in white and bright colors that will not fade. Dries with a hard enamel surface that is elastic and durable. Will not soften under heat or stick to the clothing.

	½ pts.	pts.	qts.	½ gals.	gals.
Willow Green.....					
Grass Green.....	65	1 10	1 95	3 70	7 25
Russet Tan.....					
Rattan.....					
Gray.....					
White.....	70	1 25	2 25	4 30	8 25
Carminc.....					
Vermilion.....	75	1 45	2 80	5 15	10 00

Trade Discount 40%

Half-pints, 48 in case. Pints, 24 in case. Quarts, 24 in case.
Half-gallons, 12 in case. Gallons, 6 in case.

PREPARED WAX

Paste Form

A high-grade wax for floors and other woodwork. It is a wax that dries fairly quickly, works splendidly with or without a weighted floor brush, and holds its gloss indefinitely. Consumers like to use this wax because it has no objectionable odor, covers well, works easily and takes a high polish.

each	per pound	
½-lb.	1-lb.	5-lb.
cans	cans	cans
50	90	85

Trade Discount 40%

Ask about our 50, 100 and 200-pound deals; they will save you money.

Half-pound cans, 50 in case. One-pound cans, 50 in case.
Five-pound cans, 20 in case.

RED LEAD

Ground in Oil

For plumbing, painting and general utility purposes.

1-lb.	12 ½-lb.	25-lb.
cans	cans	cans
27	21	20

Net Prices per Pound

1-pound package, 50 in case. 12 ½-pound package, 4 in case.
25-pound package, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

QUICK-DRYING COLORS

Ground in Japan

Abbreviation for Patent Press Cans "PC"

For use as color-coats in the finishing of automobiles, coaches, cars, carriages and other surfaces. Should be applied over suitable undercoatings and varnished over, or may be combined with varnish for making color-varnish coatings. These colors are recognized the world over as the standard of excellence in the finishing of fine vehicles and railway equipment. The peculiarities, the natural tendencies of working and wearing qualities of each individual color are carefully studied, and each is treated in such a way as to bring out its natural good qualities or minimize any inherent defects. They are brilliant in tone, possess best working, drying and flattening qualities, are uniform in color and grade and thoroughly reliable.

The following colors are filled in one-pound cans, also in five-pound press cans, except where other packages are specified:

Blacks

	per pound
Ivory Drop X.....	70
Ivory Drop XX.....	72
Ivory Drop XXX.....	80
English Coach, A.....	80
Special No. 120.....	60
Chemically Refined Lamp.....	60
Special Lamp Black, 10's.....	42

Whites

Ivory.....	75
Flake.....	85
Special Flake.....	75
French Zinc in Varnish.....	75
Heater.....	75
French Zinc.....	80
Silver.....	75
White Lead.....	70

Ground Colors

Blue, L, No. 31.....	95
Blue, Special, No. 18.....	80
Vermilion, No. 43.....	85
Red, Light, No. 43.....	85
Red, Dark, No. 74.....	80
Carmine, No. 17.....	95
Scarlet, No. 74.....	80
Green, No. 34.....	95
Blue, No. 63.....	85
Blue, No. 24.....	80

Browns

Golden.....	85
Antique.....	90
Chocolate.....	80
Hoffman.....	80
Quaker.....	90
Pullman.....	85
Raw and Burnt Sienna.....	65
Vandyke.....	85
Raw and Burnt Umber.....	65
Portland Amber.....	80
Biege Brown.....	80
Golden Tan.....	1 00
Olive Drab.....	85
Pigskin Tan.....	80
Pullman.....	90
Beaver Brown.....	80
Khaki.....	80
Manila Tan.....	80
Circassian.....	80
Moleskin Tan.....	80

Trade Discount 25%

SHERWIN-WILLIAMS PRODUCTS

QUICK-DRYING COLORS—Continued

Reds

	per pound
No. 40 French Carmine (Glaze).....	8 50
English Vermilion, L and D.....	(market)
American Vermilion, L and D.....	95
Royal Durbar, L. No. 72.....	3 20
Royal Durbar, M and D.....	1 95
Persian Scarlet, LL.....	1 60
Persian Scarlet, L.....	1 60
Persian Scarlet, M.....	1 60
Persian Scarlet, D.....	1 70
Chinese Scarlet, L and M.....	1 95
Chinese Scarlet, D.....	1 70
Extra Permanent Vermilion.....	1 60
English Rose Pink.....	90
Carmola, L.....	90
Carmola Red, D.....	1 35
Tuscan.....	75
Indian, L and D.....	60
Royal (Venetian).....	60
Ibis Red.....	1 10
Turkish Crescent.....	1 70
Dragon's Blood.....	1 70
Premier Non-Fading Red, L.....	75
Premier Non-Fading Red, D.....	75
Orinoco Vermilion, D.....	1 40

Grays

Automobile Gray, L and D.....	75
Pearl Gray.....	75
Auto Drab.....	75
Torpedo Gray.....	75
Silver Gray.....	75
Armor Gray.....	75
Arabian Gray.....	75
Taupe Gray.....	75
Mercedes Gray.....	75
Fawn Gray.....	75
Gunmetal Gray.....	75
Confederate Gray.....	75
Elephant Gray.....	75
Stone.....	75
Road Dust.....	75
Maltese.....	75
Antelope.....	75

Wines

Wine Color, D.....	1 35
Special, No. 4209.....	1 35
Wine Color, B.....	1 10
Carriage Part Lake.....	1 10
Rich Wine.....	1 50
Lake Wine.....	1 25

Blues

Cobalt (Glaze).....	1 35
Sapphire, L and D.....	1 25
Imperial, L.....	2 10
Imperial, D.....	1 45
Chiosce.....	1 50
Copenhagen.....	1 10
Prussian.....	1 50
Limousine.....	1 35
Ensign, L.....	2 10
Ensign, D.....	1 45
Meteor.....	1 60
Cadillac.....	1 20
Ultramarine Blue (Glaze).....	1 10
Yale, L and D.....	90
Azure.....	90
Pearless.....	1 45
Silk.....	90
Normandy.....	1 20
Crystal.....	90
Grotto.....	90

Trade Discount 25%

SHERWIN-WILLIAMS PRODUCTS

QUICK-DRYING COLORS—Continued

Greens

	per pound
Milori, L, M and D	1 60
Rockaway	85
Nonpareil, L and D	95
Brewster, L, M, and D	95
English Brewster, No 8859	95
Automobile, L and D	75
Bronze	75
Palmetto, D	95
English Surrey, L and D	95
Quaker, L, M, and D	85
Extra Coach, L	95
Extra Coach, M	95
Extra Coach, D	95
New Merimac L and D	75
Cadillac	85
Fullman	60
Apple, L and D	90
Olive Drab	85
Panama Green	75
Nelad	1 70
Cactus	1 35
Lizard	95
Tropical	95
Mountain Sage	85
Peacock	85
Forest	85
Stone	75
Eau de Nil	75
Peerless	1 10

Yellows

Naples	1 00
Gold Imitation	85
Automobile, L, M and D	1 00
Brilliant, L and D	85
Pneumatic	85
Perfect	85
Chrome, L, M, O, and DO	1 00
Canary	85
Jamestown	85
Primrose	85
Palo Alto	75
Straw Color	75
Yellow Ochre	60
Metropolitan Cream	85
Golden Ochre	70
Cream Color	85

Tubes

	per dozen tubes
No. 40 French Carmine (Glaze), 1/4-lb. tubes, net	33 00
French Carmine, L, (Glaze), 1/4-lb. tubes, net	17 50
English Vermilion, L and D, 5-oz. tubes	35 00
Naples Yellow	9 00
Chrome Yellow, L, M, O, and DO	7 50
Perfect Yellow	7 50
Gold Imitation	6 50
Striping Black	6 50
Milori Green, L, M, and D	9 00
Extra Coach Green, L, M, and D	8 50
Fern Leaf, L and M	8 50
Prussian Blue	8 50
Ultramarine Blue (Glaze)	7 50
Imperial Blue, L and D	10 00
Azure Blue	8 50
Auto Gray, L	7 50
Torpedo Gray	7 50
Mercedes Gray	7 50
Flake White	7 50
Silver White	7 50
Ivory White	7 50
Special Flake White for Striping	7 50

Trade Discount 25%

SHERWIN-WILLIAMS PRODUCTS

ROOF AND BRIDGE PAINT

A utility paint for barns, fences, wooden or metal bridges, structural iron work, shingle or metal roofs, and other buildings of rough or finished lumber. Roof and Bridge Paint is made from high-grade materials and offers greater paint value at these economical prices than any other paints on the market. Quite heavy in body and will stand considerable reducing.

	$\frac{1}{2}$ gals.	gals.	5 gals.	bbls.
Bronze Green.....	90	1 65	1 60	1 55
Red, Black and Brown. }				
Gray Slate.....	1 08	2 00	1 95	1 90

Net Prices

Half gallons, 12 in case.

Gallons, 6 in case.

SCHOOLBOARD SLATING

Manufactured exclusively for finishing school black boards. Dries uniformly with a dull slate-like finish, that makes an excellent writing surface. Old and worn blackboards can be quickly and inexpensively renewed with one or two coats.

	$\frac{1}{2}$ pts.	pts.	qts.	gals.
Black.....	25	45	80	2 85
Green.....	30	55	1 00	3 75

Net Prices

Half pints, 48 in case.

Pints, 24 in case.
Gallons, 6 in case.

Quarts, 24 in case.

SCREEN ENAMEL

For renewing old screens and preventing rust. Does not close up the mesh and dries with a high gloss that prevents dust and dirt from adhering to the screen.

	$\frac{1}{2}$ pts.	pts.	qts.	$\frac{1}{2}$ gals.	gals.
Black.....	30	45	75	1 30	2 25
Green.....	45	80	1 40	2 55	4 75

Trade Discount 40%

Half pints, 48 in case.

Pints, 24 in case.
Half gallons, 12 in case.

Quarts, 24 in case.
Gallons, 6 in case.

SEMI-PASTE PAINT

For painting buildings outside and inside. Made in 28 colors and white. Is a composite paint manufactured in semi-paste form, requiring only the addition of linseed oil gallon for gallon. On account of its high lead and zinc content and exceptionally fine grinding, is a thoroughly economical paint to use.

	qts.	gals.	5s	bbls.
Regular Colors.....	83	3 00	2 95	2 90
White.....	85	3 10	3 05	3 00
French Crown Green.....	91	3 35	3 30	3 25

Net Prices

Quarts, 24 in case.

Gallons, 6 in case.

SHERWIN-WILLIAMS PRODUCTS

SHELLAC

	¼ pts.	½ pts.	pts.	qts.	½ gals.	gals.	5 gals.	bbls.
Pure White.....	---	---	---	---	---	---	---	---
Pure Orange.....	---	---	---	---	---	---	---	---
White.....	---	---	---	---	---	---	---	---
Orange.....	---	---	---	---	---	---	---	---

Prices subject to Market Changes

Quarter pints, 48 in case. Half pints, 48 in case. Pints, 24 in case.
Quarts, 24 in case. Half gallons, 12 in case. Gallons, 12 in case.

PRESERVATIVE SHINGLE STAIN

This line, consisting of all the popular shades of reds, browns, greens and grays, is manufactured on a high-quality basis. It is a line of penetrating stains—not thin paints that wash off with the first rain or that soon fade. These stains contain refined creosote and other liquids that penetrate and stain the wood to a considerable depth, and for this reason will maintain their color long after other stains have faded away. In our Greens, for instance, we use Chemically Pure Chrome Green and can point to thousands of green roofs throughout the country that are splendid testimonials to the permanency of this line.

	gals.	5 gals.	bbls.
A-21 Brown.....	---	---	---
B-41 Red.....	---	---	---
B-44 Brown.....	1 35	1 25	1 20
B-46 Brown.....	---	---	---
B-47 Brown.....	---	---	---
C-76 Red.....	---	---	---
C-71 Green.....	---	---	---
C-72 Green.....	1 55	1 45	1 40
C-74 Green.....	---	---	---
C-82 Gray.....	1 75	1 65	1 60

Net Prices per Gallon

Gallons, 6 in case.

STAINS

GOLDEN OAK STAIN

For staining interior woodwork, furniture, etc., where this popular shade is desired. Supplied in concentrated form and it produces the standard shade of Golden Oak Stain reduced in the proportion of one part of stain to six or eight parts of benzine or turpentine. Requires little or no wiping.

½ pts.	pts.	qts.	½ gals.	gals.
40	65	1 10	1 95	3 50

Trade Discount 40%

Half pints, 48 in case. Pints, 24 in case. Quarts, 24 in case.
Half gallons, 12 in case. Gallons, 6 in case.

SHERWIN-WILLIAMS PRODUCTS

STAINS—Continued
OIL STAINS

Are suitable for all types of new work, hard or soft woods. Easy to apply, uniform in color and quality, dry properly without raising the grain of the wood. Are permanent and dependable.

	½ pts.	pts.	qts.	½ gals.	gals.
Dark Oak.....	35	60	1 00	1 80	3 25
Light Oak.....					
Walnut.....					
Red Mahogany.....	50	80	1 40	2 35	4 75
Brown Mahogany.....					
Colonial Oak.....					
Belgian Oak.....	50	85	1 50	2 85	5 25
Moss Green.....					

Trade Discount 40%

Half pints, 48 in case. Pints, 24 in case. Quarts, 24 in case.
Half gallons, 12 in case. Gallons, 6 in case.

HANDCRAFT STAINS

Spirit soluble, penetrating type

Highest grade artistic stains for use in finishing finest interior woodwork, furniture, etc. Are adaptable to hardwood and softwood alike. These stains are individual in tone, dry without showing streaks or brush marks and are permanent to light. Do not raise the grain of the wood, therefore require no sanding.

	½ pts.	pts.	qts.	½ gals.	gals.
Bog Oak.....	50	85	1 45	2 70	5 00
Early English Oak.....					
Fumed Oak.....					
Silver Gray.....					
Walnut.....					
Weathered Oak.....					
Brown Oak.....	55	95	1 70	3 20	6 00
Cathedral Oak.....					
Green Weathered Oak.....					
Old English Oak.....					
Mahogany Extra Dark.....	60	1 00	1 80	3 40	6 40
Handcraft Reducer Stain.....	40	60	1 00	1 75	3 15

Trade Discount 40%

Half pints, 48 in case Pints, 24 in case Quarts, 24 in case.
Half gallons, 12 in case. Gallons, 12 in case

ACID STAINS

Transparent stains that intensify and enhance the natural beauty of the woods on which they are applied. Easily applied without streaking, and absolutely true to color. They will not fade.

	½ pts.	pts.	qts.	½ gals.	Gals.
Mahogany Dark Colonial.....	55	85	1 45	2 70	5 00
Mahogany Light.....					
Mahogany Antique Brown.....					
Fumed Oak.....	45	70	1 20	2 20	4 00
Silver Gray.....					

Trade Discount 40%

Half pints, 48 in case. Pints, 24 in case. Quarts, 24 in case.
Half gallons, 12 in case. Gallons, 12 in case

STENCILS

See pages 28-34.

SHERWIN-WILLIAMS PRODUCTS

STOVE-PIPE AND IRON ENAMEL

For refinishing stove-pipes, grates and similar iron surfaces subjected to heat. Should be applied while the surface is slightly warm, and allowed to dry 24 hours before subjecting to high temperature, under which conditions it will be practically smokeless and will produce a better surface and wear longer than any other stove pipe enamel or stove-pipe varnish on the market.

¼ pts.	½ pts.	pts.
25	35	55

Trade Discount 40%

Quarter pints, 48 in case. Half pints, 48 in case. Pints, 24 in case.

TAXITE—Paint and Varnish Remover

Taxite is the name of our paint and varnish remover, which is both efficient and economical. Efficient because it cuts the paint and varnish in the shortest possible time, and economical because it saves time, labor and material. It works splendidly on upright surfaces, as it penetrates immediately and does not run off. Has no equal for removing old coats of paint and varnish, no matter how thick, quickly and effectively. Apply with a brush and allow to stand 10 or 15 minutes, then scrape off with a putty knife and clean the surface thoroughly with benzine or denatured alcohol. Taxite does not injure the skin, discolor or raise the grain of wood.

½ pts.	pts.	qts.	½ gals.	gals.
35	55	85	1 50	2 75

Trade Discount 25%

Where a dealer or agent purchases 24 gallons or more during a period of twelve months, he is entitled to an allowance of 5 cents per gallon from the above schedule of prices.

Half pints, 48 in case. Pints, 24 in case. Quarts, 24 in case.
Half gallons, 12 in case. Gallons, 12 in case.

UNIVERSAL THINNER

This product was developed to fill a demand for a suitable thinner for all kinds of paste and liquid paints where turpentine is not absolutely essential. It should not be confused with the many petroleum distillates and mineral spirits which are offered as turpentine substitutes. Universal Thinner is not a substitute turpentine. Its solvent properties are approximately 60 per cent higher than the best mineral spirits.

Put up in 1 and 5-gallon cans, and barrels.

Prices on application

(Subject to market fluctuations.)

VERDELITE

The Satisfactory Green—Paste Form

A popular priced line of chrome greens manufactured in four shades, Light, Medium, Dark and Olive. Particularly adapted for store fronts, window blinds, roofs, etc. Offers splendid value for the money.

	5-lb. cans	12 ½-lb. cans	25-lb. pails
L., M., D. and O.	17	14	13

Net Prices per Pound

Five pound cans, 10 in case. 12 ½-pound cans, 4 in case
25-pound pails, 4 in case.

SHERWIN-WILLIAMS PRODUCTS

WAGON AND IMPLEMENT PAINT

For repainting farm machinery, tractors, wagons, implements and similar surfaces. Made in bright, permanent colors that dry with a high varnish gloss. Their use will prevent rust and decay of expensive farm machinery, hence are a good investment.

	pts.	qts.	½ gals.	gals.
Black.....	75	1 30	2 45	4 50
Blue.....	90	1 55	2 95	5 50
Green.....				
Yellow.....				
Wagon Coach Clear.....				
Red.....	1 00	1 80	3 40	6 50
White.....				

Trade Discount 40%

Pints, 24 in case.

Quarts, 24 in case.
Gallons, 6 in case.

Half gallons, 12 in case.

WAX

See Prepared Wax, page 44.

YELLOW OCHRE—FRENCH

Ground in Oil

	12 ½-lb. pails	25-lb. pails	100-lb. kegs
F.....	21	20	19
A.....	13	12	11
H.....	11	10	09

Net Prices per Pound

12 ½-pound pails, 4 in case.

25-pound pails, 4 in case.

WHITE ZINC IN OIL

	1-lb. cans	5-lb. cans	12 ½-lb. pails	25-lb. pails
S-W Green Seal French Zinc.....	35 ½	32 ½	29 ½	28 ½
S-W Red Seal French Zinc.....	34 ½	31 ½	28 ½	27 ½
Zinc White, G. W. M. (Green Seal).....	---	---	20 ½	19 ½
Zinc White, G. W. M. (Red Seal).....	---	---	20	19

Net Prices per Pound

1-pound cans, 50 in case.
12 ½-pound pails, 4 in case.

5-pound cans, 10 in case.
25-pound pails, 4 in case.

FRENCH ZINC IN VARNISH

A finely-selected, strictly pure French Process white zinc, ground in pure damast varnish.

	1-lb. cans	5-lb. cans	12 ½-lb. pails	25-lb. pails
	50	48	47	46

Net Prices per Pound

1-pound cans, 50 in case.
12 ½-pound pails, 4 in case.

5-pound cans, 10 in case.
25-pound pails, 4 in case.




SHERWIN-WILLIAMS VARNISHES

The facilities afforded by the largest system of paint and varnish factories in the world, give us advantages for the manufacture of varnishes that cannot be duplicated in any other plant. We manufacture all the linseed oil we use, and are thus able to control the quality of this all-important ingredient. We use the very finest quality of varnish gums, specially selected for each particular grade of varnish. Our chemical laboratories are complete in every detail so that we can apply every known test to both raw materials and finished products, and make sure that they are not only of highest quality, but conform to standard in every respect.

We list on the following pages the most largely used lines of varnish we manufacture. Each is designed to meet a specific requirement. All conditions which surround its use are taken carefully into consideration, and the varnish must demonstrate through practical test that it meets every requirement for the purpose intended, before it is placed on the market. S-W Varnishes can always be depended upon to give satisfactory results. They have long since passed the experimental stage, and the success which has attended their use for many years is sufficient guarantee of their quality.

We also list a very complete line of Driers, Japans, Asphaltums, Shellacs, etc. Each product is the standard of quality for the purpose intended, and has been in use for years with entire satisfaction.

With such a complete and satisfactory line the dealer is in position to handle the varnish business in his locality to the very best advantage.



Some of our varnish fires. Skilled varnish-makers combine the melted gums and linseed oil at high temperature

VARNISH LEADERS



The Waterproof Floor Varnish.

Mar-not is a pale durable floor varnish, possessing maximum water-resisting qualities, designed for use on all floors, and particularly adapted to parquet flooring of oak, light maple or birch, as well as linoleums. Mar-not should be applied directly to the wood or linoleum, reducing the first coat slightly with pure spirits of turpentine (about one pint to the gallon,) applying the succeeding coats without reduction. Do not use shellac or pigment first-coaters of any kind under Mar-not. Mar-not is easily applied, flows out evenly, dries dust-free in two to three hours and can be walked on in twenty-four hours.



The Waterproof and Heatproof Interior Varnish.

A pale, full-bodied varnish designed for the finest interior woodwork in homes, banks, office buildings, etc., where a strictly first-class finish is demanded. Dries with a full gloss so that it can be left in its natural state, if desired, or it can be rubbed to a dull finish with pumice-stone and oil or water in about forty-eight hours. Scar-not takes a beautiful polish.



The King of all Spar Varnishes.

Rexpar represents the highest type of spar varnish, being very pale in color, full-bodied, producing a film that is both waterproof and weatherproof, successfully withstanding varying atmospheric conditions such as extreme heat and cold, snow, wind, salt spray and sun. It is therefore ideal for steamships, yachts, canoes, outside doors, porch ceilings, kitchens, bathrooms, etc. Dries dust-free in from two to three hours and hard enough to re-coat in from fifteen to eighteen hours. Our varnish policy is "A special varnish for each special purpose," but if you want a single varnish for many purposes, use Rexpar (King of all Spar Varnishes.)



The Good Old-Fashioned Master Painters' Varnish.

Kopal is a long-oil type of varnish of fairly light color, heavy in body, and has been popular for many years with master painters everywhere, on account of its high quality and utility. It is well adapted for use on front doors, porch ceilings, porch and lawn furniture, bathrooms, kitchen woodwork, etc. Dries dust-free in from four to five hours and can be re-coated in twenty-four to thirty-six hours.

EXCELLO—The Master Painters' General Interior Varnish.

A pale varnish of heavy body that works freely. Dries dust-free in three to four hours and hard enough to rub in forty-eight hours. It dries with a high gloss and is far superior to any hard oil finish. Exello represents one of the best intrinsic values in our entire architectural line of varnishes.

No. 1 FLOOR.

A pale medium-grade floor varnish. Dries dust-free in three to four hours. Has average toughness and elasticity, along with good water-resisting qualities.

No. 1 COACH.

A low-priced coach varnish for the less expensive interior work. Dries hard in twenty-four hours, with a high gloss.

PREMO HARD OIL.

Pale in color. Dries hard over night. Recommended for medium-grade interior work of all kinds.

VELVET FINISH No. 1044

This varnish, instead of drying with a gloss, dries to imitate a dull rubbed surface, thereby doing away with the expense and labor of rubbing. Contains no wax and will not rub to a glossy surface through wear. Shows little or no tendency to settle out in the package, and therefore is easily applied with uniform results. This varnish not tending to show laps or brush marks, can be applied over any other good varnish (or shellac) and does not spot or scratch white. Dries dust-free in two to three hours and hard over night.

MISSION-LAC.

A finish light in body and medium in color, that dries quickly with a shellac-like finish and will withstand washing with water. Is intended both as a quick-drying first-coater, also as a finishing coat on surfaces stained in mission effects. One coat on top of stain produces a finish similar to that secured with a coat of shellac and a coat of wax. Will not scour or bleed any well-made stain. Can be successfully dipped as well as brushed. Dries dust-free in one hour and thoroughly hard in twenty-four hours.

FINEST WHITE DAMAR

Made from the finest grade of damar gum and intended for use in making white enamels. Also used by printers and lithographers.

For prices, see page 58.

FIRST COATERS

MISSION-LAC

(See description on page 54.)

MARVELAC.

Popularly priced spirit first-coater, recommended in place of shellac. Used directly over stains, Marvelac brings out the brilliancy and depth of tone so greatly desired. Possesses wonderful sealing properties and is more water-resisting than shellac. Can be brushed, sprayed or dipped and comes ready for use. Can be thinned with 188°-proof denatured alcohol for dipping or spraying, if desired. Dries dust-free in a few minutes and sands in three to six hours without gumming the sandpaper.

LIQUID FILLER.

A pigment sanding first-coater of the better type. Dries in twenty-four hours and sands to a perfect finish for succeeding varnish coats. Stir before using.

SHELLACINE.

Quick drying pigment first-coater or liquid filler. Dries quickly and sands to a perfect finish. Should be thoroughly stirred.

FLAT-TONE MIXING SIZE—A Wall Size.

A high grade sizing coat for wall surfaces. A size for mixing with Flat-Tone and paints to be applied on plastered walls and ceilings. Is far superior to many low-priced wall sizes in spite of its higher cost, it being more powerful and stopping all wall suction perfectly. It is very pale in color, does not affect the delicate shades of flat wall finishes and adds to the durability, elasticity and washing properties of the paint to which it is added. As a first or sizing coat, use equal parts with Flat-Tone.

For prices, see page 58.

DRIERS AND JAPANS

HERCULES DRIER.

A high-grade concentrated dark drier of exceptional strength. Mixes readily with oil and will not curdle or spread. Will dry paste fillers promptly and thoroughly. Owing to its heavy body and great drying strength, it is most economical for the master painter. In proportion of one part drier to forty parts of oil, dries over night.

DRY-O-NITE.

A master painters' ideal drier. Perfectly safe for accelerating drying of oil paints, etc. Will not spread, precipitate, burn, saponify or curdle, but thoroughly dries the paint, leaving an elastic, smooth and wear-resisting surface.

JAPAN DRIER.

A medium priced drier for general work, possessing medium color and good drying strength. Is thoroughly economical and satisfactory.

GOLD SIZE JAPAN.

A pale heavy-bodied japan of superior quality. Its great strength makes it economical and it is perfectly safe to use with any mixture. A binder, which can be used with delicate colors without injury. Will properly harden rough stuff and facilitate the drying of all undercoats.

COACH PAINTERS' JAPAN.

Specially prepared for the coach painters' use, and thoroughly reliable for the preparation of all undercoatings. Acts as a hardening agent as well as a mixing japan and is always uniform.

For prices, see page 58.

ASPHALTUMS

FINEST TURPENTINE ASPHALTUM.

Made from the very finest black asphaltum, linseed oil and thinner. Is absolutely the best asphaltum that can be produced. Has good body and can be reduced if desired.

No. 1 ASPHALTUM.

Suitable for rough castings, sheet iron work, etc. Dries dust-free in fifteen to twenty minutes and can be handled in two to three hours.

PREMO ASPHALTUM (Quick Drying)

A quick drying black asphaltum, sold at a popular price, yet offering exceptionally good value. Works easily, covers well and possesses exceptional alkali and acid resisting qualities.

For prices, see page 58.

AUTOMOBILE AND CARRIAGE VARNISHES

BERGER'S ENGLISH BODY FINISHING.

A pale, heavy-bodied and durable varnish of great brilliancy designed for highest grade motor cars and carriages. Specially prepared with a view to easy working qualities and drying to meet the demands of the practical finisher in the custom shop. This varnish is made from the finest selected gums, matured under ideal conditions which render it perfectly ripe for use. Special care is exercised in the aging process. This helps bring out the great brilliancy for which the varnish is noted.

BERGER'S ENGLISH PALE RUBBING.

A pale, rubbing varnish designed for highest grade motor cars and carriages. Works freely and levels evenly. Dries to rub in twenty-four to thirty-six hours under normal conditions, although forty-eight hours should be allowed when shop conditions permit. This varnish is designed for mixing with colors, especially for the last or split-coat—when so mixed it will not curdle or thicken, as is so often the case with many present day Rubbing Varnishes of inferior quality. This varnish should be carefully rubbed or flatted, then followed by a full coat of Berger's English Body Finishing Varnish.

BERGER'S ENGLISH GEAR FINISHING.

A pale, heavy-bodied, waterproof varnish for motor car chassis and gears, carriage wheels, etc. Works freely and flows evenly producing a deep, well-rounded finish of great brilliancy and exceptional durability. Sets out of dust in five to six hours and dries hard in twenty-four to thirty-six hours. Use at full body over color and striping coats.

WEARING BODY FINISHING.

A high grade body finishing varnish, unsurpassed for durability. Has free work, ing and flowing qualities, dries dust free in five to six hours, can be handled next day and dries thoroughly hard in two to three days. Dries with a full, well-rounded out finish.

PALE BODY RUBBING.

A very high grade rubbing varnish of dependable quality. Is pale in color, heavy in body, works and flows freely. Dries to rub in twenty-four to thirty-six hours. For best results allow forty-eight hours. Will not thicken when used in zinc and lead colors and therefore can be used in making a split-coat color varnish.

PALE PERFECTION GEAR.

A very pale, durable, elastic, finishing varnish for running parts on a good grade of work over delicate colors, and on account of color, unusual working and flowing qualities, body and rich lustre, it is the selection of many carriage and automobile shops. Will dry dust free in about six hours, hard enough to handle in thirty-four hours and hard in two days.

QUICK RUBBING.

Is pale in color. Dries dust free in two hours and can be rubbed in twenty-four to thirty-six hours. A splendid general purpose rubbing that holds out the finishing coat with a good full body.

Should not be used as a mixing varnish with zinc colors.

ELASTIC GEAR FINISHING.

The highest grade all-around gear finishing that can be made. Is pale in color, has good body, works and flows freely, dries dust free in four to five hours, to handle in twenty-four hours and hard in thirty-six hours. Has a high lustre, is very elastic and durable.

For prices, see page 58.

CORNISH-EUREKA GOLD SIZE

For description and prices, see page 13.

MOTOR TRUCK AND WAGON VARNISHES

MOTOR TRUCK FINISHING

A high grade finishing varnish for motor truck and high grade wagon work. Is pale in color, heavy in body, works and flows freely, and dries to handle next day. Has a high lustre and is very elastic and durable.

MOTOR AND WAGON GEAR.

A very pale, hard drying varnish that can be used over delicate colors. Stands out with a good full body, dries to handle over night and has good water-resisting qualities.

DURABLE WAGON COACH.

A high-grade long oil varnish for wagons, trucks, tractors, implements, etc., possessing maximum durability and water-resisting qualities. Is quite pale in color, has unusually good body and dries to handle over night. A thoroughly dependable varnish.

PALE DURABLE IMPLEMENT COACH.

This is our leading implement coach varnish, which has long been a favorite of the largest manufacturers of agricultural implements in this country. It has unusual water-resisting qualities, and withstands the extreme tests of durability that harvesters, tractors and all other implements and farm machinery are subject to. Our unusually large output permits of this exceptionally low price.

For prices, see page 58.

SHERWIN-WILLIAMS PRODUCTS

VARNISHES

VARNISH LEADERS

	½ pts.	pts.	qts.	½ gals.	gals.
Mar-not.....	55	95	1 70	3 20	6 00
Durable Linoleum Varnish.....	55	95	1 70	3 20	6 00
Scar-not.....	55	95	1 70	3 20	6 00
Respar.....	60	1 00	1 80	3 45	6 50
Kopal.....	65	1 05	1 95	3 70	7 00
Excello.....	50	85	1 50	2 80	5 25
No. 1 Floor.....	---	---	1 45	2 70	5 00
Premo Hard Oil.....	45	70	1 25	2 30	4 25
No. 1 Coach.....	45	70	1 20	2 20	4 00
Velvet Finish No. 1044.....	55	90	1 65	3 05	5 75
Mission-lac.....	50	75	1 40	2 55	4 75
Finest White Damar.....	65	1 00	2 05	3 95	7 50

FIRST COATERS

Marvelac.....	75	1 30	2 45	4 50
Liquid Filler.....	65	1 15	2 05	3 75
Shellacine.....	---	95	1 70	3 00
Flat-Tone Mixing Size.....	---	1 00	1 80	3 25

DRIERS AND JAPANS

Hercules Drier.....	75	1 30	2 45	4 50
Dry-o-Nite.....	35	55	95	1 70
Japan Drier.....	35	55	90	1 55
Gold Size Japan.....	50	85	1 50	2 80
Coach Painters' Japan.....	---	---	1 45	2 70

ASPHALTUMS

Finest Turpentine.....	50	75	1 40	2 55	4 75
No. 1.....	35	55	90	1 55	2 75
Premo.....	35	45	75	1 30	2 25

AUTOMOBILE AND CARRIAGE VARNISHES

Berger's English Body Finishing.....	---	2 25	---	8 25
Berger's English Pale Rubbing.....	---	2 05	---	7 50
Berger's English Gear Finishing.....	---	2 05	---	7 50
Wearing Body Finishing.....	1 10	2 05	3 95	7 50
Pale Durable Body Finishing.....	1 05	1 95	3 70	7 00
Pale Body Rubbing.....	1 00	1 90	3 55	6 75
Pale Perfection Gear.....	95	1 75	3 30	6 25
Quick Rubbing.....	95	1 75	3 30	6 25
Elastic Gear Finishing.....	95	1 75	3 30	6 25

MOTOR TRUCK AND WAGON FINISHING

Motor Truck Finishing.....	---	---	---	6 00
Motor and Wagon Gear.....	---	---	---	5 75
Durable Wagon Coach.....	---	---	---	5 00
Pale Durable Implement Coach.....	---	---	---	4 50

Trade Discount 33⅓%

For price in 5 gal. cans, deduct 10c per gal. from list price of 1 gal. can.
For price in barrels, deduct 25c per gal. from list price of 1 gal. can.

For full descriptions of these Varnishes refer to pages 54-57.

Half pints, 48 in case. Pints, 24 in case. Quarts, 24 in case.
Half gallons, 12 in case. Gallons, 12 in case.

SPECIALTY PRODUCTS

INSECTICIDES
FUNGICIDES
WOOD PRESERVATIVES
DISINFECTANTS
CATTLE AND SHEEP DIPS
SOAPS
COAL-TAR PRODUCTS





INSECTICIDES AND FUNGICIDES

Sherwin-Williams Insecticides and Fungicides stand for quality and efficiency. Our experience as the largest manufacturers of spraying materials in the world has enabled us to make insecticides and fungicides which will control most effectively insects and diseases on fruits, vegetables, tobacco and cotton at a minimum cost to the purchaser.

Many brands of insecticides and fungicides appear on the market each year. Too frequently the consumer will buy these on a price basis only, without giving consideration to efficiency or other important points.

Sherwin-Williams Insecticides and Fungicides are economical to use because they will give maximum results at a fair price. They are manufactured in dry powdered form, which insures the purchaser against losses due to deterioration, freezing, leakage and reduces freight and handling costs to a minimum.

The chemical composition of Sherwin-Williams Insecticides and Fungicides conforms with state and government regulations, and the mixing qualities are of the best.

Sherwin-Williams Insecticides and Fungicides are recommended to our customers on a thoroughly tested basis. They are thoroughly tested under actual field conditions.

Sherwin-Williams Insecticides and Fungicides are the best insurance that one can buy for the protection of every crop that requires spraying.

SHERWIN-WILLIAMS PRODUCTS

DRY POWDERED ARSENATE OF LEAD

Sherwin-Williams Dry Powdered Arsenate of Lead is the lightest and fluffiest arsenate of lead made. These properties insure good mixing and suspension and uniform and effective control of chewing insects. This material contains from 30 to 33 percent of arsenic oxide and less than 1 percent water soluble arsenic. Consequently maximum insect-killing is obtained without any injury to fruit or foliage. Whether used as a wet spray or as a dust, S-W Dry Powdered Arsenate of Lead will give maximum results.

	Carload	5,000 lbs. or over	Less than 5,000 lb. lots
200-lb. drums.....	--	--	--
100-lb. drums.....	--	--	--
50-lb. drums.....	--	--	--
25-lb. drums.....	--	--	--
5-lb. cartons.....	--	--	--
1-lb. cartons.....	--	--	--
1/2-lb. cartons.....	--	--	--

Half-pound packages, 50 in case. One-pound packages, 25 in case.
Five-pound packages, 10 in case.

DRY ARSENATE OF CALCIUM

Sherwin-Williams Arsenate of Calcium complies with every government specification covering physical qualities and chemical analysis. It is of especial value applied as a dust in the control of Cotton Boll Weevil.

S-W Arsenate of Calcium comes in dry powdered form and is extremely fine, having a density of not less than 80 or more than 100 cubic inches to the pound. This insures even and economical distribution on the cotton plant. S-W Arsenate of Calcium contains not less than 40 per cent of arsenic oxide and less than 1/4 of one per cent of water soluble arsenic. These qualities insure quick killing of the Boll Weevil without any injury resulting to the cotton plants.

	Carload	5,000 lbs. and over	Less than 5,000 lbs.
200-lb. drums.....	--	--	--
100-lb. drums.....	--	--	--
50-lb. drums.....	--	--	--
25-lb. drums.....	--	--	--
5-lb. cartons.....	--	--	--
1-lb. cartons.....	--	--	--
1/2-lb. cartons.....	--	--	--

Half-pound packages, 50 in case. One-pound packages, 25 in case.
Five-pound packages, 10 in case.

DRY LIME-SULFUR

("The Original")

Dry Lime-Sulfur is the most valuable new spraying product that has been developed in recent years. For a long time Lime-Sulfur Solution has been the standard dormant and summer spray for apples, pears, plums and other tree fruits. Orchardists are familiar with the disadvantages connected with the use of Lime-Sulfur Solution. These include heavy handling of barrels, losses due to leakage, crystallization and freezing and freight on water.

S-W Dry Lime-Sulfur is the only true Dry Lime-Sulfur made today. It is not a substitute for Lime-Sulfur Solution, but is standard 33° Baume Lime-Sulfur Solution in dry powdered form. It dissolves readily in water and will control all insects and diseases just as effectively as Lime-Sulfur Solution.

S-W Dry Lime-Sulfur is an effective remedy for San Jose and Oyster-Shell scale, peach leaf curl, peach blight, peach twig borer, apple and pear scab, brown rot of apricot, red spider and mites on citrus fruits.

	Carload	Less than Carload lots
200-lb. drums.....	10	11
100-lb. drums.....	11	12
50-lb. drums.....	12	13
25-lb. drums.....	13	14
10-lb. tins.....	15	16
5-lb. tins.....	18	19
1-lb. tins.....	22	23

One-pound packages, 24 in case. Five-pound packages, 6 in case.
Ten-pound packages, 6 in case.

Net Prices per Pound

SHERWIN-WILLIAMS PRODUCTS

PARIS GREEN

Sherwin-Williams Paris Green is recognized by potato and tobacco growers as an old reliable and effective brand. S-W Paris Green will kill insects quickly because it contains about 56 per cent of arsenic oxide, which is in excess of that required by the government. S-W Paris Green will not burn the plants, because it contains less than 3 1/2 per cent water soluble arsenic.

S-W Paris Green is extremely fine and excels all other brands in suspension qualities when used as a wet spray and is more economical and effective when used as a dust.

	250 to 500 lb. Arsenic kegs	100 lb. 14 kegs	and 28 lb. kits	5 lb. cartons	2 lb. cartons	1 lb. cartons	1/2 lb. cartons	1/4 lb. cartons
10,000 lbs. and over	----	----	----	----	----	----	----	----
5,000 to 10,000 lbs.	----	----	----	----	----	----	----	----
1,000 to 5,000 lbs.	----	----	----	----	----	----	----	----
500 to 1,000 lbs.	----	----	----	----	----	----	----	----
Less than 500 lbs.	----	----	----	----	----	----	----	----

1/4 lb. packages, 200 in case. 1/2 lb. packages, 100 in case. 1 lb. packages, 50 in case
2 lb. packages, 25 in case. 5 lb. packages, 10 in case.

TUBER-TONIC

Sherwin-Williams Tuber-Tonic is an ideal combined dry powdered insecticide and fungicide consisting of Paris Green and Bordeaux Mixture for exclusive use on potatoes to prevent early and late blight and to destroy potato "bugs" and other potato insects. It possesses the adhesiveness of arsenate of lead on account of its extreme fineness and will adhere to the potato plant for the longest possible time when applied either as a dust or as a wet spray. Tuber-Tonic is effective against Blight and "bugs" when used at the rate of 1 1/2 to 3 pounds to 50 gallons of water.

100 lb. drums	35
50 lb. drums	37
25 lb. drums	40
5 lb. cartons	44
1 lb. cartons	50
1/2 lb. cartons	58

Net Prices per Pound

1/2 lb. packages, 50 in case. 1 lb. packages, 25 in case.
5 lb. packages, 10 in case.

FUNGI-BORDO

Sherwin-Williams Fungi-Bordo is an extremely fine, fluffy Bordeaux Mixture in dry powdered form. It is made of the best grade of lime and blue vitriol. S-W Fungi-Bordo mixes readily with water and stays well in suspension. It is very effective when applied as a dust.

Fungi-Bordo is the only prepared Bordeaux Mixture on the market that is properly balanced in blue vitriol and lime content. Because it contains 12 1/4 per cent of copper, 6 or 8 pounds to 50 gallons of water will give a 3-3 and 4-4-50 Bordeaux Mixture. Other brands containing from 1 1/2 to 22 per cent of copper cannot produce properly balanced Bordeaux Mixture.

Sherwin-Williams Fungi-Bordo will control all fungous diseases of apples, pears, cherries, grapes, strawberries and those of vegetables. The use of Fungi-Bordo eliminates all of the inconvenience connected with the making of home-made Bordeaux. It is better than commercial paste Bordeaux Mixtures because it is more easily mixed with water, will not deteriorate and is more effective in the control of fungous diseases.

100 lb. drums	17
50 lb. drums	19
25 lb. drums	21
5 lb. cartons	25
1 lb. cartons	30

Net Prices per Pound

1 lb. packages, 25 in case. 5 lb. packages, 10 in case.

SHERWIN-WILLIAMS PRODUCTS

PESTROY

Sherwin-Williams Pestroy is a convenient ready-to-mix combined insecticide and fungicide consisting of dry Bordeaux Mixture and Arsenate of Lead for use on fruits and vegetables. It is extremely fine and stays well in suspension when applied as a wet spray. S-W Pestroy may be applied as a dust both effectively and economically.

S-W Pestroy contains 85 per cent of Dry Bordeaux Mixture and 15 per cent of Dry Arsenate of Lead. This combination will insure a properly balanced spray mixture.

S-W Pestroy should be used to control chewing insects and fungous diseases of apples, pears, quinces, cherries, grapes, currants, gooseberries, potatoes, tomatoes, cucumbers, eggplant, beans, etc.

100 lb. drums.....	23
50 lb. drums.....	25
25 lb. drums.....	26
5 lb. cartons.....	32
1 lb. cartons.....	37
1/2 lb. cartons.....	42

Net Prices per Pound

1/2 lb. packages, 50 in case.	1 lb. packages, 25 in case.
5 lb. packages, 10 in case.	

PRUNING COMPOUND

Sherwin-Williams Pruning Compound is the best material to apply to large wounds made in pruning both fruit and shade trees. If large cut surfaces remain unprotected against weathering and disease, enormous damage may result.

Sherwin-Williams Pruning Compound is a ready-for-the-brush linseed oil and white lead mixture which will prevent cracking or weathering of the wounds and is antiseptic. It is used extensively by orchardists and foresters.

	qts.	gals.	bbles.
Dark Green Olive.....	40	1 35	1 25

Net Prices

Quarts, 24 in case.	Gallons, 6 in case.
---------------------	---------------------

OYLAPINE

(Odor of the Southern pine)

Oylapine is an especially prepared efficient disinfectant and antiseptic which, unlike many others, has a very desirable odor. It is composed of emulsified pine-tar oil and is for use in the home, in theatres or other public meeting places where a disinfectant with a desirable odor is needed.

bottles per dozen				per gallon			
2-oz.	4-oz.	8-oz.	pts.	qts.	1s	5s	bbles.
1 25	2 00	3 00	4 75	2 50	2 25	2 10	1 95

Net Prices—No Discount

2-oz. bottles, 144 in case.	4-oz. bottles, 72 in case.	8-oz. bottles, 48 in case.
Pint bottles, 24 in case.	Quart cans, 24 in case.	One gallon cans, 12 in case.

PHENOLENE

Phenolene is a coal-tar disinfectant that will form a perfect milky emulsion when mixed with water. It is from four to five times more powerful than carbolic acid. Phenolene is non-poisonous and is a high quality product for general disinfecting purposes, on the farm, in public buildings, factories, railway stations, etc. For spraying or dipping poultry and livestock. Write for Phenolene booklet.

bottles per dozen				per gallon			
2-oz.	4-oz.	8-oz.	pts.	qts.	1s	5s	bbles.
90	1 60	2 25	3 00	1 60	1 25	1 10	85

Net Prices—No Discount

2-oz. bottles, 144 in case.	4-oz. bottles, 72 in case.	8-oz. bottles, 48 in case.
Pint bottles, 24 in case.	Quart cans, 24 in case.	One gallon cans, 12 in case.

SHERWIN-WILLIAMS PRODUCTS

FLY SPRAY

Fly Spray is a liquid preparation which should be used without being diluted as a spray on cattle and horses, to repel flies and gnats and other insects which attack these animals during the warm summer months. Every dairy farmer or general farmer should use Fly Spray during the summer months. Will not taint milk. When applied to horses and cattle, it will remain effective for several hours.

qts.	½ gals.	1s	5s	bbls.
35	60	90	75	65

Net Prices

Quarts, 24 in case. Half-gallons, 12 in case.
Gallons, 12 in case.

50% CRESOL

50% Cresol Solution is an official substitute for Liquor Cresolis Compositus, U. S. P., and is recognized by the Bureau of Animal Industry of the United States Department of Agriculture as an effective disinfectant for use in stock pens, cattle pens, stock yards and other places where live stock may run or are shipped interstate.

1s	5s	bbls.
2 00	1 85	1 60

Net Prices per Gallon

LIQUOR CRESOLIS COMPOSITUS, U. S. P.

Liquor Cresolis Compositus, U. S. P., is a disinfectant made according to the specifications outlined in the United States Pharmacopoeia, an official book of formulae and methods for the manufacture of drugs. It is used principally in hospitals to make antiseptic solutions for washing wounds, sterilizing instruments, as well as a general disinfectant.

bottles, per dozen				per gallon			
2-oz.	4 oz.	8-oz.	pts	qts.	1s	5s	bbls.
1 30	2 00	3 25	4 75	2 75	2 25	2 00	1 80

Net Prices—No Discount

2-oz. bottles, 144 in case. 4-oz. bottles, 72 in case. 8 oz. bottles, 48 in case.
Pint bottles, 24 in case. Quart cans, 24 in case. Gallon cans, 12 in case.

SHERWIN-WILLIAMS DISINFECTANT

A coal-tar disinfectant about two to three times more powerful than carbolic acid. For general disinfecting purposes, spraying or dipping.

barrels only.
50c per gallon net

SHERWIN-WILLIAMS SHEEP DIP

S-W Sheep Dip is a creosote dip and disinfectant for use in treating sheep for ticks, scab and other similar troubles. It mixes readily with water to form a white emulsion and will not gum the wool. Every owner of sheep, whether large or small, should use S-W Sheep Dip. It is also valuable for certain other diseases of sheep and is a powerful antiseptic.

pts.	qts.	½ gals.	gals.	5 gals.	bbls.
28	40	70	1 25	1 10	85

Net Prices—No Discount

Pint cans, 48 in case. Quart cans, 24 in case. Half-gallon cans, 12 in case
One gallon cans, 12 in case.

SHERWIN-WILLIAMS PRODUCTS

HARMLESS SHEEP MARKING LIQUID

This is a paint made in three colors which will absolutely adhere to the wool in spite of all weather conditions. It is a big favorite with particular sheep raisers, because it holds its color on the wool, yet will wash out in the scouring process. It is unquestionably the finest sheep marking liquid produced.

	1s	5s	bbis.
Black.....	1 70	1 65	1 60
Red.....	1 70	1 65	1 60
Green.....	1 85	1 80	1 75

Net Prices

One gallon cans, 6 in case.

SHEEP BRANDING PAINT

Sheep Branding Paint differs from S-W Harmless Sheep Marking Liquid in that it is a permanent dye which will not leave the wool even in the scouring process. It is made in only one color—black, and will satisfy sheep raisers who want an absolutely permanent mark.

1s	5s	bbis.
1 40	1 35	1 30

Net Prices per Gallon

One gallon cans, 6 in case.

KILTIK D

Kiltik D is a highly concentrated arsenical dip made especially to destroy the cattle tick. It has been approved by the Bureau of Animal Industry of the United States Department of Agriculture as being effective for official dipping. It is used primarily in the Southern states where the cattle tick has been a serious problem. Kiltik D is uniform in quality and is recognized as one of the most effective products of its kind on the market.

1s	5s	drums
----	----	-------

Prices on application**CARBOLIC-OL**

Carbolic-ol is an effective wood preservative composed of pure anthracene oil derived from the distillation of pure coal-tar. It is a high boiling point oil and may be applied by brushing, spraying or dipping. By actual performance it has been demonstrated to be one of the most effective wood preservatives on the market.

It should be used by traction and telephone companies, cold storage and ice companies, tanneries, poster advertising companies, mining and smelting companies, fisheries, factories and coal and lumber companies. It is a fit product to use on wood that is exposed to weather, which demands a high quality wood preservative.

1s	5s	bbis.
85	70	55

Net Prices per Gallon

SHERWIN-WILLIAMS PRODUCTS

CARBOLIC-OL SHINGLE STAIN

Carbolic-ol Shingle Stain is a wood preservative oil of great penetrative qualities and will insure maximum water and weather resisting properties which are needed for wood and shingles. It comes in two shades, light and dark brown. This product will add prolonged life to shingles.

	1a	5a	bbls.
Light.....	90	75	65
Dark.....	1 05	90	80

Net Prices per Gallon

EBONOL

Ebonol is an excellent black paint for general exterior upkeep work. It is acid free, durable and highly recommended as a roof paint on prepared or so-called "rubber" roofing, metal skylights, flashings and downspouts. It has a splendid body and will not run or dry out under the heat rays of the sun. Becomes set in 24 hours.

In thinning Ebonol use only Ebonol Reducer.

1a	5a	bbls.
70	55	35

Net Prices per Gallon

QUICK DRYING EBONOL

Similar paint to Ebonol except it is not quite as heavy bodied and dries quicker. A reducer is put in it which permits this product to set in about eight hours.

1a	5a	bbls.
75	60	45

Net Prices per Gallon

EBONOL REDUCER

A reducer made to reduce Ebonol down to a thinner consistency, and make it so that it will set more quickly.

1a	5a	bbls.
60	50	40

Net Prices per Gallon

EBOLASTIC ROOF CEMENT

Ebolastic Roof Cement is a combination of pine-tar, coal-tar and asbestos fiber and is used for repairing roofs, downspouts, drain pipes, etc. Ebolastic Roof Cement does not become brittle and therefore will stand contraction and expansion due to variations in temperature without cracking. It is an ideal roof cement in every particular, not only in covering capacity, but in durability and ease with which it can be applied.

	1-lb.	5-lb.	25-lb.	50-lb.	100-lb.	½ bbl.	bbls.
Black.....	16	11	08	06	05 ½	05 ½	05
Red.....	19	13 ½	11	09	08	08	07 ½

Net Prices per Pound

One-pound cans, 24 in case. Five-pound cans, 6 in case.
25-pound cans, 2 in case.

WILLIAMS-SONNET PRODUCTS

SPECIAL BLACK ROOF CEMENT

A combination of superior and superior film. Although not as high a quality product as Elastastic Roof Cement, it offers special value for the price.

1/2 barrel 1 barrel
\$5 \$10

Net Prices per Pound

SPECIAL RED ROOF CEMENT

A good roof cement, although not as high in quality as Elastastic, offers a special value for the price.

1/2 barrel 1 barrel
\$5 \$10

Net Prices per Pound

EBOLASTIC LIQUID ROOF CEMENT

A combination of coal-tar life and adhesive value. It is used for repainting leaky roofs, downspouts, metal flashing, etc. Applied with a large roofing brush or a "squeegee." After application it forms a plastic film, filling up any holes and acts as a waterproof coating to surfaces on which it is used. Withstands the heat of the sun.

1/2 1 1/2 2 3 4
\$5 \$10 \$15 \$20 \$25 \$30

Net Prices per Gallon

One gallon, case, 6 in case.

FLAXOLAP

Flaxolap is an absolutely pure linseed oil soap, made from cold ground flaxseed oil and potash, contains no harmful fat whatever. It is a specific agent, consequently can be used on the finest fabrics without fear of injury. Flaxolap restores dyes in hot or cold, hard or soft water. It is especially adapted to cleaning drapes, window curtains, etc. Owing to the fact that pure linseed oil is the life of all paints and varnishes, Flaxolap is the best cleanser for all painted and varnished surfaces. It will be found most excellent for cleaning automobiles, carriages, windows, mirrors and cut glass. The housewife will find it particularly valuable in the cleaning of carpets and rugs. Complete directions shown on the label.

1/2 1 1/2 2 3 4
\$5 \$10 \$15 \$20 \$25 \$30

Discount 25%

1-pound case, 50 in case 1-pound pail, 12 in case 10-pound pail, 6 in case
25-pound pail, 2 in case

AUTO SOAP

A neutral soap containing linseed and other pure vegetable oils for use in washing automobiles, trucks, wagons, etc. Contains approximately 80% dry soap. Recommended for use on any highly varnished surface.

1/2 1 1/2 2 3 4
\$5 \$10 \$15 \$20 \$25 \$30

Discount 40%

1-pound case, 50 in case 1-pound pail, 12 in case 10-pound pail, 6 in case
25-pound pail, 2 in case

SHERWIN-WILLIAMS PRODUCTS

HARD AUTO SOAP

A special soap made of vegetable oil and soda, similar to MFG Auto Soap except harder. Contains approximately 75% dry soap.

1/2 barrels	barrels
24	23

Barrels and half-barrels only.

Discount 40%.

MECHANIC'S HAND SOAP

A grit soap made of a combination of ground pumice and coconut oil. Contains a liberal soap content and will cut dirt, oil, grease and stains, leaving the hands soft and clean. A splendid soap for cleaning bath tubs, kitchen sinks, drains, etc.

per dozen net	per pound net	
10-lb. cases	5-lb. cases	25-lb. cases
1 40	14 1/2	13

Net Prices per Pound

10-lb. cases, 40 lb cases.

THE SPRINGFIELD DUSTER

The Springfield Duster is used to apply Calcium Arsenate on cotton and can also be used to apply other dry insecticides. The machine is highly geared, the fan making 35 revolutions to every turn of the handle.

The Springfield Duster is simple, practical and durable. All gears are removable. The fan consists of two blades which insert against the dust clinging to packing. It weighs about eight pounds and balances perfectly on the shoulder of the man applying the poison.

Each individual duster packed complete in a carton.

Price—\$11.50 (f.o.b. warehouse points. Not to dealers).

Price—\$15.50 (f.o.b. warehouse points. Not to consumers).

0007-SWP-000011648



DURING THE LAST SIXTY YEARS THIS
HAS BECOME ONE OF THE BEST KNOWN
TRADE-MARKS IN THE WORLD. IT
STANDS FOR THE HIGHEST QUALITY
AND IS THE BUYER'S PROTECTION IN
MAKING HIS PURCHASES OF PAINTS,
VARNISHES, STAINS, ENAMELS, INSEC-
TICIDES AND KINDRED PRODUCTS. ♦ ♦

K20 252

0007-SWP-000011649

SHERWIN-WILLIAM PRODUCTS

PRICE LIST

No. 62

EFFECTIVE JANUARY 27, 1921

Prices Subject to Change Without Notice

Prices F. O. B.

Dallas, Texas

Houston, Texas

TERMS

On Paints, Varnishes and ODF Lead—twenty days net 1% for cash within ten days from date of invoice.

On Turpentine, Linseed Oil, Dry Colors, Insecticide Material, and goods not of our own manufacture—thirty days net 1% for cash within ten days from date of invoice.

IMPORTANT

Shortages or errors in billing must be reported within ten days from receipt of shipment to secure proper adjustment.

In making all shipments our responsibility ceases when we receive a signed bill of lading from the transportation company. Claims for losses and damage in transit must be filed with the transportation company by our customers. If shipments are received in a damaged condition, or short in the number of packages, be sure to have the freight agent make such notation on the paid expense bill. This will enable you to file and collect claim without affidavit.

TS (15) A21 455

0007-SWP-000011650

N14204.01

MANUFACTURERS SALES DEPARTMENT

REPRESENTATIVE'S CONFIDENTIAL PRICE LIST

EFFECTIVE FEBRUARY 10, 1921

Subject to change without notice

Prices F. O. B.

Dallas, Tex.

Houston, Tex.

TERMS:

One per cent for cash ten days from
date of invoice, or thirty days net



THE SHERWIN-WILLIAMS Co.

FACTORIES: CLEVELAND, DETROIT, CHICAGO, NEWARK, SAN FRANCISCO,
MONTREAL, LONDON, ENG., SYDNEY, N. S. W.
SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES

0007-SWP-000011651

N14204.02

SHERWIN-WILLIAMS PRODUCTS

These stains are suitable for all types of new work. Made primarily for use on softwoods, but can also be used on hardwoods. Easy to apply, uniform in color and quality, dry properly without raising the grain of the wood. Are permanent and durable.

and dependable.	1s	5s	bbls
Dark Oak (30)	1 95	1 85	1 70
Light Oak (30)	1 95	1 85	1 70
White Oak (30)	2 00	2 50	2 35
Colonial Oak (85)	2 60	2 50	2 35
Mahogany, Light (37)	2 60	2 50	2 35
Mahogany, Light (40)	2 60	2 50	2 35
Mahogany, Brown (26)	2 60	2 50	2 35
Mahogany, Red (25)	2 60	2 50	2 35
Walnut (35)	1 10	1 00	90
Walnut Green (37)	2 85	3 75	2 60

For best results one coat of Primer and one coat of Enamel finished with one coat of Durable Implement Coach Varnish should be applied. These materials can be brushed or sprayed and will cover solid one coat over any reasonable surface and become an elastic, tenacious film.

1s	2s	3s	4s
6 gals. or over	less than 50 gals.	50 gals. or over	1.5 bbbls.
2.55	2.45	2.40	2.25
2.22	2.15	2.10	1.95
2.25	2.15	2.10	1.95
2.25	2.15	2.10	1.95

1a		5a		bb1a.
6 gals. or over	less than 50 gals.	50 gals. or over	1-5 bbls.	
2 60	2 50	2 45	2 30	
2 60	2 50	2 45	2 30	
3 10	3 00	2 95	2 80	
3 25	3 15	3 10	2 95	
3 55	3 45	3 40	3 25	
2 45	2 35	2 30	2 15	
6 30	4 25	4 15	4 00	

Use on canvas-covered tanks and casks. Supplied in semi-paste form and will regularly stand reduction of from 50 per cent to 75 per cent with Sherwin-Williams Reducer No. 74. Rx 0974 or a turpentine substitute. Work easily, cover tough and air dry over night.

1s		2s		bbls.
	@ gals. or over	less than 50 gals.	50 gals. or over	1-5 bbls.
01 Brews (15015)	1.00	1.30	1.35	1.70
01 Brews (15004)	.95	1.43	1.30	1.65
04 Brews (15012)	1.00	1.70	1.65	1.50
04 Brews (15034)	1.00	1.70	1.65	1.50
04 Brews (15042)	1.00	2.10	2.05	1.90
04 Orms (15044)	1.00	2.00	1.95	1.80
05 Orms (15011)	1.10	2.00	1.95	1.80

[illegible]

BOND

PRODUCTS

RAFT

TS

NG

ORS

FINE ENAMELS

POLISH

PAINT

GOLD

(arnish Remover)

RNISHES

RAILWAY AND STREET RAILWAY SALES DEPARTMENT

REPRESENTATIVES CONFIDENTIAL PRICE LIST

EFFECTIVE FEBRUARY 10, 1921
Subject to change without notice.

Prices F. O. B.
Dallas, Texas
Houston, Texas

TERMS:
One per cent for cash ten days from
date of invoice, or thirty days net



THE SHERWIN-WILLIAMS CO.

FACTORIES: CLEVELAND, NEWARK, CHICAGO, SAN FRANCISCO (EMERYVILLE)
SALES OFFICES AND WAREHOUSES IN PRINCIPAL CITIES

RY (15) 5-20 86

GENERAL

MASTER PAINTERS' COLORS IN OIL

	1 lb.	1 lb.	1 lb.
	can	can	can
Ivory Drop Black (919).....	25 1/2	25 1/2	25 1/2
English Coach Black (919).....	25 1/2	25 1/2	25 1/2
Sign Writers' Black (920).....	34 1/2	34 1/2	34 1/2
Lamp Black (920).....	34 1/2	34 1/2	34 1/2
Chinese Blue (921).....	82 1/2	80 1/2	78 1/2
Prussian Blue (922).....	82 1/2	80 1/2	78 1/2
Cobalt Blue (923).....	50 1/2	48 1/2	46 1/2
Ultramarine Blue (924).....	49 1/2	47 1/2	45 1/2
Raw Umber (911).....	25 1/2	23 1/2	21 1/2
Burnt Umber (912).....	25 1/2	23 1/2	21 1/2
Raw Sienna (913).....	27 1/2	25 1/2	23 1/2
Burnt Sienna (914).....	27 1/2	25 1/2	23 1/2
Vandyke Brown (915).....	30 1/2	28 1/2	26 1/2
Paris Green (925).....	35 1/2	33 1/2	31 1/2
Bronze Green (926).....	27 1/2	25 1/2	23 1/2
Chrome Green—L (927).....	27 1/2	25 1/2	23 1/2
Chrome Green—M (928).....	27 1/2	25 1/2	23 1/2
Chrome Green—D (929).....	27 1/2	25 1/2	23 1/2
American Vermilion (931).....	39 1/2	37 1/2	35 1/2
English Rose Lake (932).....	52 1/2	50 1/2	48 1/2
Tuscan Red (1010).....	37 1/2	35 1/2	33 1/2
Turkey Red (1011).....	37 1/2	35 1/2	33 1/2
Indian Red (1012).....	34 1/2	32 1/2	30 1/2
English Venetian Red (916).....	20 1/2	18 1/2	16 1/2
Chrome Yellow—L (1013).....	40 1/2	38 1/2	36 1/2
Chrome Yellow—M (1014).....	40 1/2	38 1/2	36 1/2
Chrome Yellow—D (1015).....	40 1/2	38 1/2	36 1/2
Chrome Yellow—DO (1016).....	40 1/2	38 1/2	36 1/2
Golden Ochre (917).....	25 1/2	23 1/2	21 1/2
Yellow Ochre (918).....	21 1/2	19 1/2	17 1/2

COLORS IN JAPAN (Quick Drying)

Sherwin-Williams Japan Colors are ground exceedingly fine, the materials being prepared and selected especially for the purpose. They possess all the desired and necessary quick-drying and flattening properties.

The pigments are the strongest, purest toned, and most permanent that the markets of the world afford.

The vehicle is a grinding Japan of our own manufacture, superior to anything that has ever been used for this purpose. While possessing the requisite flattening properties, it nevertheless is a perfect binder, and it is unnecessary to add oil or varnish to the thinned color.

Complete color card on request.

Put up in one and five-pound cans, five-pound press cans and twenty-five-pound pails.

(For Colors not listed here, use MSD List.)

BLACKS

	per pound
Chemically Refined Lamp Black (179).....	34 1/2
Ivory Drop R R (123).....	44 1/2
Ivory Drop R (175).....	44 1/2
Ivory Drop Special (120).....	38 1/2
No. 19 Black (119).....	33 1/2

GREENS

	per pound
Chrome, L M & D (134 L M & D).....	36 1/2
Milori, L (135 L).....	36 1/2
Milori, M (135 M).....	36 1/2
Milori, D (135 D).....	36 1/2
Swedish, L (4257).....	31 1/2
Fullman (4390).....	36 1/2

BLUES

	per pound
Cobalt (244).....	81 1/2
Prussian (147).....	81 1/2
Ultramarine (148).....	81 1/2
Yale, L (4850) D (8099).....	81 1/2
Asare (241).....	81 1/2

COLORS IN JAPA

	per pound
Raw and Burnt Umber (R 130).....	25 1/2
Raw and Burnt Sienna (R 128).....	25 1/2
Vandyke (132).....	25 1/2
Golden Tan (4887).....	25 1/2
Quaker Brown (4461).....	25 1/2
Flake (164).....	25 1/2
French Zinc (4369).....	25 1/2
Ivory (4382).....	25 1/2
White (143).....	25 1/2
White Lead (4607).....	25 1/2

	per pound
Codman (8095).....	25 1/2
Chrome, L M O & DO (138 L).....	25 1/2
Dutch Pink (Glass) (169).....	25 1/2
Gold Imitation (177).....	25 1/2
Golden Ochre (142).....	25 1/2
Yellow Ochre (1543).....	25 1/2
Brown Color (4154).....	25 1/2

	per pound
American Vermilion (945).....	25 1/2
English Vermilion, L & D (94).....	25 1/2
Tuscan Red (119).....	25 1/2
Utile Color, R (244).....	25 1/2
Utile Red (134 L & D).....	25 1/2
Utile Red (1311).....	25 1/2
Vermilion Red (111).....	25 1/2
Vermilion Red (111).....	25 1/2
Very Fine ground and from dry material, A & B	25 1/2

GRAIN

GRAINING &

(For Fine)

Very fine ground and
from dry material, A & B
Put up in one and five-
pound cans, five-pound
press cans, and twenty-
five-pound pails.
The price
is
\$1.15 (10) 25

S IN OIL

net prices per pound			
1-lb.	5-lb.	10-lb.	25-lb.
can	can	can	can
15 1/2	23 1/2	21 1/2	20 1/2
15 1/2	23 1/2	21 1/2	20 1/2
14 1/2	22 1/2	20 1/2	19 1/2
14 1/2	22 1/2	20 1/2	19 1/2
12 1/2	20 1/2	18 1/2	17 1/2
12 1/2	20 1/2	18 1/2	17 1/2
10 1/2	18 1/2	16 1/2	15 1/2
10 1/2	18 1/2	16 1/2	15 1/2
8 1/2	16 1/2	14 1/2	13 1/2
8 1/2	16 1/2	14 1/2	13 1/2
6 1/2	14 1/2	12 1/2	11 1/2
6 1/2	14 1/2	12 1/2	11 1/2
4 1/2	12 1/2	10 1/2	9 1/2
4 1/2	12 1/2	10 1/2	9 1/2
2 1/2	10 1/2	8 1/2	7 1/2
2 1/2	10 1/2	8 1/2	7 1/2
1 1/2	8 1/2	6 1/2	5 1/2
1 1/2	8 1/2	6 1/2	5 1/2
1/2	6 1/2	4 1/2	3 1/2
1/2	6 1/2	4 1/2	3 1/2

(Drying)

fine, the materials being
exceeds all the desired and
most permanent, the
ture, superior to anything
ing the requisite setting
unnecessary to add oil or

net prices per pound			
1-lb.	5-lb.	10-lb.	25-lb.
can	can	can	can
15 1/2	23 1/2	21 1/2	20 1/2
15 1/2	23 1/2	21 1/2	20 1/2
14 1/2	22 1/2	20 1/2	19 1/2
14 1/2	22 1/2	20 1/2	19 1/2
12 1/2	20 1/2	18 1/2	17 1/2
12 1/2	20 1/2	18 1/2	17 1/2
10 1/2	18 1/2	16 1/2	15 1/2
10 1/2	18 1/2	16 1/2	15 1/2
8 1/2	16 1/2	14 1/2	13 1/2
8 1/2	16 1/2	14 1/2	13 1/2
6 1/2	14 1/2	12 1/2	11 1/2
6 1/2	14 1/2	12 1/2	11 1/2
4 1/2	12 1/2	10 1/2	9 1/2
4 1/2	12 1/2	10 1/2	9 1/2
2 1/2	10 1/2	8 1/2	7 1/2
2 1/2	10 1/2	8 1/2	7 1/2
1 1/2	8 1/2	6 1/2	5 1/2
1 1/2	8 1/2	6 1/2	5 1/2
1/2	6 1/2	4 1/2	3 1/2
1/2	6 1/2	4 1/2	3 1/2

GENERAL

COLORS IN JAPAN (Quick Drying)—Continued

BROWNS

	per pound
Raw and Burnt Umber (R 130) (B 131)	39 1/2
Raw and Burnt Sienna (R 128) (B 129)	39 1/2
Vandyke (132)	31 1/2
Golden Tan (4887)	61 1/2
Quaker Brown (4861)	39 1/2

WHITES

	per pound
Flake (144)	51 1/2
French Zinc (4369)	46 1/2
Ivory (4385)	46 1/2
Silver (143)	46 1/2
White Lead (4602)	41 1/2

YELLOWS

	per pound
Cadmium (8095)	(market)
Chrome, L M O & DO (138 L M O & DO)	51 1/2
Dutch Pink (Glass) (169)	46 1/2
Gold Imitation (177)	36 1/2
Golden Ochre (142)	39 1/2
Yellow Ochre (1343)	36 1/2
Straw Color (4158)	46 1/2

REDS

	per pound
American Vermilion (243)	56 1/2
English Vermilion, L & D (145 L D)	(market)
Tuscan Red (125)	41 1/2
Wine Color, B (246)	46 1/2
Indian Red (134 L & D)	36 1/2
Vinyl Red (23125)	36 1/2
Venetian Red (126)	36 1/2
Permanent Tuscan Red (141)	56 1/2
No. 40 French Carmine (Glass) (149)	50 1/2
No. 40 French Carmine (1/2-lb. tubes, net per doz.)	30 1/2

GRAINING COLORS—PREPARED

(Paste Form, in Oil)

Very finely ground in vehicles which enable the colors to comb and wipe out very effectively over a satisfactory ground coating. Furnished in all popular hard-wood effects.

	per pound
Ash (96)	44 1/2
Cherry (101)	46 1/2
Chestnut (100)	46 1/2
Dark Oak (97)	46 1/2
Light Oak (96)	46 1/2
Maple (96)	46 1/2
Mahogany (101)	46 1/2
Walnut (95)	46 1/2
Ground Color (96 L, 91 D)	46 1/2

GRAINING COLORS—IN DISTEMPER

(Paste Form, Ground in water without rise)

Very finely ground and chosen in tone, hence more desirable than colors mixed from dry materials. A full range of coloring pigments.

Put up in jars containing about 8 1/2 fluid ounces (each jar varies in weight according to gravity of color).

For prices, refer to Trade Sales Section of the Price List and use Dealers' Net Prices.

SHERWIN-WILLIAMS ***PRODUCTS***

PRICE LIST **No. 62**

EFFECTIVE JANUARY 24, 1921
Prices Subject to Change Without Notice



FEB 10 1921



THE SHERWIN-WILLIAMS CO.

**SALES OFFICES AND WAREHOUSES
IN PRINCIPAL CITIES**

SHERWIN-WILLIAMS

PRICE LIST

No. 62

EFFECTIVE JANUARY 24, 1921

Prices Subject to Change Without Notice



TERMS

On Paints, Varnishes and ODP Lead—sixty days net; 2% for cash within ten days from date of invoice

On Turpentine, Linseed Oil, Dry Colors, Insecticide Material, and goods not of our own manufacture—thirty days net; 1% for cash within ten days from date of invoice

IMPORTANT

Shortages or errors in billing must be reported within ten days from receipt of shipment to secure proper adjustment

In making all shipments our responsibility ceases when we receive a signed bill of lading from the transportation company. Claims for losses and damage in transit must be filed with the transportation company by our customers. If shipments are received in a damaged condition, or short in the number of packages, be sure to have the freight agent make such notation on the paid expense bill. This will enable you to file and collect claim without affidavit.

TS62 (E) A21 454

0007-SWP-000011657

INDEX

SHERWIN-WILLIAMS PRODUCTS

	Page
Acid Stains.....	50
Aluminum Paint.....	10
American White.....	10
Arsenate of Calcium, Dry.....	61
Arsenate of Lead, Dry.....	61
Asphaltum.....	55, 56
Auto and Buggy Paint.....	11
Auto Enamels.....	11
Auto Seat Dressing.....	10
Auto Soap.....	67
Auto Top Dressing.....	10
Automobile Varnishes.....	57
Barn Paints.....	14
Bath Enamel.....	11
Blackboard Paint.....	48
Brae-Brite.....	12
Brick Red.....	22
Brighten-Up Stain.....	12
Bronzing Liquids.....	12
Buggy Paint.....	11
Canoe Enamels.....	13
Carbolic-oil.....	65
Carbolic-oil Shingle Stain.....	66
Carbon Paint, Red Diamond Brand.....	13
Colors, Distemper.....	19
Colors, Dry.....	17-18
Colors, Quick Drying.....	45-47
Colors in Oil (First Quality).....	23
Colors in Japan, Quick Drying.....	45-47
Commonwealth Barn Gray.....	14
Commonwealth Barn Red.....	14
Commonwealth Paint.....	14
Concrete and Cement Hardener.....	14
Concrete Floor Paint.....	15
Concrete Wall Finish.....	15
Copper Paint.....	15
Cornish Eureka Gold Size.....	13
Crack and Seam Filler.....	15
Cresol (50%).....	64
Cycle Enamel.....	16
Dancing Floor Wax.....	16
Deco-Paste (White).....	16
Decorative Wall Colors.....	16
Decorative Wall Finish.....	17
Disinfectant (S-W).....	64
Distemper Colors (Fresco).....	19
Driers and Japanes.....	57
Dry Colors.....	17-18
Dry Dusting Materials.....	68
Dry Dusting Sulfur.....	68
Duster, The Springfield.....	68
Ebolic Roof Cement.....	66
Ebonol.....	66
Ebonol (Quick-Drying).....	66
Ebonol Reducer.....	66
Egg-Shell Mill White.....	19
Empress Liquid Gold.....	20
Enamel.....	20
Enamel, Bath.....	11
Enamel, Canoe.....	13
Enamel, Cycle.....	16
Enamel, Gas Engine.....	36
Enamel, Leather Dressing.....	20
Enamel, Old Dutch.....	41
Enamel, Porch and Lawn Furniture.....	44
Enamel, Screen.....	48
Enamel Undercoater No. 12.....	21
Enameloid.....	21
Engine Enamels, Gas.....	36
English Patent Drier.....	20
English Venetian Red (Paste).....	20

INDEX

SHERWIN-WILLIAMS PRODUCTS—Contd.

	Page
Family Paint.....	21
Filler, Liquid.....	55, 58
Filler, Paste.....	22
First Quality Oil Colors.....	23
Flat Black.....	22
Flat Brick Red.....	22
Flat-Tone (Liquid).....	24
Flat-Tone Glaze and Stencil Colors.....	25
Flat-Tone Glazing Liquid.....	25
Flat-Tone Mixing Sicc.....	24, 55, 58
Flat-Tone Multi-Color Stipple Effects.....	27
Flat-Tone System Effects.....	26
Flaxoap.....	67
Floorlac.....	15
Floor Paint, Concrete.....	38
Floor Paint, Inside.....	44
Floor Paint, Porch.....	44
Floor Wax—see Prepared Wax.....	33
Floor-Wipe.....	38
Fluid Wax, High Polish.....	64
Fly Spray.....	22
French Crown Green (Paste).....	52
French Yellow Ochre (Paste).....	52
French Zinc in Varnish.....	19
Freaco Colors.....	62
Fungi-Bordo.....	43
Furniture Polish.....	35
Galvanized Iron Primer.....	36
Gas Engine Enamels.....	25
Glaze and Stencil Colors (Flat-Tone).....	25
Glazing Liquid (Flat-Tone).....	49
Golden Oak Stain.....	20, 38, 39
Gold Paint and Gold Enamels.....	36
Gold Size.....	36
Graining Colors in Oil.....	37
Graining Colors in Distemper.....	36
Graining Preparation.....	37
Graphite Pipe Joint and Gasket Compound.....	37
Graphite (Black Lead) Ground in Oil.....	56
Handcraft Stains.....	58
Hard Auto Soap.....	63
Harmless Sheep Marking Liquid.....	37
Hat Brite.....	38
High Polish Fluid Wax.....	9
House Paint.....	39
Imperial Gold Enamel (Lustroline).....	38
Inside Floor Paint.....	43-47
Japan Colors (Quick Drying).....	34
Kalseo.....	63
Klith D.....	42
Lead in Oil.....	20
Leather Dressing.....	61
Lime-Sulfur, Dry.....	39
Linseed Oil (Medicinal).....	67
Linseed Oil Soap.....	38
Liquid Gold.....	67
Liquid Roof Cement.....	64
Liquor Cresche Composite, U. S. F.....	39
Lustroline Imperial Gold Enamel.....	39
Machine Paint and Filler.....	39
Master Painters' Flat White.....	68
Mechanic's Hand Soap.....	39
Medicinal Linseed Oil.....	12
Metal Polish (Bras-Brite).....	46
Metal Protective Paints.....	39
Metallastic (Liquid).....	19
Metallie Browns (Ground in Oil).....	19
Mill White Egg-Shell.....	40
Mill White, Reducer No. 83.....	10
Mine, Mill and Factory Colors.....	27
Mohair Top Finish—see Auto Top Dressing.....	
Multi-Color Stipple Effects.....	

INDEX


SHERWIN-WILLIAMS PRODUCTS — Contd.

	Page
Non-Corroding Graphite.....	40
Ochre (Paste).....	52
Oil Colors (First Quality).....	23
Oil Stains.....	30
Old Dutch Enamel.....	41
Old Dutch Process White Lead.....	42
Outside Gloss White, SWP.....	9
Oylapine (Oil-a-Pine).....	63
Paint and Varnish Remover.....	51
Paris Green.....	52
Paste Colored Paint (P. C. P.).....	43
Paste Filler.....	22
Paste Paint.....	43
Permanent Mahogany Stains.....	49-50
Permento.....	43
Pestroy.....	63
Phenolene.....	63
Polish, Furniture.....	43
Polish, Metal.....	12
Polish-oil.....	43
Porch and Deck Paint.....	44
Porch and Lawn Furniture Enamel.....	44
Powdered Floor Wax.....	16
Prepared Graining Colors.....	36-37
Prepared Wax.....	44
Preservative Shingle Stains.....	49
Pruning Compound.....	63
Quick Drying Colors (in Japan).....	45-47
Quick Drying Ebonol.....	66
Red Lead (in Oil).....	44
Reducer No. 83, Mill White.....	19
Roof and Bridge Paint.....	48
Roof Cements.....	66-67
Schoolboard Staining.....	48
Screen Enamel.....	48
Seat Dressing, Auto.....	10
Semi-Paste Paint.....	48
Sheep Dip (S. W.).....	64
Sheep Marking and Branding Paints.....	65
Shellacs (See Varnish Section).....	49
Shingle Stains, Preservative.....	49
Size, Gold.....	36
Size, Flat-Tone Mixing.....	55, 58
Size, Wall.....	55, 58
Soaps, Linseed Oil.....	67
Springfield Duster.....	68
Stains.....	49-50
Stencils.....	28-34
Stencil Colors.....	25
Stipple Effects (Flat-Tone Multi-Color).....	27
Stove-Pipe and Iron Enamel.....	51
Sulfur, Dry Dusting.....	68
S. W. Disinfectant.....	64
SWP.....	9
Structural Paint.....	51
Taxite (Paint and Varnish Remover).....	51
Thinner, Universal.....	51
Tick Dips (Kittik D).....	65
Top Dressing (Auto).....	10
Tractor Paint (see Wagon & Implement Paint).....	32
Tuber-Tonic.....	67
Universal Thinner.....	51
Undercoaters, Enamel.....	21
Varnishes.....	53-58
Varnish Stain (Brighten-up Stain, Floorlac).....	12-35
Venetian Red, English (Paste).....	20
Verdelite.....	51


INDEX

SHERWIN-WILLIAMS PRODUCTS—Contd.

	Page
Wagon and Implement Paint.....	52
Wall Finish, Concrete.....	15
Wall Finish, (Flat-Tone).....	24
Wall Finish, Water Paint.....	16-17, 38-43
Water Stains. (see Acid Stains, page 50).....	50
Wax, Dancing Floor.....	18
Wax, Floor.....	44
Wax, High Polish Fluid.....	38
Wax, Prepared.....	44
White Lead (in Oil).....	42
White Zinc (in Oil).....	52
 Yellow Ochre French (Paste).....	52
 Zinc in Oil, White.....	52
Zinc in Varnish, French.....	52



SHERWIN-WILLIAMS PRODUCTS



SHERWIN-WILLIAMS ODP WHITE LEAD

A strictly pure white lead manufactured on the Old Dutch Process of corrosion. It is ground in strictly pure refined linseed oil and is actually finer in texture than any other white lead on the market. ODP White Lead is soft in the package and easy to work up, yet it preserves a covering capacity and a wearing consistency which is unexcelled. ODP White Lead is of the same high quality that is found in every other Sherwin-Williams product, whether it be a paint, varnish, stain or enamel.

ODP White Lead is put up in strong steel kegs that keep out the moisture and air and do not absorb the oil, hence the lead is always fresh and in as good condition as when it left the mill. When empty, the steel packages are easily cleaned and may be put to many different uses in the paint shop or around the house.

This guarantee appears on every package:

This package is warranted to contain nothing but Strictly Pure White Lead, ground in Strictly Pure Linseed Oil, and we will pay one ounce of gold for every ounce of adulteration that it may be found to contain.

	per pound
300 and 500-pound casks.....	..
100-pound steel kegs.....	..
25 and 50-pound steel kegs.....	..
12 1/2-pound steel kegs.....	..
1 and 5-pound tins.....	..

(See Special Price Card, Form R-356)