



INTERNAL CORRESPONDENCE

UC 149-2

8-17-79

CHEMICALS AND PLASTICS

P. O. BOX 471, TEXAS CITY, TEXAS 77590

TO (NAME)

Mr. J. H. Barrett
Mr. T. O. Blum
Mr. C. W. Casey
Mr. D. L. Engle
Dr. D. H. Glenn
Mr. R. E. Graebert - 511
Mr. J. S. Knight
Mr. J. B. Leverton
Mr. W. A. Mazzolini
Mr. W. P. Nickles
Mr. F. S. Provenzano
Mr. D. R. Reem
Mr. R. Ritchie
Mr. H. R. Schulz
Mr. R. J. Taylor
Mr. R. Van Mynen - 501 (21)
Mr. J. W. Whittlesey - 501 (46)

DATE

August 20, 1979

SUBJECT

OSHA Visit
August 17, 1979

**PLAINTIFF'S
EXHIBIT**
UC-1190

Gentlemen:

On August 17, 1979, the Texas City Plant was visited by an OSHA Compliance Officer as a result of an employee complaint. OSHA Industrial Hygienist, Alan Trivette, was met by A. P. Yalcinkaya at the reception area at 9:30 a.m. Shortly thereafter they were joined by R. J. Taylor, H. R. Schulz and Sam Munn, union representative, for the opening conference. Mr. Trivette stated that his intent was to investigate a complaint alleging that resin dust levels in the air at Solvent Vinyl Resins Drying Bldg. 121 are too high and questioning the use of proper respirators. He indicated that he wished to visit the area and that he might wish to take photographs.

Mr. Trivette reviewed our plant OSHA records. He inquired about and was given general information regarding plant health and safety programs, and enforcement of plant health and safety rules. He also requested and was provided a copy of the Plant Procedure I-C-7, Respiratory Protection Program.

Mr. Trivette was then accompanied to Bldg. 121 where the group was joined by W. A. Mazzolini, Solvent Vinyl Resins Department Head, and M. E. Montague, plant photographer, for a tour of the facilities and an explanation of the process. On the second floor, the compliance officer collected a bulk sample of the resin powder to take with him. While in Bldg. 121 he held private conferences first with some maintenance men and then with a number of operators. He took no photographs during his visit.

UCTC 21162

Mr. J. H. Barrett, et al
May 2, 1979
Page 2

At approximately 11:50 a.m. the group returned to Bldg. 1. The Compliance Officer requested a copy of our most recent Industrial Hygiene monitoring data on dust levels in Bldg. 121. He stated that since the unit was not in full operation at the time of his visit, he wished to revisit the site during full capacity operation.

After another private conference held at Sam Munn's request, Mr. Trivette left the plant at 12:30 p.m.

Should you have questions regarding this visit, please call me at Ext. 5123.

Yours very truly,

A. Perihan Yalcinkaya

A. Perihan Yalcinkaya

ec

UCTC 21163