

PLAINTIFF'S EXHIBIT


BIR-1165

BIRD /SCREEN[®] SHINGLES




NEW LONG-LINE BIRD DESIGN WITH U.L.'S CLASS "A" FIRE SAFETY RATING

BIRD /SCREEN[®] SHINGLES



Top-rated, top-protection against fire

Bird FIRESCREEN Shingles, listed as Class "A" and Wind Resistant, passed rigorous Underwriters' Laboratories tests to earn their "A" rating. One of the safest shingles ever designed for roof structures, FIRESCREEN Shingles withstood direct 1400° flames for alternating 2-minute intervals, 10-minute steady flame exposure and the Class "A" burning brand test for the U.L. rating . . . all under simulated conditions of a brisk 12-mile-an-hour wind. Such performance makes "A" rated Bird FIRESCREEN Shingles ideal for the rigorous, fire-safe specifications you require.



Top-Rated, Top-Protection Against Hurricanes

Bird FIRESCREEN Shingles are designed with powerful thermoplastic adhesive dots that weld the butt down under the heat of the sun. With this famous Bird Wind Seal[®] feature, FIRESCREEN Shingles stay safe. They remain wind and water tight . . . even in hurricanes like Carla, Donna and Gracie. They have far surpassed the Underwriters' Laboratories tests for Wind Resistance.

Guaranteed for 25 Years*

Bird FIRESCREEN Shingles are backed by the powerful assurance of a 25-year Bird & Son guarantee*. Bird's record of manufacturing leadership, high quality and design excellence have stood since 1795.

**If a defect appears, notify us promptly so we can inspect before repairs are made. If material is found defective during the 25-year period following installation, we will furnish replacement material on a pro rata basis.*

**U.L. Rating
Class "A"
325 lbs.
per square.**

**U/L TYPE CLASS "A" (Also listed
Wind Resistant)**

Approx. Weight 325 lbs. per square

Exposure 5"; Headlap 2"

Dimensions: Length 36"; Width 12"

**Self Sealing, Random Embossed,
No cutouts, Colors — 6**

**Jumbo Granules, Self Aligning
notches on ends.**

Bundles per square: 4

Shingles per square: 81


Nails per shingle: 4



FRESH, ARCHITECTURAL ROOF BEAUTY FOR BUILDINGS OF EVERY KIND

Bird FIRESCREEN Shingles will match not only the safety features you require in a roof, but will add cold, long-line horizontal emphasis, too. Random embossing and no cutouts make a truly distinctive new roof design.




FIRESCREEN Shingles are the choice of architects today for public buildings, schools, churches, apartments, motor hotels, private homes . . . wherever, in fact, a high degree of fire and wind safety and aesthetic appeal is required. Exclusive Bird double-surfaced construction combats the aging rays of the sun, the wear and tear of weather, seasons and time.




6 dramatic new colors in

All-new colors add unique individuality and beauty
to your buildings . . . colors with the character
emphasis of rich granule textures, random embossing
and long, continuous lines free of cutouts.

BIRD /SCREEN® SHINGLES




FIRESCREEN Snowflake White




FIRESCREEN Green



FIRESCREEN Red



FIRESCREEN Sable Black



FIRESCREEN Gray



FIRESCREEN Brown

**BIRD
& SON**
INC.
QUALITY PRODUCTS SINCE 1795

East Walpole, Massachusetts • Chicago, Illinois
Charleston, South Carolina • Shreveport, Louisiana
Perth Amboy, New Jersey • San Mateo, California

16422

BIRD 021960