



UNION CARBIDE CORPORATION

METALS DIVISION

P.O. BOX K, KING CITY, CALIFORNIA 93930

PLAINTIFF'S EXHIBIT

UC-4771

April 7, 1983

Mr. John F. Godinho - 039 RG-244 Bagger Operator - For Union Carbide Corporation, Metals Division - King City, California - Employee No. 423 - C.S.D. 4/21/81 - Social Security No. 558-47-7831

Subject: CAL/OSHA Asbestos Regulations, Title 8, Section 5208, Subparagraph (K), Employee Notification (New Section adopted 11/1/77)

Dear Mr. Godinho:


In accordance with CAL/OSHA Asbestos Regulations, Title 8, Section 5208, Subparagraph (K), Employee Notification, notice is hereby given that your exposure of asbestos fibers was in excess of 2.0 limits on April 5, 1983. Four (4) between 38-83 minutes, personal air samples were taken. The average asbestos fiber count for the four (4) samples was 3.96 fibers longer than 5 micrometers, (TWA) per cubic centimeter of air. During the time of exposure, you were using an approved respirator. MESA-NIOH-No. TC 21C-170

Corrective action shall be taken immediately.

- (B) Exhaust ventilation systems are in good working order. Exhaust ventilation systems are checked each shift. (on-going)
- (C) Asbestos spills shall be vacuum cleaned properly. (on-going)
- (D) Air-filtering respirators are in use and worn in accordance with provisions of Section 5144. (on-going)
- (E) Change room and special clothing will continue to be provided to each employee. Employees will be required to vacuum clean their coveralls as it is needed. (on-going)
- (F) Laundering of asbestos-contained clothing will continue in accordance with Section 5208. (on-going)

Very truly yours,

UNION CARBIDE CORPORATION


R. J. Kronkhyte
Safety Engineer

/ljs

cc: F. C. DeLeon H. B. Rhodes
W. S. Everett J. C. Settlemoir
R. O. Marsten F. J. Shortsleeve
J. L. Myers W. C. Thurber
E. A. Piersall B. E. Usrey ✓

TALKED TO JOHN ABOUT GETTING SO DIRTY WHILE DOING HIS JOB,
ATTENDING THE MEETING - R. KRONKHYTE, F. DELEON, P. GODINHO, & MY SELF. (6)

