

FILE NAME: Owens-Corning (OC)

DATE: 1964 Aug 12

DOC#: OC021

DOCUMENT DESCRIPTION: Memo RE Labeling of Asbestos-Containing
Products by Johns-Manville Company

Mr. C. G. Staellin - Toledo

F. H. Edwards - Toledo

LABELLING OF ASBESTOS-CONTAINING
PRODUCTS BY JOHN'S-MAVILLE COMPANY

August 12, 1954

Mr. O. W. Pfeiffer - Toledo

Dr. V. C. Taylor - Toledo

Mr. V. L. Kreutz - Toledo

Mr. J. T. Vyvarberg - New York

Mr. J. M. Boynton - New York

Mr. Wayne Johnson - New York

Dr. Kenneth Smith, Medical Director of J-M, told us some weeks ago that he had recommended to J-M management that certain J-M asbestos-containing products be labeled to indicate the alleged hazards of asbestos. The J-M management and legal department have now decided to label their pre-formed products, such as Thermobestos, Super X, etc. by placing labels on the shipping cartons but not on the products, themselves. Dr. Smith estimates that the labeled cartons will not be in use until October, 1954.

It is obvious that these warning labels will have some impact in the field and possibly upon Public Health and other government officials.

The question before us is whether or not Fiberglas^{Knib} should protect itself against more stringent and punitive health laws and the possibility of third party actions by following the J-M lead.

I will appreciate your comments.



F. H. Edwards

FHE:JS

Mr. C. G. Staelin - Toledo

August 12, 1964

F. H. Edwards - Toledo

Mr. O. W. Pfeifer - Toledo
Dr. W. C. Taylor - Toledo
Mr. W. L. Kreutz - Toledo
Mr. J. F. Vyverberg - New York
Mr. J. M. Boynton - New York
Mr. Wayne Johnson - New York

LABELING OF ASBESTOS-CONTAINING
PRODUCTS BY JOHNS-MANVILLE COMPANY

Dr. Kenneth Smith, Medical Director of J-M, told me some weeks ago that he had recommended to J-M management that certain J-M asbestos-containing products be labeled to indicate the alleged hazards of asbestos. The J-M management and legal department have now decided to label their pre-formed products, such as Thermobestos, Super X, etc. by placing labels on the shipping cartons but not on the products, themselves. Dr. Smith estimates that the labeled cartons will not be in use until October, 1964.

It is obvious that these warning labels will have some impact in the field and possibly upon Public Health and other government officials.

The question before us is whether or not Fiberglas (Kaylo) should protect itself against more stringent and punitive health laws and the possibility of third party actions by following the J-M lead.

I will appreciate your comments.

F. H. Edwards

FHE:JS