



1235
T. Crumley
CC: V. Massick

VRD 0002039557

TELEFAX

Telefax to : Dr David Penney - Research Mgr
VISTA CHEMICAL COMPANY
Telefax n° : 00 1 512 331 2387
From : Françoise Drion, M.D.
Date : 22 September 1993

Vinyl chloride
Chemical file

Referring to your fax of 15.9.93, I can give you some precisions about the Angiosarcoma of the Liver (ASL) Register.

I succeeded Dr Jack Drumwright one year ago and APME (Association of Plastics Manufacturers in Europe) gave me the responsibility for maintaining the ASL Register. The update of the Register is now ready and the new edition will be available in one month time. In fact, for confidentiality reasons we have decided to edit two Registers. One Register, intended for the management, will contain tables and graphs. The second Register, which will be sent only to the medical officers, will include also medical data and plants codes.

Our contacts in VISTA are Dr R. Ham and Mr V.E. Massick. Please let me know if you wish to receive the issue of the Register.

Best regards,

Françoise Drion, M.D.

Number of pages transmitted (incl. this cover sheet) : 1

Vista Chemical Company

12024 Vista Park Drive
Austin, Texas 78726-4050
(512) 331-2500

P.O. Box 200135
Austin, Texas 78720-0135
Fax (512) 331-2387

cc: Veldon Messick

VRD 0002039558

FACSIMILE

*Vinyl chloride
7
Annual fee*

VISTA

TO: Dr. Frencoise Drion
Location: Brussels
FAX: 011-322-6753935

From: Dr. David Penney, Vista Chemical Company
Location: Austin, TX, USA
FAX: 512-331-2387
Phone: 512-331-2468

I am a research manager for product safety for Vista Chemical Company. You probably know that Vista Chemical Company is a member of the Vinyl Institute. In fact, it was Dr. Jack Drumwright of Vista who maintained the world-wide angiosarcoma registry for some years on behalf of the Vinyl Institute.

It is my understanding that you are now responsible for maintaining angiosarcoma registry for the Vinyl Institute. I believe Vista may have even provided you some information for the registry.

We are currently reviewing data on vinyl chloride-related carcinogenicity and were wondering if a more recent update of the registry has been published. The last version we have is dated 1991. Is this the last update? If so, any there plans to update the registry in the near future?

I would appreciate any information you could provide about the status of the registry. If possible, I would like to request a response by facsimile (512-331-2387) this week, because we are trying to assemble the information as quickly as we can.

Best Regards,



David Penney, PH.D.
Research Manager, Product Safety