

FILE NAME: RT Vanderbilt (RTV)

DATE: 1971 July 21

DOC#: RTV146

DOCUMENT DESCRIPTION: Letter to Desert Minerals from American
Conference of Govt Industrial Hygienists RE TLV of Talc with Notes

Return to T. R.

Rst

WILLIAM W. HARRISON, M.D.
National Institute for Occupational
Safety and Health
U. S. Public Health Service
1014 Research Triangle Drive, Durham, NC 27709
Tel. 919/286-1261

JOHN W. HARRISON, M.D., Vice Chairman
National Institute for Occupational
Safety and Health
U. S. Public Health Service
1014 Research Triangle Drive, Durham, NC 27709
Tel. 919/286-1261

JOHN W. HARRISON, M.D., Vice Chairman
National Institute for Occupational
Safety and Health
U. S. Public Health Service
1014 Research Triangle Drive, Durham, NC 27709
Tel. 919/286-1261

FREDERICK KAPLAN, Vice Chairman
Division of Industrial Hygiene
Indiana State Board of Health
1331 West Michigan Street
Indianapolis, Indiana 46202
Tel. 317/631-5700

AMERICAN CONFERENCE
of
GOVERNMENTAL INDUSTRIAL HYGIENISTS



July 21, 1971

EDWARD G. SHAW, M.D.
National Institute for Occupational
Safety and Health
U. S. Public Health Service
1014 Research Triangle Drive, Durham, NC 27709
Tel. 919/286-1261
JAMES C. HARRIS
Department of Occupational Health
University of Wisconsin
600 Walnut Street
Madison, WI 53706
Tel. 608/263-1000
JAMES C. HARRIS
Department of Occupational Health
University of Wisconsin
600 Walnut Street
Madison, WI 53706
Tel. 608/263-1000
VERNON E. ROGGE, Secretary
National Institute for Occupational
Safety and Health
U. S. Public Health Service
P. O. Box 1927, Cincinnati, Ohio
Tel. 612/684-2561

EJE	TSI	WDS
HH	NBS	RFB
	JEC	SRM
JUL 23 1971		
DET		VLN
ON		

Mr. Thomas E. Remmers
Vice President - Sales
Desert Minerals, Inc.
American Mineral Company
1891 South Coast Highway
Laguna Beach, California 92651

Dear Mr. Remmers:

Your letter directed to the Secretary-Treasurer of the ACGIH has been referred to the undersigned for reply.

The threshold limit value of 20 mppcf for TALC has been retained in the forthcoming 1971 TLV List, if the talc is non-asbestiform; however, if the talc is of the fibrous-tremolite type, then a more stringent TLV of 5 fibers/ml > 5 μ m in length is the standard, as noted in the accompanying documentation for fibrous talc.

Sincerely yours,

H. E. Stokinger
Herbert E. Stokinger, Ph.D.
Chairman, TLV Committee

Source of document?

Enclosure

*3. what is this length
"u" is the abbrev. for
micron.
"mm" is the abbrev. for
millimicron.*

Threshold Limit Values
American Conference of Governmental Industrial
Hygienists, Secretary-Treasurer 1914
Brooklyn, Cincinnati, OH 45202 -

U.S. Department of Labor 213-688-4970
Bureau of Labor Standards 213-432-3434
Office of Occupational Safety & Health
~~U.S. Department of Labor~~
L.A. Calif.

- 1 material safety data sheet, ^{INSTRUCTIONS} BOOKLET
- 2 Public Law 85-742 copy
213-

C2 lsd 105-4

osha 200y

Render Form LSO005
will be OSHA 20

Return to
Jessie