

ETHYL CORPORATION

MANUFACTURING AND TRAFFIC DEPARTMENT

J. H. SCHAEFER
GENERAL MANAGER

PLEASE ADDRESS REPLY
TO: CHRYSLER BUILDING
405 LEXINGTON AVE., NEW YORK CITY

May 28, 1942

Mr. J. L. Stecher
E. I. duPont de Nemours & Company
Wilmington, Delaware

Dr. R. A. Kehoe
University of Cincinnati
Cincinnati, Ohio

Mr. C. Wasserman

Gentlemen:

For your information, I am attaching hereto
copy of letter of May 19 from Mr. T. R. A. Bevan which
comments on the cable concerning his inquiry on shipment
of straight tetraethyl 1

Presumably Mr. Bevan was under some pressure to
see what could be done about this and simply wanted our
reply to confirm his own views.

Very truly yours,

J. H. Schaefer

3-2

KE 0007237

N 7830

C
O
P
Y

THE ASSOCIATED ETHYL COMPANY LIMITED

Artillery House, Artillery Row,
S.W.1, London

19th May, 1942

J. H. Schaefer, Esq.
Ethyl Corporation
Chrysler Building
NEW YORK

Dear Schaefer,

Thanks for your cable of the 18th May
in reply to mine of the 15th.

Your reply contained exactly the
information that I had expected to receive and
confirmed the views that I had already expressed
to the parties concerned at this end.

Were it a question of importing to
this country then the problem would be comparatively
simple, but it is not this country that we are
really concerned about. However, I do not believe
that this matter will develop any further.

With best wishes,

Sincerely yours,

Ray Bevan (signed)

T. R. A. Bevan

Original by Steamer
Copy by Air Mail

RE 0007238

N 7830.01

the desk of
ROBERT A. KEHOE

File under Review.

Schaefer's response to cable of Berlin
asking advice with reference to feasibility
with Tech at

to outside
need with me
about as to
later as new
larger if
approved when
possible
to confer
(indicated)

blue

with
to see what is up

RAX

CC: ~~MR. WASSERMAN~~
~~MR. STECHER~~
DR. KEHOE

INTERN
NION

1206-B

CHECK

ACCOUNTING INFORMATION

TIME FILED

COMB CARLTON
MAN OF THE BOARD

J. C. WILLEVER
FIRST VICE-PRESIDENT

hereby agreed to

MAY 18, 1942

UNDER THE PROVISIONS OF LICENSE B-859

KEHOE STECHER WASSERMAN EDGAR. WE ARE NOT

STEP IN WRONG DIRECTION UNLESS CASE OF EXTREME

AND WITH BLENDING PROBLEM WOULD DICTATE NECESSITY

SAME MEDICAL SUPERVISION AS AT MANUFACTURING BLENDING PLANT

MATERIAL MEN REQUIRED WOULD NOT JUSTIFY CONSTRUCT

UNDER CURRENT CIRCUMSTANCES. FIELD BLENDING WOULD PROBABLY NOT GIVE VERY GOOD

CONTROL RATE TEL TO HALOGEN WHICH MAY RESULT IN PERFORM

CC: MR. WASSERMAN
MR. STECHER
DR. KEHOE \$

Charge to the account of

ETHYL CORPORATION

CLASS OF SERVICE DESIRED	
DOMESTIC	CABLE
TELEGRAM	ORDINARY
DAY LETTER	URGENT RATE
SERIAL	DEFERRED
NIGHT LETTER	NIGHT LETTER
SPECIAL SERVICE	SHIP RADIOGRAM

Patrons should check class of service desired; otherwise the message will be transmitted as a telegram or ordinary cablegram.

WESTERN UNION

1206-B

R. B. WHITE
PRESIDENT

NEWCOMB CARLTON
CHAIRMAN OF THE BOARD

J. C. WILLEVER
FIRST VICE-PRESIDENT

CHECK
ACCOUNTING INFORMATION
TIME FILED

Send the following message, subject to the terms on back hereof, which are hereby agreed to

MAY 18, 1942

MR. T. R. A. BEVAN
ASSOCIATED ETHYL
LONDON, ENGLAND

TECHNICAL INFORMATION EXPORTED UNDER THE PROVISIONS OF LICENSE B-859
DISCUSSED YOUR CABLE FIFTEENTH KEHOE STECHER WASSERMAN EDGAR. WE ARE NOT
AMENABLE TO THE IDEA FEEL IT IS STEP IN WRONG DIRECTION UNLESS CASE OF EXTREME
EMERGENCY. EXPERIENCE WE HAVE HAD WITH BLENDING PROBLEM WOULD DICTATE NECESSITY
SAME MEDICAL SUPERVISION AS AT MANUFACTURING BLENDING PLANT. BELIEVE TIME
MATERIAL MEN REQUIRED WOULD NOT JUSTIFY CONSTRUCTION FIELD BLENDING FACILITIES
UNDER CURRENT CIRCUMSTANCES. FIELD BLENDING WOULD PROBABLY NOT GIVE VERY GOOD
CONTROL RATIO OF TEL TO HALOGEN WHICH MAY RESULT IN PERFORMANCE TROUBLES OF

KE 0007240

N 7820 00

KE 000 000 000