7/15 - EPA/PCB

(PCB)

July 4 1975

Wirick - Weber re ltr on incin - won't track - a copy - not happy (? - who cond - C.W.?)

K. Johnson
R. Ballentine
B. Bales - OGC

Thatcher (leg'n)
Snyder - OE
W. Filgo - TVA
Wayne OTS/$

John Lyon OGC
DOC - Saykin?
S. Wood? OPM

K.J. - stresses PCB similar future RCRA etc
- ballast in homes - disp'n - wants comments - still open issue

Lowndes
By DOD of thermoid ship repair?

A.W. re mfg bans

11/18*

wastes - Pope

James Petri? - DOT ~ minimum ? enclosed use - elec. motors coolant
aux power - blow out valve → PCB - +-5 gals/motor - old only (50%)
- underground coal - cars & J - cutters
not replaceable in cutting - reserve supply of motors exists
(Reliance makes - Jay uses)
can replace on cars
Bales → Jay feels not enclosed

Jay Kerr? Container Forest Industries
Robt S. Magruder of "C Co."
~ Paper board mill, dispersed in + waste oil - ? atom via air + back - waste lagoon + waste motor oil
" " contains
~ mg/l PCB - want OK use
? = safe disposal of PCB -

big problem as described

MONS 011186

2.25

reclaim

dust'd in commerce?
- stat encouraged - want
exemption for cont'd waste
oil ? silent tests showed
distruction OK - EPA OK's
- they open (Reg III)
PCB also studied + OK'd
2700°F + 1.5 sec in boiler
almost = govt PCB sides
- no mon'g of HCl
U.B. - PCB sold long ago - all
else disposed actively, he argues
? why fear ba "PCB" at 5 mg/kg
Richard Richman & Pap D - Dir Env. Aff.
Wischmann #5 other - cont'd
no paper ? - logic no
says remediation unclear
USG what re old forms on land
+ stayed shape up
Sea levels declining

H. Silberg? - air cond + refrigeration equip
Underwood w resale - 6 cos for
no history, no opp of clarify
- when stop selling PCB's start
selling articles w PCB's
- when stop when start selling
Capacitors - OK - labelling
Lamps - not large ex for
- metro power lines
w/o today, still, next yr -
ultimately
surge - not cover in
this rule if ex +

MONS 011187

are subs for a/c capac.

P.M. Peter Bruzape - OTS

Joe Highboard
.2 is totally enclosed
manner → insig. exposure
- claims no sup. investig. of UR
(is carcin - mental retard. Lic

.2 g/hr CFI - of 307 a use → ; ...
ur UR

TK
Dow 12 #09
Stop sub
PCB

B.W. - if use of old PCB better
than incin'n re-use
disposal
J H → long term use →
disposal approved

H. Thomas - ~~attly/asst~~ - Buffalo
Aldrich Chem - Milwaukee
Al die cast plt { NFHFO
Converted - (never knew
till recent years they used
PCB) - residues still - ?risk
problem (unused part)
- gradually getting it down in
PCB but never get out altogether
machines
Range 1/2 to 1% to 6%
- worker exposure via leaks
- OSHA std. EPA should it
concern self to study problem
NIOSH - reconsidering PCB std but
likely Reg some
NIOSH visited ONC - found
levels insignif

MONS 011188

+ drain + flush

- Said something re installation
- Not discussed possibility of replacing chairs, declaration etc - implicated in PCB
- O.M.C and Lab is 0.1 = Out of range

10% of [0.5 / -1.0] mg/cm — OSHA std

[graded seats]

Roger Wilbe - W'house - O. to EPA re totally enclosed manner not consistent w history (Thatcher ? to Thomas Jr)
Nelson
Dingell
6(e) exception to § 9
- she has no basis
- GW - EPA not deciding re "TEM" - cf. leakage from container bill & history
~~Eagle~~ - TVA at it