

PLAINTIFF'S
EXHIBIT

DUP-236

bcc: Dr. Sidney Fell
Medical Division



E. I. DU PONT DE NEMOURS & COMPANY
WILMINGTON, DELAWARE

EMPLOYEE RELATIONS DEPARTMENT

bcc: G. G. Mitchell, Dir.
Employee Relations Dept.

Dr. J. A. Zapp, Jr.
Haskell Laboratory

Dr. G. J. Stopps
Haskell Laboratory

File: C-CC227
November 14, 1966

file

JAMES L. SUGGS, M.D.
MEDICAL SECTION
FLORENCE PLANT, FILM

Dear Jim,

Thanks for your note in response to our questionnaire.
I was delighted that you have not had any trouble or suspected
incidences with asbestos.

I think it would be advisable to eliminate use of
asbestos blankets whenever possible, and this might become
required by law in years to come. By all means, I would urge
the use of masks for the cutting and the handling of all asbestos
material. I would certainly regard the elimination of all
asbestos material whenever possible as important.

Our Engineering Department told me that they are
already engaged in a study of insulating materials, and are
urging substitutes whenever possible. Perhaps your Engineering
Department is already aware of this.

It was nice hearing from you, Jim, and my cordial
good wishes to you.

Sincerely,

Original Signed By

C. A. D'ALONZO, M.D.

C. A. D'Alonzo, M.D.
Medical Director

CAD'A/sg

RECEIVED 065

NOV 15 1966

BETTER THINGS FOR BETTER LIVING THROUGH CHEMISTRY

DUP 0900725