

YOUNGER LABORATORIES

Biochemists ... Pharmacologists ... Analysts

128 CLIFF GAVE ROAD
SAINT LOUIS, MO., 63129

PHONE: TILDEN 6-2840

Certificate of Analysis

January 10th, 1966

SUBJECT -

Toxicological Investigation Of: MCS 395

Monsanto Sample Number 244

Monsanto Project Number Y-65-213

STUDY CONDUCTED FOR -

Monsanto Company, St. Louis, Missouri

EXPERIMENTAL PROCEDURE -

A) Oral LD₅₀ (Rats, Mixed Sex)

The undiluted compound was fed by stomach tube to Sprague-Dawley strain albino male and female rats.

After the approximate Minimum Lethal Dose was determined, groups of male and female rats were fed in increasing doses at increments of 0.1 fractional log intervals at four levels designed to blanket the toxicity range thereby supplying data for calculation of the LD₅₀ which was done according to a modification of the method of E. J. de Beer.

Observations were made for toxic symptoms and the viscera of the animals that succumbed were examined macroscopically.

The data are shown in Table I.

B) Oral MLD (Rabbits, Mixed Sex)

The undiluted compound was fed in increasing doses at increments of 0.2 fractional log intervals by stomach tube to New Zealand white male and female rabbits.

Observations were made for toxic symptoms and the viscera of the animals that succumbed were examined macroscopically.

The data are shown in Table II.

EXPERIMENTAL PROCEDURE - (Continued)

C) Skin Absorption MLD (Rabbits, Mixed Sex)

The undiluted compound was applied in increasing doses at increments of 0.2 fractional log intervals to the closely clipped, intact skin of New Zealand white male and female rabbits.

The treated areas were covered with plastic strips and the animals placed in wooden stocka for periods up to twenty-four hours, after which time they were assigned to individual cages.

Observations were made for toxic symptoms and the viscera of the animals that succumbed were examined macroscopically.

The data are shown in Table III.

D) Skin Irritation (Rabbits, Mixed Sex)

The undiluted compound was applied to the clipped, intact skin of male and female albino rabbits and removed after twenty-four hours. The application was covered with plastic strips to retard evaporation and avoid contamination.

Observations were made over a period of several days for irritation.

The data, scored according to the method of Draize, Woodard and Delsey (Journal of Pharm. and Exp. Therapeutics, Volume 62, December, 1944) are shown in Table IV.

E) Eye Irritation (Rabbits, Mixed Sex)

0.1 Milliliter of undiluted sample was placed in the conjunctival sac of the right eye of three albino rabbits and observations made over a period of several days for inflammation.

The eyes were rinsed with warm isotonic saline solution after twenty-four hours.

The data, scored according to the method of Draize, et al, are shown in Table V.

F) Vapor Inhalation (Male Rats)

Four mature male rats were placed in a metal chamber of 35 liters capacity and exposed for six hours to a concentrated atmosphere of vapors produced by passing a stream of air through 100 milliliters of the compound contained in a 300 milliliter erlenmeyer flask. Vapors from the flask passed into a one liter bottle to remove droplets and then into the chamber.

Air flow through the sample was five liters per minute as measured by a calibrated rotameter. This was sufficient to violently agitate the liquid. No supplementary air was introduced inasmuch as the above supply was ample for the animals oxygen requirements.

The animals were observed for behavior and, since there were no deaths, all were held for ten days observation.

The data are shown in Table VI.

To: Monsanto Company
St. Louis, Missouri

Younger Laboratories Certificate of Analysis - Page 3 (1/11/60) - Y-65-213

SUMMARY -

MCS 395

A) Oral LD₅₀ (Rats, Mixed Sex)

The Oral LD₅₀ for male and female rats was placed at 4015 milligrams per kilogram with lower and upper limits of 4060 to 5260 milligrams per kilogram.

The compound was classed as slightly toxic by oral ingestion in male and female rats.

B) Oral MLD (Rabbits, Mixed Sex)

The Minimum Lethal Oral Dose for male and female rabbits was found to be greater than 1580 milligrams per kilogram and less than 2510 milligrams per kilogram.

The compound was classed as slightly toxic by oral ingestion in male and female rabbits.

C) Skin Absorption MLD (Rabbits, Mixed Sex)

The Minimum Lethal Dose by skin absorption in male and female rabbits was found to be greater than 2510 milligrams per kilogram and less than 3980 milligrams per kilogram.

The compound was classed as slightly toxic by skin absorption in male and female rabbits.

D) Skin Irritation (Rabbits, Mixed Sex)

The compound was classed as non-irritating when applied undiluted to the intact skin of male and female rabbits.

E) Eye Irritation (Rabbits, Mixed Sex)

The compound was classed as a slight eye irritant in male and female rabbits.


The average maximum score was 8.3 out of a possible 110 in one hour.

F) Vapor Inhalation (Male Rats)

All animals survived the six hour exposure as well as the following ten day observation period.

It was concluded that the vapors were practically non-toxic under conditions of the test.

YOUNGER LABORATORIES


BY: FRED M. YOUNGER

MONS 036447

TABLE I

THE ORAL LD₅₀ OF 'MCS 395' FOR RATS

Sample Fed Undiluted

Animal No. - Sex	Weight	Dose	Fate
	Gm.	Mg./Kg.	
1- Female	225	3160	Survived
2- Male	240	3160	Survived
3- Female	220	3160	Survived
4- Male	255	3160	Survived
5- Female	235	3160	Survived
6- Male	260	3980	Survived
7- Female	230	3980	Died
8- Male	270	3980	Survived
9- Female	255	3980	Survived
10- Male	255	3980	Survived
11- Female	230	5010	Died
12- Male	255	5010	Survived
13- Female	225	5010	Died
14- Male	265	5010	Survived
15- Female	235	5010	Died
16- Male	260	6310	Died
17- Female	225	6310	Died
18- Male	245	6310	Died
19- Female	240	6310	Died
20- Male	265	6310	Died

DISCUSSION -

The Oral LD₅₀ for male and female rats was placed at 4615 milligrams per kilogram with lower and upper limits of 4060 to 5260 milligrams per kilogram.

The compound was classed as slightly toxic by oral ingestion in male and female rats.

Survival time was several hours to three days with most deaths occurring overnight. Toxic symptoms included severe diarrhea, increasing weakness, tremors, and collapse.

At autopsy there was inflammation of the gastric mucosa and renal hyperemia macroscopically.

TABLE II

THE MINIMUM LETHAL ORAL DOSE OF 'MCS 395' FOR RABBITS

Sample Fed Undiluted

Animal No. - Sex	Weight	Dose	Weight Change	Fate
	Kg.	Mg./Kg.	5 Days Later Kg.	
1 - Female	2.6	631	0.0	Survived
2 - Male	3.0	1000	+ 0.1	Survived
3 - Female	2.7	1580	- 0.1	Survived
4 - Male	3.1	2510	- 0.4	Died -- 8 Days
5 - Female	2.7	3980	- 0.3	Died -- 5 Days
6 - Male	2.9	6310	-----	Died -- 2 Days

DISCUSSION -

The Minimum Lethal Oral Dose for male and female rabbits was found to be greater than 1580 milligrams per kilogram and less than 2510 milligrams per kilogram.

The compound was classed as slightly toxic by oral ingestion in male and female rabbits.

Survival time was two to eight days.

Toxic symptoms in animals #4 and #5 included poor appetite in two to three days, weight loss, increasing weakness, tremors, and collapse.

At autopsy there was evidence of liver dysfunction and renal hyperemia.

The material in this report is based on the examination of the specimen received from the Monsanto Company, St. Louis, Missouri, on 1/10/66. The material was examined by the Younger Laboratories, St. Louis, Missouri, and the results are reported herein. The material was found to be a white, crystalline solid, and the results of the examination are reported herein. The material was found to be a white, crystalline solid, and the results of the examination are reported herein.

— Monsanto Chemical Company

T A B L E I I I

THE MINIMUM LETHAL DOSE OF 'MCS 395'
BY SKIN ABSORPTION IN RABBITS

Sample Applied Undiluted

Animal No. - Sex	Weight K.G.	Dose MG./KG.	Weight Change 5 Days Later K.G.	Fate
1 - Male	3.0	631	+ 0.2	Survived
2 - Female	2.5	1000	+ 0.1	Survived
3 - Male	2.8	1580	+ 0.1	Survived
4 - Female	2.4	2510	- 0.1	Survived
5 - Male	2.5	3960	- 0.3	Died - 7 Days
6 - Female	3.1	6310	- 0.2	Died - 9 Days

DISCUSSION -

The Minimum Lethal Dose by Skin Absorption in male and female rabbits was found to be greater than 2510 milligrams per kilogram and less than 3980 milligrams per kilogram.

The compound was classed as slightly toxic by skin absorption in male and female rabbits.

Survival time was seven to nine days.

Toxic symptoms in animals #5 and #6 included reduced appetite and activity in three to four days with increasing weakness, dyspnea, and paralysis.

At autopsy the lungs were hemorrhagic and there was liver discoloration macroscopically.

T A B L E I V

SKIN IRRITATION IN RABBITS AFTER APPLICATION OF 'MCS 395'

Sample Applied Undiluted

<u>Animal No. - Sex</u>	<u>Numerical Evaluation At The End Of</u>				
	<u>1 Hour</u>	<u>24 Hours</u>	<u>48 Hours</u>	<u>72 Hours</u>	<u>120 Hours</u>
1 - Female	0	0	0	0	0
2 - Male	0	0	0	0	0
3 - Female	0	0	0	0	0

DISCUSSION -

The compound was classed as non-irritating to intact rabbit skin when applied undiluted.

No edema or erythema developed on any of the animals as a result of a twenty-four hour exposure to the undiluted compound.

All animals received a score of zero throughout the observation period.

T A B L E V

EYE IRRITATION IN RABBITS AFTER APPLICATION OF 'MCS 395'

Sample (0.1 Milliliter) Applied Undiluted

Animal No. - Sex	1 Hour	Numerical Evaluation At The End Of			
		24 Hours	48 Hours	72 Hours	120 Hours
1 - Female	7	4	2	0	0
2 - Male	7	4	4	0	0
3 - Female	11	6	4	2	0
Average	8.3	4.6	3.3	0.6	0.0

DISCUSSION -

The compound was classed as a slight eye irritant in male and female rabbits. The average maximum score was 8.3 out of a possible 110 in one hour.

Little discomfort was shown immediately following application.

After one hour there was slight discharge and redness, practically no edema, and very slight corneal dullness. Iris and cornea were clear in twenty-four hours and within three days only a trace of redness of the palpebral conjunctivae remained on one animal.

T A B L E VI
 INHALATION OF 'MCS 395' VAPORS BY RATS

Average Temperature Inside Chamber 76° F.
 Average Relative Humidity Inside Chamber 43 %
 Amount of Sample -- To Start 100.0 cc
 Recovered 99.7 cc
 Vaporized or left
 in equipment 0.3 cc (0.3%)

<u>Animal No. - Sex</u>	<u>Fate</u>	<u>Observations During Exposure</u>
1 - Male	Survived	No immediate reaction ...
2 - Male	Survived	Normal breathing rate ...
3 - Male	Survived	No discomfort or nasal discharge ...
4 - Male	Survived	No weakness ...
		Moderate lethargy after two hours.

DISCUSSION -

All animals survived the six hour exposure as well as the following ten day observation period.

It was concluded that the vapors were practically non-toxic under conditions of the test.

The animals appeared to be unaffected by the exposure. Nasal and ocular mucosae were normal when the animals were removed from the chamber.

The ten day observation period was uneventful.