

Message

---

**From:** Lent, Susan [slent@AKINGUMP.COM]  
**Sent:** 7/13/2017 3:11:36 PM  
**To:** Forsgren, Lee [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=a055d7329d5b470fbaa9920ce1b68a7d-Forsgren, D]  
**Subject:** City of Houston CWSRF Application  
**Attachments:** TWDB Letter 071117.pdf; TWDB water quality4.docx; 1.23.2017 - Chron TWDB Plan.docx; 1.23.2017 Flood Control Announcement.doc

Hi Lee,

I hope you are settled into your new position. I have an issue I was hoping you could help me with. I represent the City of Houston. The City applied to the Texas Water Development Board (TWDB) for a \$46 million loan, which it then would give to the Harris County Flood Control District to expedite a long-delayed flood control project. The City would be on the hook to pay back the loan, but would hope to be reimbursed by the County as it receives funding from the Army Corps of Engineers. I've sent you some background, but the gist is that EPA staff told the TWDB that constructing/modifying a bridge to allow for a channel widening is not an eligible activity. The City of Houston has articulated how the project will address water quality in light of the impact of flooding on the sanitary sewer system. This project has a lot of support as is indicated in the attached press release. Would you be willing to meet with folks from the City of Houston to discuss the application and what if anything we can do to address staff's concerns? I could convene a group the week of July 24 if that works for you.

Thanks so much and look forward to seeing you.

Best,

Susan

**Susan H. Lent**

**AKIN GUMP STRAUSS HAUER & FELD LLP**

1333 New Hampshire Avenue, N.W. | Washington, DC 20036-1564 | USA | Direct: Ex. 6 | Internal: [24558](#)  
Fax: +1 202.887.4288 | [slent@akingump.com](mailto:slent@akingump.com) | [akingump.com](http://akingump.com) | [Bio](#)

The information contained in this e-mail message is intended only for the personal and confidential use of the recipient(s) named above. If you have received this communication in error, please notify us immediately by e-mail, and delete the original message.