


FILE NAME: Trade Publications (TR)

DATE: 1937 July

DOC#: TR021

DOCUMENT DESCRIPTION: Trade Journal Article - Past, Present & Future of the Occupational-Disease Situation



*trade publs
start Angersoll
Rand
file from
trade publs
newspapers
also. W.K. 1937*

*add to
Caterpillar
file*

Vol. 30

July, 1937

No. 1

CONTENTS

News of the Industry	29
Editorial: Intimidation in Labor Disputes ...	34
Reports Presented at A. S. T. M. Meeting ..	36
Special Cement-Mill Section	37
Marquette Completes Part of Improve- ment Program	43
Closed-Circuit Grinding with Air Separators	53
Separators Improve Grinding Efficiency ..	63
Saving in Air-Compressor Applications ...	67
Cement as Engineering Material to Stay ..	71
Bowl Mills and Recuperators Responsible for Power and Fuel Savings	73
The Autoclave—New Cement Soundless Test	77
Crusher Changes Affect Entire Plant	79
Past, Present and Future of the Occupa- tional-Disease Situation	83
News and Views from the Capital	86
The Future of Labor Relations	89
Regulating Hours in the Aggregates Industry	91
Research in Industrial Sand Industry	93
Profitable New Products Section	97
A Product Easy to Enthuse About!	98
Steel Industry Uses Own Slag in Concrete	100
Truck-Mixer and Agitator Standards	102



Men of the Industry	107
Personal Mention	108
Foreign Developments	109
Traffic News Digest	110
New Machinery and Supplies	112

Published on the tenth of each month for producers and manufacturers of Cement, Crushed Stone, Gypsum, Lime, Sand, Gravel and other nonmetallic minerals. Copyrighted 1937 by Complete Service Publishing Co., 538 South Clark Street, Chicago, Ill.

H. W. BAUMGARTNER
President

STANLEY A. PHILLIPS
Vice-President and Directing Editor

Field Editor:
W. E. TRAUFFER

Assistant Editor:
HARRY F. UTLEY

Contributing Editor:
WILHELM CARL RIETH

Circulation Manager:
W. T. KLUSSMAN

Advertising Manager:
JAMES E. MONTGOMERY
Telephone HARRison 9357
Chicago, Ill.

Eastern Advertising Manager:
W. A. BUSCHMAN
Room 420, 122 East 42nd St.
Telephone CALedonia 5-4438
New York, N. Y.

Central Advertising Manager:
W. H. SANDERSON
Auditorium Bldg.
Telephone CHerry 6339
Cleveland, O.

Advertising Representatives:
FRANK G. LAUGHTON
New York, N. Y.
D. R. EGBERT
Chicago, Ill.

Field Representatives:
A. C. PETERSEN
J. K. GARESCHE

Past, Present and Future of the Occupational-Disease Situation*

By C. O. SAPPINGTON, M. D.
Consulting Industrial Hygienist

YOU will recall in your high-school history courses that this study was divided into several parts, one pertaining to ancient history, one to medieval history and another to modern history. It will be rather convenient in presenting this review of the occupational disease situation to make comparisons between these kinds of history and the periods of evolution through which we have passed with regard to occupational-disease conceptions.

Our past experiences may well be compared to the period of ancient history and this period may also well be called the stage of guesswork and hysteria. Your interest and the interest of most people has been in the spectacular, and, in fact, this has been the basis for compensation laws in regard to mechanical injuries. There is nothing spectacular about occupational disease in the main and so your main interest has been in laws or in problems because people have continued to be crippled and killed by mechanical forces. There is no such direct appeal with regard to occupational disease. Then along came the depression with the effect of producing a number of spurious cases, which resulted in a great burden being placed upon industry in regard to the economic situation.

In addition to these factors there has been a lack of general knowledge and of trained men in the field of occupational-disease difficulties. All these factors have resulted in the production of bogies and unrest, hence the reason for applying the name of guesswork and hysteria to this period of evolution in occupational diseases as the stage.

Our present experience may well be likened to the period of medieval history. It is now believed that we have come somewhat past the bogey stage, with a swing to the factual and this stage may well be called the stage of reality. As evidence of the swing to the factual, last year occupational-disease compensation legislation was introduced in more than forty states and

as a result of this activity a number of states have actually passed laws, including Illinois.

In this stage, when emphasis will be placed upon factual evidence, plant surveys and studies have become more popular; examinations, including X-rays and clinical laboratory tests, have now come into use more widely. These devices will be used more and more to get facts in this stage of reality.

The future, which overlaps somewhat upon the present and includes developments in the immediate offing, may well be likened to the period of modern history. This may be called the stage of progress. I predict that compensation for occupational-disease disability will be general in the United States within the next five years, that physical examinations will become universal within the next ten years, and along with this will be an increased use of surveys and studies of industrial environment.

As a practical outline of important sources of difficulty relating to occupational diseases, let us merely mention the following:

1. Dust (silica and asbestos-containing dusts).
2. Metals (lead, cadmium, chromium, mercury, thallium).
3. Gases (carbon monoxide, sulphur dioxide, hydrogen sulphide, arsine, the nitrous group, cyanogen compounds).
4. Vapors and solvents (benzol and its homologues, the chlorinated hydrocarbons, and others).
5. Skin irritants (soaps and cleansing powders, dyes, oils and greases, dusts and powders, solvents, agents of infection).

This is not in any way to be considered an exhaustive list, but a number of the "high points" of importance have been picked as the chief possibilities or probabilities relating to occupational disease and these have been mentioned.

It is significant in this connection that when the U. S. Public Health Service made a cross-sectional survey of industries and published its results in the year 1934, it was discovered that in order of frequency the chief exposures

in industry were as follows: inorganic dusts, carbon monoxide, and lead. There are, of course, a number of others, but these are the chief types of exposure encountered in American industry and those which are likely to give difficulty. It is good to remember that this cross-sectional survey was made in ten different industries, embracing 615 plants and involving 28,000 employees.

It has been well said that the best criterion of an occupational-disease hazard is the occurrence of occupational disease; but none of us can afford to wait, I take it, for disease to occur. At this point it might be well to make a distinction between the two words *exposure* and *hazard*, simply because, as the U. S. Public Health Service has pointed out, if a man is exposed to lead, carbon monoxide or to inorganic dusts, it does not mean that he is exposed to a *hazard*. More must be known than the mere *fact of exposure*; we must know the quality and quantity of exposure and then, when compared with criteria which have already been established in the production of disease, we shall be able to say whether or not a *real hazard* exists. Remember that a hazard is always an exposure; an exposure is not always a hazard.

Here are some concrete suggestions which are boiled down to very brief expressions, but which contain the real essence of prevention of occupational disease:

1. Find out the *exposure* and the *hazard* in your plants.
2. Examine your men (before employment, during employment on hazardous jobs, and at the time of discontinuance of employment). The examinations will be different for different types of exposure; obviously an examination for a dust occupation will not suffice for a lead occupation.
3. Correlate cause and effect factors from the information gained by scientific study of the industrial environment and the medical data accruing from examinations and laboratory tests.
4. Control or eliminate the hazard, or furnish adequate protection for your men.

Another way of stating the above suggestions forcibly is as follows: *Management must know its men, materials, methods, and machines.*

In summary, the occupational-disease situation has become a national question; it involves socio-economic problems of tremendous significance; it presents difficulties no greater than any other industrial problem if the same amount of time, money and quality of brains are used, as have been applied in the past to similar industrial situations.

* Delivered before the Engineering Division, Greater Chicago Safety Council, Dec. 17, 1936.



MANGANAL

Nickel Manganese Steel Reg. U. S. Patent Office
Nos. 1,876,738, 1,947,167 and 2,021,945

With prices skyrocketing on all types of equipment, you can avoid costly replacements by using Manganal Applicator Bars for rebuilding worn-out machine parts and keeping your old equipment in service for years to come. Pump shells, crusher plates, dipper teeth and similar parts of 11 to 14% manganese steel can be easily reclaimed this way. Use Manganal Wedges for attaching to worn manganese and carbon steel shovel teeth to resist impact and abrasion.

SOLE PRODUCERS

STULZ-SICKLES CO., 134-142 Lafayette St., Newark, N. J.

For Building Up



**For Hard
Surfacing**


Index to Advertisers

Allen, Sheiman Hoff Co.	Inside Front Cover	Goodyear Tire & Rubber Co.	2	Owen Bucket Co.	128
*Allis-Chalmers Mfg Co.	72	*Gruendler Crusher & Pulv Co.	50	*Parsons Engr. Co.	113
American Manganese Steel Co.	125	Hais Mfg Co., Geo.	113	Page Engr. Co.	3-115
*American Pulverizer Co.	133	*Harding Co.	84	Pennsylvania Drilling Co.	138
Bacon, Inc., Earle C.	112	Hardsoeg Wonder Drill Co.	131	Philadelphian Hotel.	130
Baker & Greenberg	135	*Harnischfeger Corp.	64	*Pioneer Gravel Equip. Mfg Co.	17
Baldwin Locomotive Works	80	*Hazard Wire Rope Division of American Chain & Cable Co.	Inside Back Cover	Productive Equipment Corp.	132
*Barber-Greene Co.	129	*Hendrick Mfg. Co.	133	Quinn Wire & Iron Works.	106
*Bartlett & Snow Co., C. O.	133	Hetherington & Berner, Inc.	140	Railway Accessories Co.	134
Birmingham Rail & Locomotive Co.	135	Hoffman Bros. Drilling Co.	138	*Raymond Pulverizer Div of Combustion Engr. Co., Inc.	38
*Blaw-Knox Co.	105	Holmes, Robt., & Bros., Inc.	181	Rental Service Co.	137
Broadest Section	135-139	Howe Scale Co.	116	Republic Rubber Co.	121
Broderick & Baseom Rope Co.	133	Hug Co.	8	*Robins Conveying Belt Co.	28
*Bucyrus-Erie Co.	22	Hummel-Foley Corp.	66	Rock Bit Sales & Service, Inc.	117
Buffalo Scale Co.	68	*Huron Industries Co.	132	*Roebbling's Sons Co., John A.	10-15
Burnham, Royal E.	138	*Hyman-Michaels Co.	139	*Sauerman Bros., Inc.	128
Burrell Engr. & Const. Co.	82	Iowa Mfg. Co.	119	Schaffer Poidometer Co.	114
Carnegie-Illinois Steel Corp.	19	Independent Pneumatic Tool Co.	7	Simplicity Engr Co.	111
Caterpillar Tractor Co.	4	Ingersoll-Rand Co.	52	SKF Industries, Inc.	25
Cement Mill Equip. Co.	58	*Jaeger Machine Co.	Back Cover	*Smith & Co., F. L.	37
*Chain Belt Co.	105	*Jeffrey Mfg. Co.	125	Smith Co., S. Morgan.	127
Chicago Perforating Co.	113	*Kennedy-Van Saun Mfg. & Engr. Corp.	76	Smith Engr Works.	26
*Chicago Pneumatic Tool Co.	74	*Koehring Co.	118	Smith, Inc., L. B.	137
*Cincinnati Rubber Mfg. Co.	133	Lane Co., T. J.	135	Sprout, Waldron & Co.	128
Cleveland Rock Drill Co.	23	*Leschen & Sons Rope Co., A.	114	Stanhope, Inc., R. C.	137
Cleveland Wire Cloth & Mfg. Co.	128	Le Tourneau, Inc., R. G.	70	Stulz-Sickles Co.	140
*Consolidated Products Co.	139	Lewis, Harry C.	137	Sturtevant Mill Co.	42
*Delster Concentrator Co.	133	Lewiston Foundry & Machine Co.	130	Taylor Forge & Pipe Works.	110
Delster Machine Co.	129	*Lima Locomotive Works.	11	Thew Shovel Co.	9
DeWitt Hotels	132	*Link-Belt Co.	1-131	Tidewater Equip & Machy Corp.	135
*Dixie Machy Mfg Co.	82	Ludlow-Saylor Wire Co.	40	Timken Roller Bearing Co.	5
Dracoo Corp.	60	*Manitowoc Engr. Works	62	*Traylor Engr & Mfg Co.	39
Dunn Mfg. Co., W. E.	106	Marietta Concrete Corp.	105	*Tyler Co., W. S.	130
*Eagle Iron Works.	129	McLanahan & Stone Corp.	132	Union Wire Rope Corp.	24
*Ensign-Bickford Co.	20	McLeod, Alex T.	138	United States Steel.	19
Equipment Corporation of America.	135	Merriek Scale Mfg Co.	78	Universal Concrete Pipe Co.	104
Erie Pump & Engine Works.	133	Michigan Power Shovel Co.	127	Universal Crusher Co.	14
Exolon Co.	130	*Morris Machine Works.	80	Walsh Co., Richard P.	137
Flexible Steel Lacing Co.	131	Morse Bros. Machinery Co.	134	*Warren Bros. Roads Co.	106
Frog Switch & Mfg. Co.	108	National Industrial Invest. Corp.	139	Wellman Engr. Co.	130
*Fuller Co.	54	National Supply Co.	6	*Western Precipitation Corp.	56
Gardner-Denver Co.	123	National Wire Cloth Co.	117	Whitcomb Locomotive Co.	80
Gar Wood Industries, Inc.	123	New Holland Machine Co.	109	*Williams Patent Crusher & Pulverizer Co.	78
*General Electric Co.	12-13	*Nordberg Mfg. Co.	133	Williamsport Wire Rope Co.	16
General Motors Corp.	21	Northwest Engr. Co.	18		
*Good Roads Machy. Corp.	132				

* See also information in the 1937 Pit and Quarry HANDBOOK



BITUMINOUS PAVING MACHINERY



Bituminized Material Offers a New Outlet for Your Aggregate

● The H & B tower type plant combines portability and large capacity. Built by manufacturers of asphalt paving machinery for over 30 years.

Send for our new bulletin T-247

HETHERINGTON & BERNER, INC.
ENGINEERS—MANUFACTURERS
INDIANAPOLIS, IND.

QUARRY CUTS AIR HOSE COST *75 per cent!*

HERE is a typical example of the savings that can be made by having air hose individually specified to the job by the G.T.M.—Goodyear Technical Man.

Air hose troubles used to be a pretty regular thing in the underground operations of the Heumader Quarries Company, St. Joseph, Missouri. Constant dragging over the sharp rocks caused severe abrasion and rapid cover wear. Lubricating oil passing through the lines caused the tube to swell and flake, frequently clogging the hammers and delaying the work. Several different makes of hose were tried, but the maximum service was only one year!

Says "Style M"


Noting these conditions carefully, the G.T.M. recommended that the quarry change to Goodyear Style M Air Drill Hose, 4-ply, and in May 1933, several lengths were put into service on the hammers. *Today, over four years later, this hose is still in use and, as the photograph shows, it is far from worn out. In all this time there have been no shut-downs and delays due to clogged tools, and the saving in replacements has reduced the company's air hose bill 75%.*

Couldn't you use savings like that? To give you similar economy on any type of job Goodyear makes five different types of air hose to fit every service requirement. The G.T.M. will be glad to recommend the proper type for your operation if you will write him, care of Goodyear, Akron, Ohio, or Los Angeles, California—or the nearest Goodyear Mechanical Rubber Goods Distributor.


**BELTS
MOLDED GOODS
HOSE
PACKING**

Made by the makers of
Goodyear Tires

THE GREATEST NAME IN RUBBER
GOODYEAR



 -Specified
**GOODYEAR STYLE M
AIR DRILL HOSE**
for heavy service in mines
and quarries



- 1** Super-tough rubber cover that offers greater resistance to cutting, peeling and abrasion than wire-wound hose.
- 2** Heavy duck carcass that holds high pressures and absorbs "tow-rope" strains.
- 3** Thick, slow-aging, non-swelling, oil-resisting, air-tight rubber tube.




"BEST ENGINE I EVER HAD"

FOR one who has used many engines, John Guerra is a man of few words. But they pack a world of meaning! "Best engine I ever had," sums up the low operating cost of his 125-hp. "Caterpillar" Diesel Engine and the way it stands up under the heavy demands of his rock-crushing plant at River Drive and Strodman Road, St. Louis, Mo.

With an output of 350 tons per 10-hour day, his fuel-and-lubrication cost is only thirty cents an hour — 1 1/6¢ a ton, or less than one-fourth the usual cost of other types of power. In 20 months of service, not a cent has been spent for repairs.

And there are *thousands* of other actual instances, covering most every industry, which offer similar proof of the extraordinary economy of Diesel power as perfected by "Caterpillar." Ask the nearest dealer for details. Or, write us direct.

SEVEN ENGINE SIZES—44 TO 160 HP.




CATERPILLAR DIESEL ENGINES

REG. U. S. PAT. OFF.

*TIMKEN Bits

meet every need



The TIMKEN Rock Bit range includes types and sizes for every drilling condition that may be encountered.

TIMKEN Bits are made in three different types—cross, rose and chisel—available with either center or side hole in all required gauges.

There is only *one quality* however, and that is the highest that can be produced. TIMKEN means as much in rock bits in this respect as it does in tapered roller bearings.

To get this superior quality and the advantages that go with it—including streamlined design, faster drilling and more footage per bit—you pay a little more for TIMKEN Bits—but you will find them cheaper in the long run.

If you are not using TIMKEN Bits you are losing a modern opportunity to reduce your drilling costs. Why not give them a tryout now? We are ready to conduct a demonstration whenever you say the word.

THE TIMKEN ROLLER BEARING COMPANY, CANTON, OHIO

Manufacturers of Timken Tapered Roller Bearings for automobiles, motor trucks, railroad cars and locomotives and all kinds of industrial machinery; Timken Alloy Steels and Carbon and Alloy Seamless Tubing; and Timken Rock Bits.

* TRADE-MARK REG. U. S. PAT. OFF.

TIMKEN

ROCK BITS

Building a faster drill is one thing—
Making it so that it will stand up is another



These numbers on a
 enable us to determine
 exact batch of steel
 which it was made, as
 as all of the pertinent
 concerning the form
 machining, heat-tre
 inspection and test
 part.

**That's why
 Ingersoll-Rand pistons
 pass through 48 operations
 in their manufacture**

PIECE by piece the parts of a rock drill look simple and easy to make—but looks are deceiving. No other machine has to withstand the abuse of modern drills.

Consider the piston of the DA-35 drifter; one end operates at a freezing temperature, the other, frequently at 250° F. It must deliver heavy blows at the rate of about 2000 per minute (depending on conditions)—millions of these impacts during its lifetime. It receives 48 separate machining, testing and heat treating operations and is actually being worked on 55 hours in the course of its manufacture.

During the last thirty years there has been a tenfold increase in drilling speed—the life span of parts has been lengthened—dependability has grown progressively greater—upkeep costs have steadily decreased. Credit for this great improvement is due in a large measure to Ingersoll-Rand research and development.

I-R PRODUCTS

coolers	Compressors	Hoists	Refrigeration Units
Iron Pumps	Condensers	Paving Breakers	Rock Drills
ers	Drill Steel & "Jackbits"	Pneumatic Tools	Rock Drill Accessories
rx" Core Drills	Engines	Receivers, Air & Gas	Tie Tampers
			Vacuum Pumps

513.5


Ingersoll-Rand

REASONS WHY THE DA-35 PISTON STANDS-UP

- 1 Metallurgical specifications for each piston incorporate 60 years of accumulated experience.
- 2 No steel for any other purpose whatever, is selected as carefully as the material that goes in rock drill pistons. Composition is controlled with unbelievable accuracy. Each batch must pass a physical inspection, chemical analysis and an elaborate hardenability test before it leaves the mill.
- 3 Proper heat-treating is a highly technical operation. The handling of this step in the manufacture of I-R drills is entrusted only to specially trained metallurgists.
- 4 A correct design, highly skilled craftsmen and a thoroughly modern plant and equipment insure a superior product. Sizes are held to one-half of one-thousandth of an inch (.0005") variation.
- 5 Every finished piston is tested in a specially developed magnetic testing machine, which gives what we call "a mechanical X-ray", indicating the depth of hardness and the most minute variations from specified standards. Each lot of finished pistons is also given


The MORRIS HYDRAULIC COLUMN

News of interest to Centrifugal Pump Users



"Full of Grit"

This Morris Centrifugal Pump is certainly "full of grit"—literally as well as figuratively. The stamina which has enabled it to operate with complete satisfaction on this difficult slurry-handling service is typical of the quality built into *all* Morris Pumps. Have you the Morris bulletins on pumps for your requirements? If not, be sure to write for copies.



Efficiency curves should have plateaus—not peaks


If a centrifugal pump has an efficiency curve that drops off sharply from both sides of the maximum, the slightest change of pressure or capacity will cause a marked loss of efficiency. Morris Pumps have *flat* efficiency curves, which means that they may be operated over a range of conditions without material decrease of efficiency. If you want centrifugal pumps with this helpful characteristic, be sure to get a Morris Quotation. Bulletins on request.

For authoritative recommendation on any pumping or dredging problem, write to Morris Machine Works, Baldwinville, N. Y. Representatives in Principal Cities

MORE *Cubic yards*
...MORE *Tons per dollar*

WITH

WHITCOMB LOCOMOTIVES



● Stop fighting ground resistance, road washouts, high up-keep cost of equipment, and extra man power. Let one operator, with a Whitcomb Locomotive, haul more tonnage at one time than a whole fleet of individual haulage machines.

Over half a century of experience has proven the unequalled stamina and efficiency of Whitcomb Locomotives. They give you uninterrupted service for more years with lower up-keep cost. New methods make track moving or shifting faster, easier and cheaper than ever. Whitcomb Locomotives are sturdy, compact machines, properly balanced for rough, temporary tracks. They have plenty of power to move the load with speed and economy.

Let our engineers survey your haulage requirements and estimate the savings you can make with Whitcomb equipment.

A SIZE AND TYPE TO SUIT YOUR NEEDS


- Gasoline or Diesel Mechanical Drive
- Gasoline or Diesel Electric Drive
- Electric Storage Battery
- Electric Trolley
- Combination Trolley — Storage Battery

THE WHITCOMB LOCOMOTIVE COMPANY


Plant at Rochelle, Illinois
Subsidiary of The Baldwin Locomotive Works
All sales made by The Baldwin Locomotive Works,
Paschall Station Post Office, Philadelphia, Pennsylvania.

GAR WOOD

*Heavy Duty Dump Bodies
for Rock and Aggregates*
and T44 TELESCOPIC HOISTS with
PATENTED OUTSIDE MOUNTINGS



● 20 cu. yd. side dump body, and Model T44 telescopic hoist. The body weighs approximately 14,000 lbs.



● Model T44 consists of two powerful telescopic hoists mounted in saddles inside or outside the truck frame. It is extensively used with big rock bodies such as the one opposite, to handle up to 25 tons.



● Fleet of rock excavating units, with T44 hoists. This type of body can be furnished with down-folding tailgate as shown, or with scoop end.

GAR WOOD INDUSTRIES, INC.
7924 Riopelle St. • Detroit, Mich.


WORLD'S LARGEST MANUFACTURER OF TRUCK
EQUIPMENT — Hoists, Bodies, Tanks, Winches and Cranes
Also: Trailbuilders, Bulldozers and Hydraulic Scrapers

*For better
compressor
performance*

A GARDNER-DENVER AIR COMPRESSOR

- An improved, accurately balanced compressor suitable for a wide variety of services.
- Made in all commercial sizes.
- Rugged—built for heavy-duty, full-load service and continuous operation.
- Low power costs . . . electro pneumatic control automatically controls current consumption in accordance with air demand.
- Timken Tapered Adjustable Roller Bearings.

Write for bulletin giving full details



Gardner-Denver RX
Horizontal
Air Compressor



Since 1859

GARDNER-DENVER COMPANY
Quincy, Illinois

GARDNER-DENVER