

CH-2 REV. 7-88



Lee Ireland

E. I. DU PONT DE NEMOURS & COMPANY
INCORPORATED
WILMINGTON, DELAWARE 19898

CHEMICALS AND POLYMERS DEPARTMENT

cc: Production Mgrs.
Plant OSH Contacts
PGGilby
WHDarnell
TELewis
FEFrench
CCQuarles

November 16, 1983

*To: L. H. Smith
you see this?*

PLANT MANAGERS
LABORATORY DIRECTORS

OSHA INSPECTIONS FOR
COMPLIANCE WITH ASBESTOS STANDARD

Attached for your information are two letters from Thorne G. Auchter, Assistant Secretary for Occupational Safety and Health, to OSHA National, Regional and Area offices. OSHA Office of Field Coordination, Notice CPL 2, provides for a trial coordination between EPA and OSHA. As a result of this experimental program, C&P locations may stimulate an OSHA visit when they inform the EPA of an asbestos removal job. The experimental program expires on March 31, 1984.

OSHA Office of Field Coordination, Instruction CPL 2.60 provides for a special emphasis inspection program. OSHA indicates an intention to step up inspection activities particularly in industries where greatest exposure to asbestos has been found in the past. This program does not have an expiration date.

CRAIG H. EVANS
PRODUCTION DIVISION
ENVIRONMENTAL & REGULATORY AFFAIRS

CHE/nvw
Attachment

DUP 0508011

DU 004078