



PLAINTIFF'S EXHIBIT
CT-982
CTD030628

PLAINTIFF'S EXHIBIT

CT-982

Certain-teed®

FLUID-TITE® Asbestos-Cement Pressure Pipe




Now with the New, Factory-Applied


CERTA-SPACER™ band

CTD030628

CERTA-SPACER




LOW TRANSPORTATION COSTS — Because of its light weight, it costs less to ship Certain-teed Asbestos-Cement Pressure Pipe. And, it's also easier for workmen to handle.



LOW HANDLING COSTS—Certain-teed Asbestos-Cement Pressure Pipe lays in any kind of weather and soil condition. Keeps labor costs at a minimum. Speeds installation. Permits faster scheduling.



LOW ASSEMBLY COSTS—Just place gas in coupling, lubricate the pipe end and c pling gasket and slide it into the FLUID-TI Coupling. Because of the ease of assembly, can lay more pipe per hour than ever befc




CTD030629

Modern Solution to Rising Costs

Connects with other brands of asbestos-cement pipe. Makes interchange of brands possible; couples easily where other brands are already installed.

inates
ng yokes.
u can easily
ipe through
s, tunnels,
ed ditches,
ll maintain
n spacing.



Certain-teed's automatic pipe-positioning band will not deteriorate when exposed to weather. Stays snugly in place while pipe is shipped, stored, handled. All Certain-teed pressure pipe comes to you equipped with factory-applied CERTA-SPACER band.

CTD030630

CERTAIN-TEED ASBESTOS-CEMENT PRESSURE PIPE WITH EXCLUSIVE PATENTED FLUID-TITE® COUPLING...ENGINEERED FOR QUALITY

Meets Specifications:
A.W.W.A. C-400, Federal Specification SS-P-351a and A.S.T.M. Specification C-296, and as revised.

Certain-teed Asbestos-Cement Pressure Pipe is produced by a proven American company with a reputation to maintain. Not only does Certain-teed rigorously test each pipe and coupling, but is readily available if technical assistance is needed.

For the best in water service, see your local consulting engineer.

STANDARD SIZES AND CLASSES

STANDARD PIPE LENGTH—13 FEET

Pipe size—inches	Inside diameter—inches	Outside diameter—inches	Approx. wt. per lin. ft. pipe and couplings
CLASS 100			
3	3.00	3.74	4.84
4	4.00	4.64	6.25
6	6.00	6.91	10.40
8	8.00	9.11	15.01
10	10.00	11.14	20.83
12	12.00	13.32	27.86
14	13.52	15.07	34.93
16	15.36	17.15	44.97
18	18.00	19.90	62.00
20	20.00	22.12	72.00
24	24.00	26.48	101.00
CLASS 150			
3	3.00	3.84	5.81
4	4.00	4.81	7.25
6	5.85	6.91	12.30
8	7.85	9.11	18.63
10	10.00	11.66	29.35
12	12.00	13.92	39.64
14	14.00	16.22	52.84
16	16.00	18.46	67.34
18	18.00	20.94	92.00
20	20.00	23.28	111.00
24	24.00	27.96	157.00
CLASS 200			
3	3.00	3.84	5.90
4	4.00	4.81	9.20
6	5.70	6.91	16.32
8	7.60	9.11	25.06
10	9.60	11.66	35.91
12	11.47	13.92	48.35
14	13.52	16.22	61.89
16	15.36	18.46	79.58

CTD030631

Certain-teed Products Corporation

PIPE DIVISION · LEA BUILDING, AMBLER, PA.

PIPE FACTORIES AT AMBLER, PA.; ST. LOUIS, MO., SANTA CLARA, CALIF.; HILLSBORO, TEXAS

PIPE DISTRICT SALES OFFICES: ALBANY, N.Y. AMBLER, PA.; ATLANTA, GA.; CLEVELAND, OHIO, DENVER, COL.; HOUSTON, TEX.; LOS ANGELES, CALIF.; SAN FRANCISCO, CALIF.; ST. LOUIS, MO.

Certain-teed, FLUID-TITE, and CERTA-SPACER are trademarks of Certain-teed Products Corporation, Ardmore, Pa.