

~~GP-1391~~
Georgia-Pacific

intracompany memo

I may be alarming Dave but I'd rather do that than be caught with our pants down.

Red 347

to	Mr. D. C. Corkill	location	Portland
from	C. W. Lehnert	location	Tigard
subject	<u>Construction Standards and Interpretations</u>	date	January 26, 1977

If Jim's interpretation of the OSHA Standard 1926.55 is correct, ie making the same requirements for the construction industry that we have in the plants, you can anticipate a surge in the demand for asbestos free products. I hope that you can guide us as the transition takes place so we can make the necessary adjustments in our raw material, finished product and container inventories.

C. W. L.

CWL/gvp

Enc.

cc: Mr. J. R. Hurd - Portland
 Mr. T. E. Withycombe - Portland
 Mr. E. B. Hollingsworth - Wilmington E/O

SGP 0009006

Georgia-Pacific



intracompany memo

to	Mr. D. C. Corkill	location	Portland
from	C. W. Lehnert	location	Tigard
subject	<u>Construction Standards and Interpretations</u>	date	January 26, 1977

If Jim's interpretation of the OSHA Standard 1926.55 is correct, ie making the same requirements for the construction industry that we have in the plants, you can anticipate a surge in the demand for asbestos free products. I hope that you can guide us as the transition takes place so we can make the necessary adjustments in our raw material, finished product and container inventories.

CWL
C. W. L.

CWL/gvp

Enc.

cc: Mr. J. R. Hurd - Portland
Mr. T. E. Withycombe - Portland
Mr. E. B. Hollingsworth - Wilmington E/O

SGP 0009007

RECEIVED BY
JAN 27 1977
GYPSUM DIVISION