

PCB 71-130 Chicago-Dubuque Foundry Corporation.

East Dubuque petitioner seeks a variance from air pollution regulations. The company wants to wait until the United States EPA adopts National Ambient Air Quality Standards before installing control equipment. No hearing was authorized pending Agency recommendation.

PCB 71-131 Willow Creek Drainage District.

Morgan County petitioner seeks a variance from open burning regulations so it may burn refuse from clean-up operations. No hearing was authorized pending Agency recommendation.

PCB 71-132 American National Bank & Trust Co.

Petitioner seeks a variance from the prohibition of new sewer connections to the North Shore Sanitary District in order to connect a new sixty-five unit complex. A hearing was authorized.

PCB 71-133 Thomas and Sandra Keady.

Lake County petitioners seek variance to connect a one family residence to the NSSD. A hearing was authorized.

PCB 71-134 Union Oil Co. of California.

Chicago Refinery of Union 76 Division seeks open burning variance to conduct fire-fighting training classes. No hearing was authorized pending Agency recommendation.

PCB 71-135 Ravinia Festival.

Petitioner seeks open burning variance so it may burn diseased elm trees at its Highland Park location. No hearing was authorized pending Agency recommendation.

PCB 71-136 A.H. Zamost.

Petitioner requests a variance to connect a new single family residence to the NSSD. A hearing was authorized.