

**CEMENT ASBESTOS PRODUCTS COMPANY**

**Birmingham, Alabama**

**January 23, 1971**

**FROM: S. D. Weaver**

**TO: W. R. Bond**

Our policy on xraying the lungs of employees at Ragland has been to xray each individual prior to employment, then in 1969 we xrayed all employees with negative results.

We plan to xray again during 1971 in cooperation with National Cement. If this again proves negative, we plan in another two years to xray again.

We are installing improved dust collection equipment for the finishing lines at Ragland. We have not at present taken dust counts. This was discussed with Stan Mooney after a visual inspection tour and decided to withhold until some future date.

---

**SDW/bh**

**cc: W. H. Beasley**

**HER 0008558**

Jan 25, 1971

From: ~~W.H. Bond~~ S.D. Wean  
To: W.H. Bond

Our policy on hiring the large of employees at Rayland has been to, they each individual prior to employment, then in 1969 we hired all employees with negative results.

We plan to test again during 1971 in cooperation with National account, if this again proves negative we will plan in another two years to test again.

We are installing improved dust collection equipment for the finishing lines at Rayland. We have not at present taken dust counts, this was discussed with Stan Mooney after a visual inspection tour and decided to withhold until some future date.

S.D. Wean

C.C. W.H. Bond

HER 0008559