Sherma Kelly
G-501 (S-1 - is class. OK?

MAY 13 1974

E.E.S.

UH 4069 -
antioxidant
thermal breakdown 170°C. 185°C.

W-253 S-1
peptized Carbon black } sending note
al benzoate -

Jim Engles - Pete Smyrk
Fulton, Ind.

4th man grinding on bare steel - not in same area

∴ perhaps its in abrasive wheels
UP & Mfg. - going to request patch test

Geo. Hiddeman - call Morgan
Walt Venable - TF Richmond
3 samples in machine shop
Chicago -

N38218

T. Wilson

15 ppm hexane in solvent area

has sampled thinner pkg areas for totality HC

Ces Evans

VC - no detectable

VC - Parlin samples

5 ppm limit of detection

6 min 24 sec. sample time

1 N105H

1 250 cc bottle - teflon lined cap

DUP050048244

EA Andre

MAY 14 1974

E.E.S.

1-7 MM 1973 cons. of hexane

109 M - 1973 heptane

320 m lb in 3942 thinner

spot repair lucite

1974 usage hexane
850 M lb.

D. McKay PPG recalled spray paint
never heard of it

---

sug. tell Fulton
prob. cause is solvent defatting
gen'l irrit.
improve work practice
if sales doesn't want to do above -
could patch test or
do IH survey
he will let me know by Friday

DUP050048245

MAY 15 1974

E.E.S.

Diem

VC highest priority
need data soon
may want to submit data
deadline June 10th

he will check c̄ GLE - TJN
+ call back

Les Young - Rec

(1) Inhalation or A-B 1000
(2) " Fixer 1000
(3) Oral - LO-1 500

get lit. 1) Rylex - Ni -
2 Capracyl
(3) OPPD

DUP050048246

WSZ – NJ Hearings

MAY 15 1974

NJPCB control of 2% – doesn't have E.E.S.
any real effect – even if elim these emiss
Variance – not sure they can be legally granted

Vincent Stefano 2:35 PM
Mr. De Stefano
Ethicon ~~Corp~~ Inc.
201-524-3455
Teflon® felt –
medical use
use with suture

Mrs Metzger
1969 – 1/2000 – 220000 cases/yr

DUP050048247

Andy R.
Chg Cdr 115451 -

46-1

Rally Car Wash

skin init

DUP050048248

Andy Rutkewicz

MAY 16 1974
E.E.S.

additives - to reduce irritancy of detergent
control - to be irrit
others prob. not
4-6 weeks to compl. 300/sample
may want to use guinea pigs
will send samples here

Ed J Donnelly - Troy Lab
H 729 - N - methyl pyrolidone
used in Flex acrylic enamel
10-20% of solvent

Len J. Acrylonitrile 6-744

yes we use alot TLU so
but probably all reacted

GLE
NIOSH - select col. + cond.
approp to your sample
NIOSH using charcoal +
CS_2 for recovery
use charcoal now → 60x increase
in sensitivity

DUP050048249

Fairfield - Fri + Sat
Toledo - next week

MAY 6 1974
E.E.S.

warned NIOSH about hexane interference

Mrs Metzger 571-3410 — Center for Disease Control
125,000 estimated no. — Public HS Atlanta

Cities c̄ lead Programs

1st yr. 275,966 child screened
30,776 11.1% >40 elevated blood
4,688 1.7% confirmed treated
refer at 60
sometimes treat at 50
Surg. Genl >80 = case

40 cities

25,355 DO insp
9,350 37% corrected

2nd July 1, 73 — April 74

43 cities

479,013 screened
46,271 9.65 conf. elev. blood
7,466 1.56 treated

42,050 DU inspection
64% positive for lead paint
60% reduced haz.

Data for US Fed $ prog

DUP050048250

Penicilamine now used rather than EDTA

Crawford he will send Yerkes letter to Hyde's atty.

Joe Powelski
Don McKay -
306-73 - Teflon frypan
wants spot - internal use only

Dwayne Kline

Bill Waldron
Seig. They monitor at Exp. Sta.
He will see that it is initiated

Ray Brown

NPCA submitted written testimony -

R. Brown + legal will attend

gave to Scientific Comm.

< 5 & 150 ppm

soln process → low VC

varys from batch & batch

P185

Al Gowan

Provincial British Columbia -

severe lung irrit - smoke

ask for comp. data

label info etc.

Coming Friday

DUP050048252